

HISTORY OF ON-ORBIT SATELLITE FRAGMENTATIONS

Orbital Debris Program Office

July 31, 2001




National Aeronautics and
Space Administration
Lyndon B. Johnson Space Center
Houston, TX 77058

HISTORY OF ON-ORBIT SATELLITE FRAGMENTATIONS


July 2001

Prepared By:




Phillip D. Anz-Meador, Ph.D.
Viking Science & Technology, Inc.

Approved By:



Jer-Chyi Liou, Ph.D.
Lockheed Martin
Task Order Manager

Approved By:



Nicholas L. Johnson
NASA/JSC
Chief Scientist and Program Manager
Orbital Debris Program Office

HISTORY OF ON-ORBIT SATELLITE FRAGMENTATIONS

Twelfth Edition

(Information Cut-off Date: May 30, 2001)

Nicholas Johnson

Phillip Anz-Meador, Ph.D.
Eleanor Cizek
Sara Portman

July 2001

Orbital Debris Program Office
Johnson Space Center
National Aeronautics and Space Administration

Preface to the Twelfth Edition

The first edition of the History of On-Orbit Satellite Fragmentations was published by Teledyne Brown Engineering (TBE) in August, 1984, under the sponsorship of the NASA Johnson Space Center and with the cooperation of USAF Space Command and the U.S. Army Ballistic Missile Command. The objective was to bring together information about the 75 satellites which had at that time experienced noticeable breakups. This update encompasses all known satellite fragmentations. This update is published by the NASA Johnson Space Center, Orbital Debris Program Office with support from Lockheed Martin Space Mission Systems and Services and Viking Science & Technology, Inc.

Since the eleventh edition there have been 16 identified on-orbit breakups and 3 anomalous events. This activity has resulted in an approximately 5% increase in the historical cataloged debris count (since June 1998) which includes on-orbit and decayed objects, though an approximately 5% decrease in the on-orbit debris count is observed. This is due both to the Solar Maximum (and its concomitant increase in atmospheric drag for a given LEO orbit) and the implementation of debris mitigation measures on the part of launching agencies and organizations.

The current authors would like to recognize the substantial contributions of the authors of previous editions of this document. In addition, the assistance of personnel of U.S. Space Command, Air Force Space Command, Naval Space Command, and Teledyne Brown Engineering has been vital to the present work.

Since the issuance of the last edition of the History, Mr. Donald J. Kessler and Mr. Joseph P. Loftus have both retired from daily participation in the NASA Orbital Debris Program Office-related areas of study. Mr. Kessler was the first worker to treat the orbital debris environment in a statistical sense, enabling modeling and assessment of the hazard posed by the growth of orbital debris. From this beginning sprang the modern study of the debris environment by both domestic and international groups and organizations. This would not have been accomplished, however, without the support, encouragement, and many significant technical and both domestic and international organizational contributions to the study of orbital debris by Mr. Loftus. To Messrs. Kessler and Loftus we humbly dedicate this edition of the History.

TABLE OF CONTENTS

Preface to the Twelfth Edition	i
ACRONYMS	1
1.0 INTRODUCTION.....	2
1.1 Definition of Terms.....	3
1.2 Information Sources	3
1.3 Environment Overview	6
2.0 SATELLITE BREAKUPS.....	14
2.1 Background and Status.....	14
2.2 IDENTIFIED SATELLITE BREAKUPS	32
TRANSIT 4A R/B	1961-015C 118
SPUTNIK 29	1962-057A 443
ATLAS CENTAUR 2	1963-047A 694
ELEKTRON 1/2 R/B	1964-006D 751
COSMOS 50	1964-070A 919
COSMOS 57	1965-012A 1093
COSMOS 61-63 R/B	1965-020D 1270
OV2-1/LCS 2 R/B	1965-082B 1640
COSMOS 95	1965-088A 1706
OPS 3031	1966-012C 2015
GEMINI 9 ATDA R/B	1966-046B 2188
PAGEOS	1966-056A 2253
AS-203	1966-059A 2289
COSMOS U-1	1966-088A 2437
COSMOS U-2	1966-101A 2536
COSMOS 199	1968-003A 3099
APOLLO 6 R/B	1968-025B 3171
OV2-5 R/B	1968-081E 3432
COSMOS 248	1968-090A 3503
COSMOS 249	1968-091A 3504
COSMOS 252	1968-097A 3530
METEOR 1-1 R/B	1969-029B 3836
INTELSAT 3 F-5 R/B	1969-064B 4052
OPS 7613 R/B	1969-082AB 4159
NIMBUS 4 R/B	1970-025C 4367
COSMOS 374	1970-089A 4594
COSMOS 375	1970-091A 4598
COSMOS 397	1971-015A 4964
COSMOS 462	1971-106A 5646
LANDSAT 1 R/B	1972-058B 6127
SALYUT 2 R/B	1973-017B 6399
COSMOS 554	1973-021A 6432
NOAA 3 R/B	1973-086B 6921
NOAA 4 R/B	1974-089D 7532

COSMOS 699	1974-103A	7587	101
LANDSAT 2 R/B	1975-004B	7616	103
NIMBUS 6 R/B	1975-052B	7946	105
COSMOS 758	1975-080A	8191	107
COSMOS 777	1975-102A	8416	109
COSMOS 838	1976-063A	8932	111
COSMOS 839	1976-067A	9011	113
COSMOS 844	1976-072A	9046	115
NOAA 5 R/B	1976-077B	9063	117
COSMOS 862	1976-105A	9495	119
COSMOS 880	1976-120A	9601	121
COSMOS 884	1976-123A	9614	123
COSMOS 886	1976-126A	9634	125
COSMOS 903	1977-027A	9911	127
COSMOS 917	1977-047A	10059	129
HIMAWARI 1 R/B	1977-065B	10144	131
COSMOS 931	1977-068A	10150	133
EKRAN 2	1977-092A	10365	135
COSMOS 970	1977-121A	10531	137
LANDSAT 3 R/B	1978-026C	10704	139
COSMOS 1030	1978-083A	11015	141
NIMBUS 7 R/B	1978-098B	11081	143
COSMOS 1045 R/B	1978-100D	11087	145
P-78 (SOLWIND)	1979-017A	11278	147
COSMOS 1094	1979-033A	11333	149
COSMOS 1109	1979-058A	11417	151
COSMOS 1124	1979-077A	11509	153
CAT R/B	1979-104B	11659	155
COSMOS 1167	1980-021A	11729	157
COSMOS 1172	1980-028A	11758	159
COSMOS 1174	1980-030A	11765	161
COSMOS 1191	1980-057A	11871	163
COSMOS 1217	1980-085A	12032	165
COSMOS 1220	1980-089A	12054	167
COSMOS 1247	1981-016A	12303	169
COSMOS 1260	1981-028A	12364	171
COSMOS 1261	1981-031A	12376	173
COSMOS 1275	1981-053A	12504	175
MOLNIYA 3-16	1981-054A	12512	177
MOLNIYA 3-16 FINAL STAGE	1981-054E	12519	179
COSMOS 1278	1981-058A	12547	181
COSMOS 1285	1981-071A	12627	183
COSMOS 1286	1981-072A	12631	185
COSMOS 1305 R/B	1981-088F	12827	187
COSMOS 1306	1981-089A	12828	189
COSMOS 1317	1981-108A	12933	191
COSMOS 1355	1982-038A	13150	193
COSMOS 1375	1982-055A	13259	195
COSMOS 1405	1982-088A	13508	197
COSMOS 1423 R/B	1982-115E	13696	199
ASTRON ULLAGE MOTOR	1983-020B	13902	201
NOAA 8	1983-022A	13923	203
COSMOS 1456	1983-038A	14034	205
COSMOS 1461	1983-044A	14064	207

COSMOS 1481	1983-070A	14182	209
COSMOS 1484	1983-075A	14207	211
COSMOS 1519-21 ULLAGE MOTOR	1983-127H	14608	213
PALAPA B2 R/B	1984-011E	14693	215
WESTAR 6 R/B	1984-011F	14694	217
COSMOS 1588	1984-083A	15167	219
COSMOS 1603 ULLAGE MOTOR	1984-106F	15338	221
COSMOS 1646	1985-030A	15653	223
COSMOS 1650-1652 ULLAGE MOTOR	1985-037G	15714	225
COSMOS 1654	1985-039A	15734	227
COSMOS 1656 ULLAGE MOTOR	1985-042E	15773	229
COSMOS 1682	1985-082A	16054	231
MOLNIYA 3-26	1985-091A	16112	233
COSMOS 1691	1985-094B	16139	235
COSMOS 1701	1985-105A	16235	237
COSMOS 1714 R/B	1985-121F	16439	239
COSMOS 1710-1712 ULLAGE MOTOR	1985-118L	16446	241
SPOT 1 R/B	1986-019C	16615	243
COSMOS 1769	1986-059A	16895	245
USA 19	1986-069A	16937	247
USA 19 R/B	1986-069B	16938	249
COSMOS 1813	1987-004A	17297	251
COSMOS 1823	1987-020A	17535	253
COSMOS 1866	1987-059A	18184	255
COSMOS 1869	1987-062A	18214	257
METEOR 2-16 R/B	1987-068B	18313	259
AUSSAT K3/ECS 4 R/B	1987-078C	18352	261
COSMOS 1883-1885 ULLAGE MOTOR	1987-079G	18374	263
COSMOS 1906	1987-108A	18713	265
EKRAN 17 ULLAGE MOTOR	1987-109E	18719	267
COSMOS 1916	1988-007A	18823	269
COSMOS 1970-1972 ULLAGE MOTOR	1988-085G	19537	271
SKYNET 4B/ASTRA 1A R/B	1988-109C	19689	273
COSMOS 1987-1989 ULLAGE MOTOR	1989-001G	19755	275
GORIZONT 17 ULLAGE MOTOR	1989-004E	19771	277
ARIANE 2 R/B	1989-006B	19773	279
GORIZONT 18 ULLAGE MOTOR	1989-052F	20116	281
COSMOS 2030	1989-054A	20124	283
COSMOS 2031	1989-056A	20136	285
MOLNIYA 3-36	1989-094A	20338	287
MOLNIYA 3-36 FINAL STAGE	1989-094B	20339	289
COSMOS 2053 R/B	1989-100B	20390	291
COSMOS 2054 ULLAGE MOTOR	1989-101E	20399	293
COSMOS 2079-2081 ULLAGE MOTOR	1990-045G	20631	295
FENGYUN 1-2 R/B	1990-081D	20791	297
COSMOS 2101	1990-087A	20828	299
GORIZONT 22 ULLAGE MOTOR	1990-102E	20957	301
USA 68	1990-105A	20978	303
COSMOS 2109-2111 ULLAGE MOTOR	1990-110H	21013	305
ITALSAT 1/EUTELSAT 2 F2 R/B	1991-003C	21057	307
COSMOS 2125-2132 R/B	1991-009J	21108	309
COSMOS 2133 ULLAGE MOTOR	1991-010D	21114	311
ASTRA 1B/MOP 2 R/B	1991-015C	21141	313
COSMOS 2157-2162 R/B	1991-068G	21734	315

COSMOS 2163	1991-071A	21741	317
TELECOM 2B/INMARSAT 2 R/B	1992-021C	21941	319
COSMOS 2204-2206 ULLAGE MOTOR	1992-047H	22067	321
COSMOS 2225	1992-091A	22280	323
COSMOS 2227 R/B	1992-093B	22285	325
COSMOS 2237 R/B	1993-016B	22566	327
COSMOS 2238	1993-018A	22585	329
COSMOS 2243	1993-028A	22641	331
COSMOS 2259	1993-045A	22716	333
COSMOS 2262	1993-057A	22789	335
GORIZONT 29 ULLAGE MOTOR	1993-072E	22925	337
CLEMENTINE R/B	1994-004B	22974	339
STEP II R/B	1994-029B	23106	341
COSMOS 2282 ULLAGE MOTOR	1994-038F	23174	343
ETS-VI R/B	1994-056B	23231	345
ELEKTRO ULLAGE MOTOR	1994-069E	23338	347
RS-15 R/B	1994-085B	23440	349
COSMOS 2313	1995-028A	23596	351
CERISE	1995-033B	23606	353
COSMOS 2316- 2318 ULLAGE MOTOR	1995-037K	23631	355
RADUGA 33 R/B	1996-010D	23797	357
GORIZONT 32 ULLAGE MOTOR	1996-034F	23887	359
COSMOS 2343	1997-024A	24805	361
COSMOS 2347	1997-079A	25088	362-A
ASIASAT 3 R/B (2)	1997-086D	25129	363
COMETS R/B	1998-011B	25176	365
CBERS-1/SACI-1 R/B	1999-057C	25942	367
3.0 SATELLITE ANOMALOUS EVENTS.....			369
3.1 Background and Status.....			369
3.2 IDENTIFIED SATELLITE ANOMALOUS EVENTS.....			374
TRANSIT 5B-N2	1963-049B	704	375
OPS 4412 (TRANSIT 9)	1964-026A	801	376
COSMOS 44 R/B	1964-053B	877	377
OPS 4988 (GREB 6)	1965-016A	1271	378
OPS 4682 (SNAPSHOT)	1965-027A	1314	379
OPS 8480 (TRANSIT 5B-N6)	1965-048A	1420	380
OPS 1509 (TRANSIT 10)	1965-109A	1864	381
OPS 1593 (TRANSIT 11)	1966-005A	1952	382
OPS 1117 (TRANSIT 12)	1966-024A	2119	383
NIMBUS 2	1966-040A	2173	384
OPS 0856 (MIDAS 11)	1966-077A	2403	385
OPS 0100 (TRANSIT 15)	1967-034A	2754	386
OPS 7218 (TRANSIT 16)	1967-048A	2807	387
OPS 4947 (TRANSIT 17)	1967-092A	2965	388
COSMOS 206 R/B	1968-019B 3	151	389
TRANSIT 19	1970-67A 4	507	390
METEOR 1-7 R/B	1971-003B 4	850	391
METEOR 1-12 R/B	1972-049B 6	080	392
GEOS 3 R/B	1975-027B 7	735	393
KYOKKOH 1 (EXOS-A)	1978-014A	10664	394
SEASAT	1978-064A	10967	395

COSMOS 1043	1978-094A	11055	396
TIROS N	1978-096A	11060	397
NIMBUS 7 R/B	1978-098B	11081	398
NOAA 6	1979-057A	11416	399
METEOR 2-7 R/B	1981-043B	12457	400
NOAA 7	1981-059A	12553	401
OSCAR 24 / 30	1985-066	15935/6	402
COSMOS 1939 R/B	1988-032B	19046	403
COBE	1989-089A	20322	404
OKEAN 3	1991-039A	21397	405
EKA 1 (START 1)	1993-014A	22561	406
KOREASAT 1 R/B	1995-041B	23640	407
RADARSAT R/B	1995-059B	23711	408
IKONOS 2	1999-051A	25919	409
4.0 OTHER SATELLITES ASSOCIATED WITH FRAGMENTATIONS			410
4.1 Spurious Associations with Fragmentation Events			410
4.2 Provisional Breakups			412
4.3 Events not Otherwise Categorized			412
5.0 SATELLITES NOT ASSOCIATED WITH BREAKUPS			413
6.0 SATELLITES NOT ASSOCIATED WITH ANOMALOUS EVENTS			421
7.0 EVENT MASTER LIST			423

ACRONYMS

ADCOM	USAF Aerospace Defense Command
AFB	Air Force Base
AFSPC	Air Force Space Command
AN/FPS-85	See FPS-85
Asc	Ascending
ASAT	Anti Satellite
BEI	Beyond Earth influence (orbit category)
BMEWS	Ballistic Missile Early Warning
CIS	Commonwealth of Independent States (see also USSR)
DKD	Docked to another vehicle (orbit category)
DS	Deep Space (orbit category)
Dsc	Descending
DST	Deep Space Transfer (orbit category)
E-O	Electro-optical
ESA	European Space Agency
ESRO	European Space Research Organization
FPS-85	Phased-array UHF radar at Eglin AFB, Florida
GEO	Geosynchronous Earth Orbit (orbit category)
GEODSS	Ground-based Electro-Optical Deep-space Surveillance System
HDS	Historical Data System (USSPACECOM)
ITSO	The INTELSAT Organization
JSC	Johnson Space Center (NASA)
LEO	Low Earth Orbit (orbit category)
LRIR	Long Range Imaging Radar
MEO	Middle Earth Orbit (orbit category)
MMW	Millimeter Wave Radar
MSSS	Maui Space Surveillance Site
MSX	Midcourse Space Experiment
NASA	National Aeronautics and Space Administration
NAVSPASUR	Naval Space Surveillance System
NAVSPOC	Naval Space Operations Center
NE	Near Earth (orbit category)
NEA	No Elements Available
NORAD	North American Aerospace Defense Command
NSSC	NORAD Space Surveillance Center (obsolete)
PA	Phased Array (radar)
PARCS	Phased-array UHF radar at Cavalier AFB, North Dakota: the Perimeter Acquisition Radar Attack Characterization System
RAE	The Royal Aerospace Establishment
R/B	Rocket Body or Rocket Booster
RF	Radio Frequency
RORSAT	Radar Ocean Reconnaissance Satellite
SATRAK	IBM PC compatible astrodynamics toolkit
SbS	Sub-Synchronous
SBV	Space-Based Visible telescope
SCC	formerly Space Computational Center (obsolete); now Space Control Center
SDC	Space Defense Center (obsolete)
SOZ	Sistema Obespechanya Zapuska (Proton-K Block DM attitude/ullage motor unit)
SPADOC	Space Defense Operations Center (obsolete)
SpS	Super-synchronous (orbit category)
SSC	Space Surveillance Center
SSN	Space Surveillance Network
SSPAR	Solid State Phased Array Radar
TBE	Teledyne Brown Engineering
TLE	Two Line Element Set
USSPACECOM	United States Space Command
USSR/CIS	Union of Soviet Socialist Republics/Commonwealth of Independent States

SYMBOLS

ΔP	The maximum observed change in the orbital period [min].
ΔI	The maximum observed change in the inclination [°].

1.0 INTRODUCTION

Since the first serious satellite fragmentation occurred in June, 1961 (which instantaneously increased the total Earth satellite population by more than 400%) the issue of space operations within the finite region of space around the Earth has been the subject of increasing interest and concern. The prolific satellite fragmentations of the 1970's and the marked increase in the number of fragmentations in the 1980's served to widen international research into the characteristics and consequences of such events. Continued events in all orbits in the 1990's make definition and historical accounting of those events crucial to future research. Large, manned space stations and large constellations of the late 1990's and beyond demand a better understanding of the hazards of the dynamic Earth satellite population.

The contribution of satellite fragmentations to the growth of the Earth satellite population is complex and varied. The majority of detectable fragmentation debris have already fallen out of orbit, and the effects of 45% of all fragmentations have completely disappeared. On the other hand, just 10 of more than 4150 space missions flown since 1957 are responsible for 21% of all cataloged artificial Earth satellites presently in orbit (Figure 1.0-1). Moreover, the sources of 9 of these 10 fragmentations were discarded rocket bodies which had operated as designed but later broke-up, the same percentage as the eleventh edition. The primary factors affecting the growth of the true Earth satellite population are the international space launch rate, satellite fragmentations, and solar activity. As of 30 May 2001 the largest element of the cataloged Earth satellite population continued to be fragmentation debris, as illustrated in Figure 1.0-2.




Figure 1.0-1: Magnitude of the ten largest debris clouds *in orbit* as of 30 May 2001.




Figure 1.0-2: Relative segments of the cataloged *in-orbit* Earth satellite population.

1.1 Definition of Terms

In this volume, satellite fragmentations are categorized by their assessed nature and to a lesser degree by their effect on the near-Earth space environment. A **satellite breakup** is the usually destructive disassociation of an orbital payload, rocket body, or structure, often with a wide range of ejecta velocities. A satellite breakup may be accidental or the result of intentional actions, e.g., due to a propulsion system malfunction or a space weapons test, respectively. An **anomalous event** is the unplanned separation, usually at low velocity, of one or more detectable objects from a satellite which remains essentially intact. Anomalous events can be caused by material deterioration of items such as thermal blankets, protective shields, or solar panels. As a general rule, a satellite breakup will produce considerably more debris, both trackable and non-trackable, than an anomalous event. From one perspective, satellite breakups may be viewed as a measure of the effects of man's activity on the environment, while anomalous events may be a measure of the effects of the environment on man-made objects.

Mission-related, or operational debris results from the release of objects, usually in small numbers, during normal on-orbit operations. Objects ejected during the deployment, activation, and de-orbit of payloads and during manned operations are examples of mission-related debris. Usually mission-related debris from a single launch are few in number, but extreme examples occasionally arise, such as the 200 objects from the *Salyut 7* space station or the more than 140 objects from the Westford Needles experiment. Although mission-related debris represent a significant portion (approximately 11%) of all satellites in orbit today and therefore are a legitimate subject in the study of methods to retard the growth of the Earth satellite population, identification of the thousands of mission-related debris events is beyond the scope of this report.

1.2 Information Sources

A number of data sources were employed in the compilation of this volume. However, nearly all are derived from observations collected by the U.S. Space Surveillance Network (SSN). Constituent SSN sensors are listed in Table 1.2-1. “Dedicated” sensors are those USSPACECOM-controlled sensors with the primary spacetrack mission; “collateral” sensors are USSPACECOM-controlled sensors with a primary mission other than spacetrack, while “contributing” sensors refer to those controlled by other entities which provide spacetrack data to the SSN. Range types “NE” and “DS” refer to “near Earth” and “Deep Space”, respectively.

Table 1.2-1: US SSN sensors.

SENSOR	SENSOR DESIG.	RANGE TYPE	COLLECTOR TYPE	MISSION SUPPORT
Antigua	ANT	NE	Radar (Mechanical Tracker)	Collateral
Ascension	ASC	NE	Radar (Mechanical Tracker)	Collateral
Beale - PAVE PAWS	BLE	NE	Solid State Phased Array Radar (SSPAR)	Collateral
Cape Cod - PAVE PAWS	COD	NE	SSPAR	Collateral
Cavalier - PARCS	CAV	NE	Radar PA	Collateral
Clear - BMEWS	CLR	NE	3 Detection Radars & 1 Tracking Radar	Collateral
Diego Garcia - GEODSS	DGC	DS	E-O	Dedicated
Eglin	EGL	NE/DS	Radar PA	Dedicated
Feltwell	FLT	DS	Passive RF	Dedicated
Fylingdales - BMEWS	FYL	NE	SSPAR	Collateral
Haystack Aux	HAX	NE/DS	Radar (Mechanical Tracker)	Contributing
Haystack LRIR	HAY	NE/DS	Radar (Mechanical Tracker)	Contributing
Kaena Point	KAE	NE	Radar (Mechanical Tracker)	Collateral
Kwajalein - ALCOR	ALC	NE	Radar (Mechanical Tracker)	Contributing
Kwajalein - ALTAIR	ALT	NE/DS	Radar (Mechanical Tracker)	Contributing
Kwajalein - TRADEX	TRX	NE/DS	Radar (Mechanical Tracker)	Contributing
Kwajalein - MMW	MMW	NE	Radar (Mechanical Tracker)	Contributing
Maui - GEODSS	MAU	DS	E-O	Dedicated
Misawa	MSW	DS	Passive RF	Dedicated
Millstone	MIL	NE/DS	Radar (Mechanical Tracker)	Contributing
MSSS – 3.7m	AEOS	DS	E-O	Contributing (Oct 00)
MSSS - 1.6m	AMS	DS	E-O	Contributing (Oct 00)
MSSS - 1.2m	MOT	DS	E-O	Contributing (Oct 00)
MSSS - .8m	BDT	DS	E-O	Contributing (Oct 00)
MSX/SBV	MSX	NE/DS	E-O	Dedicated (Oct 00)
NAVSPACE Detection Fence	NAV	NE/DS	Radar (Detection Fence/Interferometer)	Dedicated
Socorro - GEODSS	SOC	DS	E-O	Dedicated
Spain	MOSS	DS	E-O	Dedicated
Shemya	SHY	NE	Radar PA	Contributing
Thule - BMEWS	THU	NE	SSPAR	Collateral

Figure 1.2-1 depicts representative SSN sensor coverage at Space Station altitudes (approximately 400 km). Radar sensors are indicated by blue surveillance volumes, while optical sensors are indicated in red. The smaller sizes of the optical sensor's volumes are due to a higher minimum elevation as compared to the radar sensors.




Fig. 1.2-1: US SSN sensor coverage at 400 km altitude; selected sensors only. Miller cylindrical projection.

The most frequently used sources were the official U.S. Satellite Catalog (issues for 1964 to present), full satellite catalog element set databases taken directly from Cheyenne Mountain computer systems, specific element set retrievals from the Historical Data System (HDS), element sets of specific debris clouds as maintained by Naval Space Command, and raw radar observations from the PARCS and AN/FPS-85 (Eglin Air Force Base) sites. The analysts formally associated with NAVSPASUR are now part of the NAVSPOC, but continue to use data generated by the Naval electronic radar fence. Some of these databases include element set data on debris prior to official cataloging actions, i.e., from the analyst satellite catalog or 8X,XXX series. The Cheyenne Mountain organization responsible for managing satellite orbital data has been designated during different periods as the NORAD Space Surveillance Center (NSSC), the Space Computational Center (SCC), the Space Defense Center (SDC), the Space Surveillance Center (SSC), and the Space Control Center (SCC).

Due to the variety of sources and geodetic models used to create satellite orbital element sets, all altitudes cited within this volume are presented to the nearest 5 km, referenced to a mean Earth of radius 6378.145 km. The accuracy of the data presented is not of adequate fidelity for precision analysis, although is appropriate for the anticipated uses of this text. Complete base element sets are provided, but manipulation of these data, in particular satellite orbit propagation, should be performed only with validated, Air Force Space Command (AFSPC)-derived software, such as the PC compatible SATRAK astrodynamics toolkit. Long-term propagation of these elements are not appropriate regardless of the propagation technique applied and are discouraged.

Although all fragmentations are described by the number of debris cataloged and the number of cataloged debris remaining in orbit, these parameters are poor measures of merit and should be used

with extreme caution when undertaking comparative analyses. The sensitivity of the SSN, and hence the degree to which debris will be detected and cataloged, is highly dependent upon satellite altitude and to a lesser degree on satellite inclination. Additionally, historical cataloging practices have changed over the years. Past practices have included cataloging all debris objects associated with a breakup, even if they have already decayed; cataloging almost no pieces from a low altitude breakup because decay of most of the cloud was imminent; and cataloging objects as they are created, regardless of status. These different practices have resulted in an inconsistent historical record.

As a rule of thumb, low altitude cataloged debris are assessed to be larger than 10 cm in diameter. At higher altitudes objects less than 1 m in diameter may be undetectable. Individual object sensitivities may vary dramatically from this simple generalization. Debris counts for fragmentations occurring in highly elliptical orbits near 63 degrees inclination (*Molniya*-type) are traditionally low, in part due to stable perigees situated deep in the Southern Hemisphere beyond SSN coverage. During a special surveillance session in 1987, as many as 250 uncataloged objects were observed in low inclination, highly elliptical orbits, but reliable tracking and parent identification were not achieved. The disclosure by the Russian Government of the *Ekran 2* battery explosion on 25 June 1978 is the first known fragmentation in Geostationary orbit. This event was not detected by the SSN. Cataloging errors, e.g., identification of an object with the wrong parent satellite, are normally not explicitly noted in this volume since many errors have been or may be corrected.

For fragmentations at very low altitudes, i.e., below 400 km, much of the debris may reenter before detection, identification, and cataloging can be completed. For example, when the debris cloud from *Cosmos 1813* passed over a single SSN radar, a total of 846 individual fragments could be discerned. However, the total number of debris officially cataloged only reached 194. Likewise, more than 380 fragments are known to have been injected into Earth orbits (an equal number probably were sent on reentry trajectories) following the *USA 19* test, but only 18 debris were entered into the official satellite catalog.

1.3 Environment Overview

To place the orbital environment's debris population component in context for the reader, it is useful to review the general orbital environment in the Near Earth and Deep Space regions. Disposition of the population by source, object type, and orbit type are reviewed, and a retrospective of satellite fragmentations over the decade of the 1990s is presented to better acquaint the reader with the general and specific environmental behavior over the last decade.

1.3.1 On-orbit Spatial Density

The spatial density of resident space objects is a common means of describing the space object environment, and is adopted here. Spatial density [$1/\text{km}^3$] represents the effective number of spacecraft and other objects as a function of altitude. Effective number, rather than the simple counting of objects, is used because many objects traverse the altitude regions of interest yet contribute little to the local collision hazard, e.g. Geosynchronous transfer orbits. Such orbits exhibit an effective contribution to the environment at any given altitude of up to two orders of magnitude less than an object in a circular orbit within this same altitude interval. Thus the hazard environment is dominated by circular orbits at or near an orbit of interest. The following figures portray the Near Earth (defined as 100-2000 km altitude) environment categorized by object type and subdivided into 10 km altitude intervals. The epoch of the source data, a USSPACECOM Two Line Element (TLE) set, is 28 May 2001. To enhance the information content of these figures, Fig. 1.3.1-1 portrays this environment using a linear vertical spatial density axis, while Fig. 1.3.1-2 is the same data presented using a logarithmic vertical spatial density axis. The former tends to better display the relative density of a given altitude with respect to any other altitude, while the latter

better displays the relative proportion of a given population component with respect to any other component.




Fig. 1.3.1-1: The Near Earth (100-2000 km altitude) population.




Fig. 1.3.1-2: The Near Earth (100-2000 km altitude) population, with population components accentuated.

Clearly visible in these figures are the high density regions of space, as determined by utilization of various orbits. For example, the satellite constellations deployed in LEO in the late 1990s are clearly

evident: the IRIDIUM constellation inhabits the altitude region at and about 780 km altitude, while the ORBCOMM constellation inhabits the region 1410-1420 km. Other spacecraft constellations, such as the USSR/CIS communications and navigation constellations, are also visible. Fig. 1.3.1-2 portrays the relative weights of the various population components. The logarithmic vertical axis accentuates both the behavior of groups, and even individual objects, while maintaining the relative environmental contribution of these with respect to the overall population. For example, the structure between 1250-1300 km is due primarily to anomalous debris attributable to the OPS 4682 (SNAPSHOT) spacecraft. “Rampart” structures, visible in the anomalous debris curve, are due primarily to individual objects at or near their apogee or perigee altitudes. Note that fragmentation debris dominates all altitudes excepting those inhabited by dense spacecraft constellations.

The Deep Space environment increased in both importance and number of resident space objects over the course of the 1990s. Figures 1.3.1-3 and –4 portray the environment at Geosynchronous altitude (including both actual Geosynchronous belt objects as well as other deep space objects, e.g. those in *Molniya* orbits) and general Deep Space, respectively. The former figure utilizes altitude intervals of 25 km while the latter utilizes 100 km intervals due to the extent of the altitudes under consideration. Contributions to the environment due to circular or near-circular orbits and elliptical orbits are discernable. For example, both the Geosynchronous belt satellites and rocket bodies, and the GPS/Glonass spacecraft in middle Earth orbit (MEO), are readily apparent in these figures, respectively. The residual spatial density spanning these regions of circular or near-circular orbits are due primarily to the rocket bodies used to deploy the spacecraft in GEO or MEO and into the so-called *Molniya* orbit.




Fig. 1.3.1-3: The Geosynchronous altitude population.




Fig. 1.3.1-4: Higher-altitude Near Earth and general Deep Space populations.

The spatial density chart averages over inclination; hence, collision rates aren't linearly related to the spatial density at any given altitude. Rather, collision rates will vary not only with the spatial density but also with the inclination-dependent relative velocity. Altitudes dominated by high inclination (70-110°) orbits yield a significantly higher collision rate as compared to those populated by lower inclination orbits. This is because objects in these inclinations can collide at near head-on engagement geometries with objects in complementary inclinations. The exception to this general rule are provided by the commercial constellations in LEO and spacecraft in GEO. The commercial constellations are maintained in precise orbital planes; hence, their expected collision rate would be versus the "background" population only. Therefore, the spikes representing the IRIDIUM and GLOBALSTAR constellations do not present the inordinate collision risk implied by a casual examination. Similarly, the GEO environment is characterized by low collision velocities (< 1.5 km/s) due to the relative motion between controlled and uncontrolled objects.

1.3.2 Population Disposition

The disposition of objects by type (e.g. spacecraft, rocket bodies, etc.), source (US, the People's Republic of China, etc.), and general orbit type (GEO, LEO, etc.) is germane to this discussion as objects are not randomly distributed amongst these categories. To display this orbital anisotropy, the 30 May 2001 SCC catalog was categorized by these nominal variables. In the following tables, most category identities should be obvious to the casual reader; however, several require further identification. For example, among the object type variables, "debris dispensed" refers to so-called "debris dispensing" spacecraft, such as the Soviet/Russian manned orbital stations and the same source's *Romb/Duga-K* spacecraft. "WESTFORD" refers to the West Ford needles dispensed by the Midas 6 spacecraft. In terms of orbit type, DST indicates Deep Space Transfer, SbS and SpS refer to sub-synchronous and super-synchronous, respectively, NEA indicates "No elements available", BEI indicates that the object is "beyond Earth influence", while DKD indicates that the vehicle in question is docked to another vehicle, *ala* the component vehicles of the International Space Station.

Orbit categorization is explained in Table 1.3.2-1. In terms of the source variable, spacecraft launched by the USSR are incorporated into the CIS category, while the “ESRO/ESA” category includes only those spacecraft formally launched by either the European Space Research Organization (ESRO) or the European Space Agency (ESA); launches for specific countries, such as France or Spain, are distributed into the “other” source category.

Table 1.3.2-1: Orbit Categorization

DEFINITION	DESIGNATOR	PERIOD/ALTITUDE RANGE
Low Earth orbit	LEO	Period < 225 minutes (consistent with USSPACECOM definition of Near Earth [NE] orbit)
Middle Earth orbit	MEO	18000-25000 km
Sub-synchronous orbit	SbS	33486-35486 km
Geosynchronous Earth orbit	GEO	35486-36086 km (upper limit consistent with IADC definition of GEO protected region)
Super-synchronous orbit	SpS	Perigee altitude > 36086
Molniya orbit	MOL	Perigee altitude < 5000 km, Apogee altitude > 5000 km, inclination range of (60°-67°)
Deep Space Transfer orbit	DST	Apogee altitude > 5000 km
Other	OTH	Remaining Earth orbits as an independent vehicle
Beyond Earth Influence	BEI	Barycentric, Heliocentric, planetary orbits, planetary landings, etc.
Docked vehicle	DKD	Docked to another vehicle
No elements available	NEA	Elements not available or no initial elements

Table 1.3.2-2: Type vs. Orbit Accounting

on-orbit								
	payloads	rocket bodies	debris dispensed	operational debris	fragmentation debris	WESTFORD needles	anomalous debris	totals
LEO	1547	758	1	651	3232	60	119	8368
MEO	126	28	0	2	0	0	0	156
SbS	25	10	0	0	0	0	0	35
GEO	475	61	0	0	2	0	0	538
SpS	87	45	0	1	0	0	0	133
MOL	97	125	0	6	75	0	0	303
DST	152	390	0	129	92	0	0	763
OTH	0	0	0	0	0	0	0	0
NEA	171	120	0	185	0	0	0	476
BEI	90	67	0	5	0	0	0	162
DKD	4	0	0	0	0	0	0	4
totals	2774	1604	1	979	3401	60	119	8938
decayed								
	payloads	rocket bodies	debris dispensed	operational debris	fragmentation debris	WESTFORD needles	anomalous debris	totals
LEO	2401	2958	1274	4652	5918	87	130	17420
MEO	0	0	0	0	0	0	0	0
SbS	0	0	0	0	0	0	0	0
GEO	0	0	0	1	0	0	0	1
SpS	0	0	0	0	0	0	0	0
MOL	27	16	0	1	2	0	0	46
DST	30	83	0	8	1	0	0	122
OTH	0	0	0	0	0	0	0	0
NEA	16	19	0	51	76	0	0	162
BEI	77	6	0	1	0	0	0	84
DKD	0	0	0	0	0	0	0	0
totals	2551	3082	1274	4714	5997	87	130	17835
						Grand Total -->		26773

Table 1.3.2-3: Source vs. Type Accounting

on-orbit								
	US	CIS	PRC	ESRO/ESA	Japan	ITSO	Other	totals
payloads	809	1324	33	30	71	56	451	2774
rocket bodies	574	867	20	91	29	0	23	1604
debris								
dispensed	0	1	0	0	0	0	0	1
operational debris	520	350	8	70	19	0	12	979
fragmentation debris	1657	1348	306	88	0	0	2	3401
WESTFORD needles	60	0	0	0	0	0	0	60
anomalous debris	107	12	0	0	0	0	0	119
totals	3727	3902	367	279	119	56	488	8938
decayed								
	US	CIS	PRC	ESRO/ESA	Japan	ITSO	Other	totals
payloads	703	1731	35	12	13	1	56	2551
rocket bodies	482	2463	47	35	43	0	12	3082
debris								
dispensed	0	1274	0	0	0	0	0	1274
operational debris	540	3909	81	45	56	0	83	4714
fragmentation debris	2616	2855	70	454	2	0	0	5997
WESTFORD needles	87	0	0	0	0	0	0	87
anomalous debris	124	4	0	0	2	0	0	130
totals	4552	12236	233	546	116	1	151	17835
Grand Total -->								26773

Table 1.3.2-4: Source vs. Orbit Accounting

on-orbit								
	US	CIS	PRC	ESRO/ESA	Japan	ITSO	Other	totals
LEO	2628	3010	327	58	52	0	293	6368
MEO	46	110	0	0	0	0	0	156
SbS	27	8	0	0	0	0	0	35
GEO	143	156	18	7	25	39	150	538
SpS	39	65	0	6	7	8	8	133
MOL	8	294	0	0	0	0	1	303
DST	258	211	22	206	28	9	29	763
OTH	0	0	0	0	0	0	0	0
NEA	473	1	0	0	1	0	1	476
BEI	105	47	0	2	5	0	3	162
DKD	0	0	0	0	1	0	3	4
totals	3727	3902	367	279	119	56	488	8938
decayed								
	US	CIS	PRC	ESRO/ESA	Japan	ITSO	Other	totals
LEO	4371	12016	232	537	114	1	149	17420
MEO	0	0	0	0	0	0	0	0
SbS	0	0	0	0	0	0	0	0
GEO	1	0	0	0	0	0	0	1
SpS	0	0	0	0	0	0	0	0
MOL	0	46	0	0	0	0	0	46
DST	38	71	1	9	1	0	2	122
OTH	0	0	0	0	0	0	0	0
NEA	98	64	0	0	0	0	0	162
BEI	44	39	0	0	1	0	0	84
DKD	0	0	0	0	0	0	0	0
totals	4552	12236	233	546	116	1	151	17835
Grand Total -->								26773

Several salient features are apparent in these tables. For example, debris is dominant among both orbit types as well as source variables. In the latter case, the majority of debris (and all other categories of resident space objects) are due to space activities of the US and CIS. However, individual events from other space-faring nations have also contributed greatly to the local environment in several sun-synchronous orbital regimes. Examples are provided by the 1986 fragmentation of the *Ariane* SPOT-1/*Viking* rocket body and the 2000 fragmentation of the Long March 4 CBERS-1/SACI-1 rocket body.

1.3.1 A 1990s Fragmentation Retrospective

Fifty-five explosions, and the first recorded unintentional collision, occurred during the decade. Relative event severity may be gauged from Fig. 1.3.3-1; in this figure, both cataloged and on-orbit fragments (to a common epoch time of 1 January 2000) are presented. The areas of the constituents of this bubble chart are proportional to number of debris created by a specific event. The HAPS R/B fragmentation is called out separately to better indicate its extraordinary nature.




Fig. 1.3.3-1: Fragmentations 1990-2000

Those events producing more than ten (10) cataloged pieces are tabulated below. Debris totals are as of 1 January 2000. For this reason, the major fragmentation of the CBERS-1/SACI-1 R/B does not appear in this table.

Table 1.3.3-1: Major fragmentation events.

COMMON NAME	EVENT DATE	COMMENTS	CATALOGED DEBRIS
STEP II R/B	3-Jun-96	Pegasus HAPS R/B	703
NIMBUS 6 R/B	1-May-91	Delta R/B	237
Cosmos 2227 R/B	26-Dec-92	<i>Zenit</i> R/B	219
Cosmos 2125-32 R/B	5-Mar-91	<i>Cosmos</i> R/B	86

FENGYUN 1-2 R/B	4-Oct-90	Long March 4 R/B	83
Meteor 2-16 R/B	15-Feb-98	<i>Tsyklon</i> R/B	68
Cosmos 1484	18-Oct-93	Payload	48
Cosmos 2157-62 R/B	9-Oct-99	<i>Tsyklon</i> R/B	34
USA 68	1-Dec-90	Payload	29
Cosmos 2237 R/B	28-Mar-93	<i>Zenit</i> R/B	29
Cosmos 2238	1-Dec-94	Payload	26
Cosmos 2053 R/B	18-Apr-99	<i>Tsyklon</i> R/B	26
RS-15 R/B	26-Dec-94	<i>Rokot</i> R/B	23
Cosmos 1603 ullage	5-Sep-92	<i>Proton</i> -K DM SOZ unit	22
Cosmos 2313	26-Jun-97	Payload	13
Telecom 2B –INMARSAT 2 R/B	21-Apr-93	<i>Ariane</i> H-10+	12
Cosmos 1710-12 ullage	29-Dec-91	<i>Proton</i> -K DM SOZ unit	11

The top five events were all rocket body fragmentations. They represent the HAPS, Delta second stage, SL-16 (*Zenit*) second stage, SL-8 (*Cosmos*) second stage, and Long March 4 third stage, respectively. Following the HAPS event, procedures to save the stage following payload deployment were implemented. The Delta was one of the few remaining on orbit Deltas which was launched (1975) before depletion burns were introduced with Delta 155 in 1981. Two other Deltas (NOAA 2 and Nimbus 5), contemporaries of the Nimbus 6 rocket body, appear unlikely candidates for fragmentation due to only 2-3 kg of fuel remaining onboard, thus exhausting the remaining inventory of unvented, orbital Deltas. Fragmentation of the *Zenit* stage was investigated and determined to have been caused by an overpressurization in the propulsion subsystem. A hardware redesign was instituted to prevent repetitions of the *Cosmos* 2227 and 2237 events. Similarly, *Cosmos* stages have been identified as experiencing orbital changes while presumably derelict. These changes may be due to outgassing of residual propellants or inadvertent thrusting [1]. The Long March 4 vehicle has been outfitted with venting hardware [2]. This has evidently functioned correctly for one 1999 launch of the vehicle, although a March 2000 fragmentation involved a vehicle in which the venting procedure was implemented. Thus, all of the top five offenders of the decade appear to have had corrective steps taken to reduce the probability of further fragmentation events [3].

Of the remaining 50 explosion events, 16 were assessed as being of unknown cause, seven were the result of a deliberate destruction of the payload, four were assessed as being due to aerodynamic loading, and the balance (23) were propulsion related. Of this latter category, 18 were fragmentations of the SL-12 (*Proton*) Block D fourth stage SOZ ullage motors. The small motors, used to settle propellants before main engine burns, are typically (but not always) left in GEO transfer orbit. As such, they are difficult to track using the ground-based assets of the US Space Command. While over 100 pieces have been observed by the SSN as being associated with a single breakup, as few as one (1) piece and as many as 22 pieces have been formally associated with the breakup of these small objects and entered the catalog. Measures have been taken to eliminate the potential of the SOZ unit to fragment, though the date of implementation of these measures is unknown. The seven deliberate fragmentations featured five members of the so-called sixth generation imaging reconnaissance vehicles, one fourth generation (*Yantar*) spacecraft, and a *Kometa* spacecraft. Due to the low orbits utilized by these craft the long term environmental impact of these events is negligible.

-
1. Chernyavskiy, G., Morozov, N., Johnson, N., McKnight, D., and Maclay, T., "The Recent Fragmentations of LEO Upper Stages", IAA-94-IAA.6.5.696, 1994.
 2. Xiangrong, L., and Y. Tao, "Improved Version of LM-4 Launch Vehicle", ISTS 2000-g-04, 2000.
 3. Johnson, N. L., "The Passivation of Orbital Upper Stages, A Lesson Not Yet Learned", IAF-97-V.5.07, 1997.

2.0 SATELLITE BREAKUPS

This section summarizes the current breakup environment and describes each individual breakup. Each breakup is presented in a two-page format. New classes of breakup types have tended to fuel the background breakup rate, replacing classes of breakups from older on-orbit practices such as the Delta rocket body failures.




Figure 2.0-1: Number of breakups by year since 1961.

2.1 Background and Status

By far the most important category of man-made on-orbit objects is satellite breakups, which now account for 38% of the total cataloged on-orbit Earth satellite population of 8938 objects. Since 1957 a total of 170 satellites are believed to have broken up (Tables 2.1 and 2.2).

The primary causes of satellite breakups (Figure 2.1-1) are deliberate actions and propulsion-related events, although the cause for about one in three breakups remains uncertain. This document will continue to carry breakup causes as unknown until a strong case can be made for one of the other cause classifications. Deliberate actions, often associated with activities related to national security were formerly the most frequently occurring class. On average however, the resulting debris from deliberate actions are short-lived (Figures 2.1-2 and 2.1-3). Propulsion-related breakups, currently the most frequent class, include catastrophic malfunctions during orbital injection or maneuvers, subsequent explosions based on residual propellants, and failures of active attitude control systems. Breakups of rocket bodies due to propulsion failures are usually more prolific and produce longer-lived debris than the intentional destruction of payloads, often due to the higher altitudes of the malfunctioning rocket bodies rather than the mechanics of the explosive event. Although it may appear obvious that a rocket body breakup should be classified under the "Propulsion-related" cause category, rocket body events are carried as "Unknown" until a failure mechanism can be confidently identified for that rocket body design and is associated with a given rocket body event.




Figure 2.1-1: Causes of known satellite breakups.




Figure 2.1-2: Proportion of all cataloged satellite breakup debris.




Figure 2.1-3: Proportion of cataloged satellite breakup debris *remaining in orbit*.

The rate of satellite breakups increased noticeably in the 1970's and has continued through the 1990's and into the new millenium at an average pace of approximately 5.5 fragmentations per year. Increased awareness of potential hazards has resulted in positive actions to mitigate or eliminate many known breakup causes, e.g., Delta second stages, weapons testing, and Cosmos 699- and 862-type events. Together, these four programs were responsible for one-half of all satellite breakups in the decade of the 1980's. The quick response of *Arianespace* and the European Space Agency to the breakup of an Ariane third stage in 1986 is indicative of a desire by most space-faring organizations to operate in near-Earth space responsibly. Today, new series of boosters and satellites have resulted in new breakup sources, such as the fragmentation of a Titan II second stage in January 1994, a Pegasus HAPS stage in June 1996, and the continuing fragmentations of the Proton ullage motors.

Figures 2.1-4 and -5 illustrate that the satellite breakup debris total, and remaining in orbit today, respectively, have primarily originated from rocket bodies.




Figure 2.1-4: Sources of all cataloged satellite breakup debris by satellite type.




Figure 2.1-5: Sources of satellite breakup debris in orbit by satellite type.

TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
TRANSIT 4A R/B	1961-015C	118	29-Jun-61	29-Jun-61	296	191	995	880	66.8	PROPULSION	ABLESTAR STAGE
SPUTNIK 29	1962-057A	443	24-Oct-62	29-Oct-62	24	0	260	200	65.1	PROPULSION	MOLNIYA FINAL STAGE
ATLAS CENTAUR 2	1963-047A	694	27-Nov-63	27-Nov-63	19	9	1785	475	30.3	PROPULSION	CENTAUR STAGE
ELEKTRON 1/2 R/B	1964-006D	751	30-Jan-64	13-Feb-98	2	1	56315	90	56.2	AERODYNAMICS	VOSTOK FINAL STAGE
COSMOS 50	1964-070A	919	28-Oct-64	5-Nov-64	96	0	220	175	51.2	DELIBERATE	PAYLOAD RECOVERY FAILURE
COSMOS 57	1965-012A	1093	22-Feb-65	22-Feb-65	167	0	425	165	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 61-63 R/B	1965-020D	1270	15-Mar-65	15-Mar-65	147	22	1825	260	56.1	UNKNOWN	COSMOS SECOND STAGE
OV2-1/LCS 2 R/B	1965-082B	1640	15-Oct-65	15-Oct-65	470	44	790	710	32.2	PROPULSION	TITAN TRANSTAGE
COSMOS 95	1965-088A	1706	4-Nov-65	15-Jan-66	1	0	520	210	48.4	UNKNOWN	
OPS 3031	1966-012C	2015	15-Feb-66	15-Feb-66	38	0	270	150	96.5	UNKNOWN	INFLATABLE SPHERE
GEMINI 9 ATDA R/B	1966-046B	2188	1-Jun-66	Mid-Jun-66	51	0	275	240	28.8	UNKNOWN	ATLAS CORE STAGE
PAGEOS	1966-056A	2253	24-Jun-66	12-Jul-75	79	2	5170	3200	85.3	UNKNOWN	INFLATABLE SPHERE
				20-Jan-76			5425	2935	85.1	UNKNOWN	
				10-Sep-76						UNKNOWN	
				Mid-Jun-78						UNKNOWN	
				Mid-Sep-84						UNKNOWN	
				Mid-Dec-85						UNKNOWN	
AS-203	1966-059A	2289	5-Jul-66	5-Jul-66	34	0	215	185	32	DELIBERATE	SATURN S-IVB STAGE
COSMOS U-1	1966-088A	2437	17-Sep-66	17-Sep-66	53	0	855	140	49.6	DELIBERATE	SELF-DESTRUCT
COSMOS U-2	1966-101A	2536	2-Nov-66	2-Nov-66	41	0	885	145	49.6	DELIBERATE	SELF-DESTRUCT
COSMOS 199	1968-003A	3099	16-Jan-68	24-Jan-68	3	0	355	200	65.6	DELIBERATE	SELF-DESTRUCT
APOLLO 6 R/B (S4B)	1968-025B	3171	4-Apr-68	13-Apr-68	16	0	360	200	32.6	PROPULSION	SATURN S-IVB STAGE
OV2-5 R/B	1968-081E	3432	26-Sep-68	21-Feb-92	3	3	35812	35102	11.9	UNKNOWN	TITAN TRANSTAGE
COSMOS 248	1968-090A	3503	19-Oct-68	1-Nov-68	5	0	545	475	62.2	DELIBERATE	DEBRIS IMPACT
COSMOS 249	1968-091A	3504	20-Oct-68	20-Oct-68	108	49	2165	490	62.3	DELIBERATE	SELF-DESTRUCT
COSMOS 252	1968-097A	3530	1-Nov-68	1-Nov-68	139	48	2140	535	62.3	DELIBERATE	SELF-DESTRUCT
METEOR 1-1 R/B	1969-029B	3836	26-Mar-69	28-Mar-69	37	0	850	460	81.2	UNKNOWN	VOSTOK FINAL STAGE
INTELSAT 3 F-5 R/B	1969-064B	4052	26-Jul-69	26-Jul-69	23	1	5445	270	30.4	PROPULSION	TE 364-4 STAGE
OPS 7613 R/B	1969-082AB	4159	30-Sep-69	4-Oct-69	259	83	940	905	70	UNKNOWN	AGENA D STAGE

TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
NIMBUS 4 R/B	1970-025C	4367	8-Apr-70	17-Oct-70	372	262	1085	1065	99.9	UNKNOWN	AGENA D STAGE
		4601		23-Jan-85						UNKNOWN	2 ADDITIONAL OBJECTS
		4649		17-Dec-85						UNKNOWN	3 ADDITIONAL OBJECTS
		4610		2-Sep-86						UNKNOWN	2 ADDITIONAL OBJECTS
		4601		23-Dec-91						UNKNOWN	5 ADDITIONAL OBJECTS
COSMOS 374	1970-089A	4594	23-Oct-70	23-Oct-70	102	28	2130	530	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 375	1970-091A	4598	30-Oct-70	30-Oct-70	47	21	2100	525	62.8	DELIBERATE	SELF-DESTRUCT
COSMOS 397	1971-015A	4964	25-Feb-71	25-Feb-71	116	50	2200	575	65.8	DELIBERATE	SELF-DESTRUCT
COSMOS 462	1971-106A	5646	3-Dec-71	3-Dec-71	25	0	1800	230	65.7	DELIBERATE	SELF-DESTRUCT
LANDSAT 1 R/B	1972-058B	6127	23-Jul-72	22-May-75	226	38	910	635	98.3	PROPULSION	DELTA SECOND STAGE
SALYUT 2 R/B	1973-017B	6399	3-Apr-73	3-Apr-73	25	0	245	195	51.5	PROPULSION	PROTON-K SECOND STAGE
COSMOS 554	1973-021A	6432	19-Apr-73	6-May-73	195	0	350	170	72.9	DELIBERATE	SELF-DESTRUCT
NOAA 3 R/B	1973-086B	6921	6-Nov-73	28-Dec-73	197	178	1510	1500	102	PROPULSION	DELTA SECOND STAGE
NOAA 4 R/B	1974-089D	7532	15-Nov-74	20-Aug-75	146	128	1460	1445	102	PROPULSION	DELTA SECOND STAGE
COSMOS 699	1974-103A	7587	24-Dec-74	17-Apr-75	50	0	445	425	65	UNKNOWN	COSMOS 699 CLASS
				2-Aug-75			440	415	65	UNKNOWN	
LANDSAT 2 R/B	1975-004B	7616	22-Jan-75	9-Feb-76	206	34	915	740	97.8	PROPULSION	DELTA SECOND STAGE
				19-Jun-76			910	745	97.7	PROPULSION	
NIMBUS 6 R/B	1975-052B	7946	12-Jun-75	1-May-91	240	186	1103	1093	99.6	PROPULSION	DELTA SECOND STAGE
COSMOS 758	1975-080A	8191	5-Sep-75	6-Sep-75	76	0	325	175	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 777	1975-102A	8416	29-Oct-75	25-Jan-76	62	0	440	430	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 838	1976-063A	8932	2-Jul-76	17-May-77	40	0	445	415	65.1	UNKNOWN	COSMOS 699 CLASS
COSMOS 839	1976-067A	9011	8-Jul-76	29-Sep-77	69	67	2100	980	65.9	BATTERY	
COSMOS 844	1976-072A	9046	22-Jul-76	25-Jul-76	248	0	355	170	67.1	DELIBERATE	SELF-DESTRUCT
NOAA 5 R/B	1976-077B	9063	29-Jul-76	24-Dec-77	159	153	1520	1505	102	PROPULSION	DELTA SECOND STAGE
COSMOS 862	1976-105A	9495	22-Oct-76	15-Mar-77	11	10	39645	765	63.2	DELIBERATE	SELF-DESTRUCT
COSMOS 880	1976-120A	9601	9-Dec-76	27-Nov-78	50	1	620	550	65.8	BATTERY	
COSMOS 884	1976-123A	9614	17-Dec-76	29-Dec-76	2	0	320	170	65	DELIBERATE	SELF-DESTRUCT
COSMOS 886	1976-126A	9634	27-Dec-76	27-Dec-76	76	63	2295	595	65.8	DELIBERATE	SELF-DESTRUCT
COSMOS 903	1977-027A	9911	11-Apr-77	8-Jun-78	2	2	39035	1325	63.2	DELIBERATE	SELF-DESTRUCT
COSMOS 917	1977-047A	10059	16-Jun-77	30-Mar-79	1	1	38725	1645	62.9	DELIBERATE	SELF-DESTRUCT

TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
HIMAWARI 1 R/B	1977-065B	10144	14-Jul-77	14-Jul-77	169	68	2025	535	29	PROPULSION	DELTA SECOND STAGE
COSMOS 931	1977-068A	10150	20-Jul-77	24-Oct-77	6	4	39665	680	62.9	DELIBERATE	SELF-DESTRUCT
EKRAN 2	1977-092A	10365	20-Sep-77	25-Jun-78	2	2	35798	35786	0.1	BATTERY	
COSMOS 970	1977-121A	10531	21-Dec-77	21-Dec-77	70	66	1140	945	65.8	DELIBERATE	SELF-DESTRUCT
LANDSAT 3 R/B	1978-026C	10704	5-Mar-78	27-Jan-81	210	135	910	900	98.8	PROPULSION	DELTA SECOND STAGE
COSMOS 1030	1978-083A	11015	6-Sep-78	10-Oct-78	4	4	39760	665	62.8	DELIBERATE	SELF-DESTRUCT
NIMBUS 7 R/B	1978-098B	11081	24-Oct-78	26-Dec-81	1	1	955	935	99.3	UNKNOWN	DELTA SECOND STAGE
COSMOS 1045 R/B	1978-100D	11087	26-Oct-78	9-May-88	48	43	1705	1685	82.6	UNKNOWN	TSYKLON THIRD STAGE
P-78 (SOLWIND)	1979-017A	11278	24-Feb-79	13-Sep-85	285	4	545	515	97.6	DELIBERATE	HYPERVELOCITY IMPACT
COSMOS 1094	1979-033A	11333	18-Apr-79	17-Sep-79	1	0	405	380	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1109	1979-058A	11417	27-Jun-79	Mid-Feb-80	9	9	39425	960	63.3	DELIBERATE	SELF-DESTRUCT
COSMOS 1124	1979-077A	11509	28-Aug-79	9-Sep-79	4	4	39795	570	63	DELIBERATE	SELF-DESTRUCT
CAT R/B	1979-104B	11659	24-Dec-79	Apr-80	13	9	33140	180	17.9	UNKNOWN	ARIANE 1 FINAL STAGE
COSMOS 1167	1980-021A	11729	14-Mar-80	15-Jul-81	12	0	450	355	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1172	1980-028A	11758	12-Apr-80	23-Dec-97	2	0	5125	75	61.8	AERODYNAMICS	
COSMOS 1174	1980-030A	11765	18-Apr-80	18-Apr-80	46	7	1660	380	66.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1191	1980-057A	11871	2-Jul-80	14-May-81	3	3	39255	1110	62.6	DELIBERATE	SELF-DESTRUCT
COSMOS 1217	1980-085A	12032	24-Oct-80	12-Feb-83	3	3	38830	1530	65.2	DELIBERATE	SELF-DESTRUCT
COSMOS 1220	1980-089A	12054	4-Nov-80	20-Jun-82	81	2	885	570	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1247	1981-016A	12303	19-Feb-81	20-Oct-81	4	4	39390	970	63	DELIBERATE	SELF-DESTRUCT
COSMOS 1260	1981-028A	12364	20-Mar-81	8-May-82	68	0	750	450	65	UNKNOWN	COSMOS 699 CLASS
				10-Aug-82			750	445	65	UNKNOWN	
COSMOS 1261	1981-031A	12376	31-Mar-81	Apr/May-81	4	4	39765	610	63	DELIBERATE	SELF-DESTRUCT
COSMOS 1275	1981-053A	12504	4-Jun-81	24-Jul-81	305	267	1015	960	83	BATTERY	
MOLNIYA 3-16	1981-054A	12512	9-Jun-81	5-Feb-98	1	0	7670	85	62.1	AERODYNAMICS	
MOLNIYA 3-16 R/B	1981-054E	12519	9-Jun-81	Jul-98	1	0	33415	85	62.0	AERODYNAMIC	MOLNIYA FINAL STAGE
COSMOS 1278	1981-058A	12547	19-Jun-81	Early-Dec-86	3	0	37690	2665	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1285	1981-071A	12627	4-Aug-81	21-Nov-81	8	8	40100	720	63.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1286	1981-072A	12631	4-Aug-81	29-Sep-82	2	0	325	300	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1305 R/B	1981-088F	12827	11-Sep-81	11-Sep-81	8	8	13795	605	62.8	PROPULSION	MOLNIYA FINAL STAGE

TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
COSMOS 1306	1981-089A	12828	14-Sep-81	12-Jul-82	8	0	405	380	64.9	UNKNOWN	COSMOS 699 CLASS
				18-Sep-82			370	370	64.9	UNKNOWN	
COSMOS 1317	1981-108A	12933	31-Oct-81	Late Jan-84	4	4	39055	1315	62.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1355	1982-038A	13150	29-Apr-82	8-Aug-83	29	0	395	360	65.1	UNKNOWN	COSMOS 699 CLASS
				1-Feb-84			320	305	65	UNKNOWN	
				20-Feb-84			290	270	65	UNKNOWN	
COSMOS 1375	1982-055A	13259	6-Jun-82	21-Oct-85	60	59	1000	990	65.8	BATTERY	
COSMOS 1405	1982-088A	13508	4-Sep-82	20-Dec-83	32	0	340	310	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1423 R/B	1982-115E	13696	8-Dec-82	8-Dec-82	29	0	427	235	62.9	PROPULSION	MOLNIYA FINAL STAGE
ASTRON ULLAGE MOTOR	1983-020B	13902	23-Mar-83	3-Sep-84	1	0	1230	220	51.5	PROPULSION	PROTON-K BLOCK DM SOZ
NOAA 8	1983-022A	13923	28-Mar-83	30-Dec-85	7	1	830	805	98.6	BATTERY	
COSMOS 1456	1983-038A	14034	25-Apr-83	13-Aug-83	4	0	39630	730	63.3	DELIBERATE	SELF-DESTRUCT
COSMOS 1461	1983-044A	14064	7-May-83	11-Mar-85	159	2	890	570	65	UNKNOWN	COSMOS 699 CLASS
				13-May-85			885	570	65	UNKNOWN	
COSMOS 1481	1983-070A	14182	8-Jul-83	9-Jul-83	4	4	39225	625	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1484	1983-075A	14207	24-Jul-83	18-Oct-93	48	1	593	545	97.5	UNKNOWN	
COSMOS 1519-1521 ULLAGE MOTOR	1983-127H	14608	29-Dec-83	4-Feb-91	6	4	18805	340	51.9	PROPULSION	PROTON-K BLOCK DM SOZ
PALAPA B2 R/B	1984-011E	14693	3-Feb-84	6-Feb-84	3	0	285	275	28.5	PROPULSION	PAM-D UPPER STAGE
WESTAR 6 R/B	1984-011F	14694	3-Feb-84	3-Feb-84	14	1	310	305	28.5	PROPULSION	PAM-D UPPER STAGE
COSMOS 1588	1984-083A	15167	7-Aug-84	23-Feb-86	45	0	440	410	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1603 ULLAGE MOTOR	1984-106F	15338	28-Sep-84	5-Sep-92	22	1	845	836	66.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1646	1985-030A	15653	18-Apr-85	20-Nov-87	24	0	410	385	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1650-1652 ULLAGE MOTOR	1985-037G	15714	17-May-85	29-Nov-98	2	2	18620	320	52	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1654	1985-039A	15734	23-May-85	21-Jun-85	18	0	300	185	64.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1656 ULLAGE MOTOR	1985-042E	15773	30-May-85	5-Jan-88	6	6	860	810	66.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1682	1985-082A	16054	19-Sep-85	18-Dec-86	23	0	475	385	65	UNKNOWN	COSMOS 699 CLASS
MOLNIYA 3-26	1985-091A	16112	3-Oct-85	21-Feb-01	1	0	5689	78	62.6	AERODYNAMIC	MOLNIYA 3-26
COSMOS 1691	1985-094B	16139	9-Oct-85	22-Nov-85	14	11	1415	1410	82.6	BATTERY	
COSMOS 1701	1985-105A	16235	9-Nov-85	29-Apr-01	1	0	25570	85	62.9	AERODYNAMIC	

TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
COSMOS 1710-1712 ULLAGE MOTOR	1985-118L	16446	24-Dec-85	29-Dec-91	12	8	18886	654	65.3	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1714 R/B	1985-121F	16439	28-Dec-85	28-Dec-85	2	0	830	165	71	PROPULSION	ZENIT SECOND STAGE
SPOT 1/VIKING R/B	1986-019C	16615	22-Feb-86	13-Nov-86	488	43	835	805	98.7	UNKNOWN	ARIANE 1 FINAL STAGE
COSMOS 1769	1986-059A	16895	4-Aug-86	21-Sep-87	4	0	445	310	65	UNKNOWN	COSMOS 699 CLASS
USA 19	1986-069A	16937	5-Sep-86	5-Sep-86	13	0	745	210	39.1	DELIBERATE	HYPERVELOCITY IMPACT
USA 19 R/B	1986-069B	16938	5-Sep-86	5-Sep-86	5	0	610	220	22.8	DELIBERATE	HYPERVELOCITY IMPACT
COSMOS 1813	1987-004A	17297	15-Jan-87	29-Jan-87	194	0	415	360	72.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1823	1987-020A	17535	20-Feb-87	17-Dec-87	113	40	1525	1480	73.6	BATTERY	
COSMOS 1866	1987-059A	18184	9-Jul-87	26-Jul-87	9	0	255	155	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1869	1987-062A	18214	16-Jul-87	27-Nov-97	2	2	635	605	83	UNKNOWN	
METEOR 2-16 R/B	1987-068B	18313	18-Aug-87	15-Feb-98	79	18	960	940	82.6	UNKNOWN	TSYKLON THIRD STAGE
AUSSAT/ECS R/B	1987-078C	18352	16-Sep-87	Mid-Sep-87	4	2	36515	245	6.9	UNKNOWN	ARIANE 3 FINAL STAGE
COSMOS 1883-1885 ULLAGE MOTOR	1987-079G	18374	16-Sep-87	1-Dec-96	14	11	19120	335	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1906	1987-108A	18713	26-Dec-87	31-Jan-88	37	0	265	245	82.6	DELIBERATE	SELF-DESTRUCT
EKRAN 17 ULLAGE MOTOR	1987-109E	18719	27-Dec-87	22-May-97	1	0	22975	310	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1916	1988-007A	18823	3-Feb-88	27-Feb-88	1	0	230	150	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1970-1972 ULLAGE MOTOR	1988-085G	19537	16-Sep-88	9-Mar-99	1	1	18950	300	64.6	PROPULSION	PROTON-K BLOCK DM SOZ
SKYNET 4B/ASTRA 1A R/B	1988-109C	19689	11-Dec-88	17-Feb-98	7	7	35875	435	7.3	UNKNOWN	ARIANE 4 H10 FINAL STAGE
COSMOS 1987-1989	1989-001G	19755	10-Jan-89	3-Aug-98	7	5	19055	340	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 17 ULLAGE MOTOR	1989-004E	19771	26-Jan-89	17-18-Dec-92	1	0	17577	197	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
INTELSAT 515 R/B	1989-006B	19773	27-Jan-89	1-Jan-01	6	6	35720	510	8.3	UNKNOWN	ARIANE 2 THIRD STAGE
GORIZONT 18 ULLAGE MOTOR	1989-052F	20116	5-Jul-89	12-Jan-93	1	0	36747	258	46.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2030	1989-054A	20124	12-Jul-89	28-Jul-89	1	0	215	150	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 2031	1989-056A	20136	18-Jul-89	31-Aug-89	9	0	365	240	50.5	DELIBERATE	SELF-DESTRUCT
MOLNIYA 3-36	1989-094A	20338	28-Nov-89	19-May-00	1	0	7145	75	63.6	AERODYNAMICS	
MOLNIYA 3-36 R/B	1989-094B	20339	28-Nov-89	28-Jun-00	1	0	1532	82	63.7	AERODYNAMICS	MOLNIYA FINAL STAGE
COSMOS 2053 R/B	1989-100B	20390	27-Dec-89	18-Apr-99	26	1	485	470	73.5	UNKNOWN	TSYKLON THIRD STAGE
COSMOS 2054 ULLAGE MOTOR	1989-101E	20399	27-Dec-89	Jul-92 (?)	9	6	27651	344	47.1	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2079-2081 ULLAGE MOTOR	1990-045G	20631	19-May-90	28-Mar-99	1	1	19065	405	64.8	PROPULSION	PROTON-K BLOCK DM SOZ

TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
FENGYUN 1-2 R/B	1990-081D	20791	3-Sep-90	4-Oct-90	83	72	895	880	98.9	PROPULSION	CZ-4A FINAL STAGE
COSMOS 2101	1990-087A	20828	1-Oct-90	30-Nov-90	4	0	280	195	64.8	DELIBERATE	SELF-DESTRUCT
GORIZONT 22 ULLAGE MOTOR	1990-102E	20957	23-Nov-90	14-Dec-95	1	0	13105	170	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
USA 68	1990-105A	20978	1-Dec-90	1-Dec-90	28	1	850	610	98.9	PROPULSION	TE-M-364-15 UPPER STAGE
COSMOS 2109-2111 ULLAGE MOTOR	1990-110H	21013	8-Dec-90	14-Mar-98	2	2	18995	520	65.1	PROPULSION	PROTON-K BLOCK DM SOZ
ITALSAT 1 R/B/ EUTELSAT 2 F2	1991-003C	21057	15-Jan-91	1-May-96	8	6	30930	235	6.7	UNKNOWN	ARIANE 4 H10 FINAL STAGE
COSMOS 2125-2132 R/B	1991-009J	21108	12-Feb-91	5-Mar-91	86	86	1725	1460	74	PROPULSION	COSMOS SECOND STAGE
COSMOS 2133 ULLAGE MOTOR	1991-010D	21114	12-Feb-91	7-May-94	3	3	21805	225	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
ASTRA 1B/MOP 2 R/B	1991-015C	21141	2-Mar-91	27-Apr-94	5	4	17630	205	6.8	UNKNOWN	ARIANE 4 H10 FINAL STAGE
COSMOS 2157-2162 R/B	1991-068G	21734	28-Sep-91	9-Oct-99	34	34	1485	1410	82.6	UNKNOWN	TSYKLON THIRD STAGE
COSMOS 2163	1991-071A	21741	9-Oct-91	6-Dec-91	1	0	259	187	64.8	DELIBERATE	SELF-DESTRUCT
TELECOM 2B/ INMARSAT 2 R/B	1992-021C	21941	15-Apr-92	21-Apr-93	11	11	34080	235	4	UNKNOWN	ARIANE H10 + FINAL STAGE
COSMOS 2204-2206 ULLAGE MOTOR	1992-047H	22067	30-Jul-92	8-Nov-94	3	2	19035	480	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2225	1992-091A	22280	22-Dec-92	18-Feb-93	6	0	279	227	64.9	DELIBERATE	SELF-DESTRUCT
COSMOS 2227 R/B	1992-093B	22285	25-Dec-92	26-Dec-92	219	181	855	847	71	PROPULSION	ZENIT-2 SECOND STAGE
				30-Dec-92			855	847	71	PROPULSION	
COSMOS 2237 R/B	1993-016B	22566	26-Mar-93	28-Mar-93	29	27	850	841	71	PROPULSION	ZENIT-2 SECOND STAGE
COSMOS 2238	1993-018A	22585	30-Mar-93	1-Dec-94	1	0	303	210	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 2243	1993-028B	22642	27-Apr-93	27-Apr-93	1	0	225	181	70.4	DELIBERATE	SELF-DESTRUCT
COSMOS 2259	1993-045A	22716	14-Jul-93	25-Jul-93	1	0	320	175	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 2262	1993-057A	22789	7-Sep-93	18-Dec-93	0	0	316	180	64.9	DELIBERATE	SELF-DESTRUCT
GORIZONT 29 ULLAGE MOTOR	1993-072E	22925	18-Nov-93	6-Sep-00	1	0	11215	140	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
CLEMINTINE R/B	1994-004B	22974	25-Jan-94	7-Feb-94	0	0	295	240	67	UNKNOWN	
STEP II R/B	1994-029B	23106	19-May-94	3-Jun-96	704	134	820	585	82	UNKNOWN	PEGASUS HAPS
COSMOS 2282 ULLAGE MOTOR	1994-038F	23174	6-Jul-94	21-Oct-95	2	2	34930	280	47	PROPULSION	PROTON-K BLOCK DM SOZ
ETS-VI R/B	1994-056B	23231	28-Aug-94	31-Mar-95	1	0	4840	100	28.6	AERODYNAMICS	H-II SECOND STAGE
ELEKTRO ULLAGE MOTOR	1994-069E	23338	31-Oct-94	11-May-95	1	0	35465	155	46.9	PROPULSION	PROTON-K BLOCK DM SOZ
RS-15 R/B	1994-085B	23440	26-Dec-94	26-Dec-94	23	21	2200	1880	64.8	UNKNOWN	
COSMOS 2313	1995-028A	23596	8-Jun-95	26-Jun-97	13	0	325	210	65	UNKNOWN	COSMOS 699 CLASS

TABLE 2.1 HISTORY OF SATELLITE BREAKUPS BY LAUNCH DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
CERISE	1995-033B	23606	7-Jul-95	24-Jul-96	2	2	675	665	98.1	COLLISION	
COSMOS 2316-2318 ULLAGE MOTOR	1995-037K	23631	24-Jul-95	21-Nov-00	1	0	18115	147	64.4	PROPULSION	PROTON-K BLOCK DM SOZ
RADUGA 33 R/B	1996-010D	23797	19-Feb-96	19-Feb-96	2	1	36505	240	48.7	PROPULSION	PROTON-K BLOCK DM
GORIZONT 32 ULLAGE MOTOR	1996-034F	23887	23-May-96	13-Dec-99	1	0	5605	145	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2343	1997-024A	24805	15-May-97	16-Sep-97	1	0	285	225	65	DELIBERATE	SELF-DESTRUCT
COSMOS 2347	1997-079A	25088	9-Dec-97	22-Nov-99	9	0	419	402	65	UNKNOWN	COSMOS 699 CLASS
ASIASAT 3 R/B	1997-086D	25129	24-Dec-97	25-Dec-97	1	0	35995	270	51	PROPULSION	PROTON-K BLOCK DM
COMETS R/B	1998-011B	25176	21-Feb-98	21-Feb-98	1	0	1880	245	30	PROPULSION	H-II SECOND STAGE
CBERS-1/SACI-1 R/B	1999-057C	25942	14-Oct-99	11-Mar-00	293	234	746	726	98.5	PROPULSION	LONG MARCH 4 THIRD STAGE
				TOTAL	9422	3400					

TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
TRANSIT 4A R/B	1961-015C	118	29-Jun-61	29-Jun-61	296	191	995	880	66.8	PROPULSION	ABLESTAR STAGE
SPUTNIK 29	1962-057A	443	24-Oct-62	29-Oct-62	24	0	260	200	65.1	PROPULSION	MOLNIYA FINAL STAGE
ATLAS CENTAUR 2	1963-047A	694	27-Nov-63	27-Nov-63	19	9	1785	475	30.3	PROPULSION	CENTAUR STAGE
COSMOS 50	1964-070A	919	28-Oct-64	5-Nov-64	96	0	220	175	51.2	DELIBERATE	PAYLOAD RECOVERY FAILURE
COSMOS 57	1965-012A	1093	22-Feb-65	22-Feb-65	167	0	425	165	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 61-63 R/B	1965-020D	1270	15-Mar-65	15-Mar-65	147	22	1825	260	56.1	UNKNOWN	COSMOS SECOND STAGE
OV2-1/LCS 2 R/B	1965-082B	1640	15-Oct-65	15-Oct-65	470	44	790	710	32.2	PROPULSION	TITAN TRANSTAGE
COSMOS 95	1965-088A	1706	4-Nov-65	15-Jan-66	1	0	520	210	48.4	UNKNOWN	
OPS 3031	1966-012C	2015	15-Feb-66	15-Feb-66	38	0	270	150	96.5	UNKNOWN	INFLATABLE SPHERE
GEMINI 9 ATDA R/B	1966-046B	2188	1-Jun-66	Mid-Jun-66	51	0	275	240	28.8	UNKNOWN	ATLAS CORE STAGE
AS-203	1966-059A	2289	5-Jul-66	5-Jul-66	34	0	215	185	32	DELIBERATE	SATURN S-IVB STAGE
COSMOS U-1	1966-088A	2437	17-Sep-66	17-Sep-66	53	0	855	140	49.6	DELIBERATE	SELF-DESTRUCT
COSMOS U-2	1966-101A	2536	2-Nov-66	2-Nov-66	41	0	885	145	49.6	DELIBERATE	SELF-DESTRUCT
COSMOS 199	1968-003A	3099	16-Jan-68	24-Jan-68	3	0	355	200	65.6	DELIBERATE	SELF-DESTRUCT
APOLLO 6 R/B (S4B)	1968-025B	3171	4-Apr-68	13-Apr-68	16	0	360	200	32.6	PROPULSION	SATURN S-IVB STAGE
COSMOS 249	1968-091A	3504	20-Oct-68	20-Oct-68	108	49	2165	490	62.3	DELIBERATE	SELF-DESTRUCT
COSMOS 248	1968-090A	3503	19-Oct-68	1-Nov-68	5	0	545	475	62.2	DELIBERATE	DEBRIS IMPACT
COSMOS 252	1968-097A	3530	1-Nov-68	1-Nov-68	139	48	2140	535	62.3	DELIBERATE	SELF-DESTRUCT
METEOR 1-1 R/B	1969-029B	3836	26-Mar-69	28-Mar-69	37	0	850	460	81.2	UNKNOWN	VOSTOK FINAL STAGE
INTELSAT 3 F-5 R/B	1969-064B	4052	26-Jul-69	26-Jul-69	23	1	5445	270	30.4	PROPULSION	TE 364-4 STAGE
OPS 7613 R/B	1969-082AB	4159	30-Sep-69	4-Oct-69	259	83	940	905	70	UNKNOWN	AGENA D STAGE
NIMBUS 4 R/B	1970-025C	4367	8-Apr-70	17-Oct-70	372	262	1085	1065	99.9	UNKNOWN	AGENA D STAGE
		4601		23-Jan85						UNKNOWN	2 ADDITIONAL OBJECTS
		4649		17-Dec-85						UNKNOWN	3 ADDITIONAL OBJECTS
		4610		2-Sep-86						UNKNOWN	2 ADDITIONAL OBJECTS
		4601		23-Dec-91						UNKNOWN	5 ADDITIONAL OBJECTS
COSMOS 374	1970-089A	4594	23-Oct-70	23-Oct-70	102	28	2130	530	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 375	1970-091A	4598	30-Oct-70	30-Oct-70	47	21	2100	525	62.8	DELIBERATE	SELF-DESTRUCT
COSMOS 397	1971-015A	4964	25-Feb-71	25-Feb-71	116	50	2200	575	65.8	DELIBERATE	SELF-DESTRUCT
COSMOS 462	1971-106A	5646	3-Dec-71	3-Dec-71	25	0	1800	230	65.7	DELIBERATE	SELF-DESTRUCT
SALYUT 2 R/B	1973-017B	6399	3-Apr-73	3-Apr-73	25	0	245	195	51.5	PROPULSION	PROTON-K SECOND STAGE
COSMOS 554	1973-021A	6432	19-Apr-73	6-May-73	195	0	350	170	72.9	DELIBERATE	SELF-DESTRUCT

TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
NOAA 3 R/B	1973-086B	6921	6-Nov-73	28-Dec-73	197	178	1510	1500	102	PROPULSION	DELTA SECOND STAGE
COSMOS 699	1974-103A	7587	24-Dec-74	17-Apr-75	50	0	445	425	65	UNKNOWN	COSMOS 699 CLASS
				2-Aug-75			440	415	65	UNKNOWN	
LANDSAT 1 R/B	1972-058B	6127	23-Jul-72	22-May-75	226	38	910	635	98.3	PROPULSION	DELTA SECOND STAGE
PAGEOS	1966-056A	2253	24-Jun-66	12-Jul-75	79	2	5170	3200	85.3	UNKNOWN	INFLATABLE SPHERE
				20-Jan-76			5425	2935	85.1	UNKNOWN	
				10-Sep-76						UNKNOWN	
				Mid-Jun-78						UNKNOWN	
				Mid-Sep-84						UNKNOWN	
				Mid-Dec-85						UNKNOWN	
NOAA 4 R/B	1974-089D	7532	15-Nov-74	20-Aug-75	146	128	1460	1445	102	PROPULSION	DELTA SECOND STAGE
COSMOS 758	1975-080A	8191	5-Sep-75	6-Sep-75	76	0	325	175	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 777	1975-102A	8416	29-Oct-75	25-Jan-76	62	0	440	430	65	UNKNOWN	COSMOS 699 CLASS
LANDSAT 2 R/B	1975-004B	7616	22-Jan-75	9-Feb-76	206	34	915	740	97.8	PROPULSION	DELTA SECOND STAGE
				19-Jun-76			910	745	97.7	PROPULSION	
COSMOS 844	1976-072A	9046	22-Jul-76	25-Jul-76	248	0	355	170	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 886	1976-126A	9634	27-Dec-76	27-Dec-76	76	63	2295	595	65.8	DELIBERATE	SELF-DESTRUCT
COSMOS 884	1976-123A	9614	17-Dec-76	29-Dec-76	2	0	320	170	65	DELIBERATE	SELF-DESTRUCT
COSMOS 862	1976-105A	9495	22-Oct-76	15-Mar-77	11	10	39645	765	63.2	DELIBERATE	SELF-DESTRUCT
COSMOS 838	1976-063A	8932	2-Jul-76	17-May-77	40	0	445	415	65.1	UNKNOWN	COSMOS 699 CLASS
HIMAWARI 1 R/B	1977-065B	10144	14-Jul-77	14-Jul-77	169	68	2025	535	29	PROPULSION	DELTA SECOND STAGE
COSMOS 839	1976-067A	9011	8-Jul-76	29-Sep-77	69	67	2100	980	65.9	BATTERY	
COSMOS 931	1977-068A	10150	20-Jul-77	24-Oct-77	6	4	39665	680	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 970	1977-121A	10531	21-Dec-77	21-Dec-77	70	66	1140	945	65.8	DELIBERATE	SELF-DESTRUCT
NOAA 5 R/B	1976-077B	9063	29-Jul-76	24-Dec-77	159	153	1520	1505	102	PROPULSION	DELTA SECOND STAGE
COSMOS 903	1977-027A	9911	11-Apr-77	8-Jun-78	2	2	39035	1325	63.2	DELIBERATE	SELF-DESTRUCT
EKRAN 2	1977-092A	10365	20-Sep-77	23-Jun-78	2	2	35798	35786	0.1	BATTERY	
COSMOS 1030	1978-083A	11015	6-Sep-78	10-Oct-78	4	4	39760	665	62.8	DELIBERATE	SELF-DESTRUCT
COSMOS 880	1976-120A	9601	9-Dec-76	27-Nov-78	50	1	620	550	65.8	BATTERY	
COSMOS 917	1977-047A	10059	16-Jun-77	30-Mar-79	1	1	38725	1645	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1124	1979-077A	11509	28-Aug-79	9-Sep-79	4	4	39795	570	63	DELIBERATE	SELF-DESTRUCT
COSMOS 1094	1979-033A	11333	18-Apr-79	17-Sep-79	1	0	405	380	65	UNKNOWN	COSMOS 699 CLASS

TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
COSMOS 1109	1979-058A	11417	27-Jun-79	Mid-Feb-80	9	9	39425	960	63.3	DELIBERATE	SELF-DESTRUCT
CAT R/B	1979-104B	11659	24-Dec-79	Apr-80	13	9	33140	180	17.9	UNKNOWN	ARIANE 1 FINAL STAGE
COSMOS 1174	1980-030A	11765	18-Apr-80	18-Apr-80	46	7	1660	380	66.1	DELIBERATE	SELF-DESTRUCT
LANDSAT 3 R/B	1978-026C	10704	5-Mar-78	27-Jan-81	210	135	910	900	98.8	PROPULSION	DELTA SECOND STAGE
COSMOS 1261	1981-031A	12376	31-Mar-81	Apr/May-81	4	4	39765	610	63	DELIBERATE	SELF-DESTRUCT
COSMOS 1191	1980-057A	11871	2-Jul-80	14-May-81	3	3	39255	1110	62.6	DELIBERATE	SELF-DESTRUCT
COSMOS 1167	1980-021A	11729	14-Mar-80	15-Jul-81	12	0	450	355	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1275	1981-053A	12504	4-Jun-81	24-Jul-81	305	267	1015	960	83	BATTERY	
COSMOS 1305 R/B	1981-088F	12827	11-Sep-81	11-Sep-81	8	8	13795	605	62.8	PROPULSION	MOLNIYA FINAL STAGE
COSMOS 1247	1981-016A	12303	19-Feb-81	20-Oct-81	4	4	39390	970	63	DELIBERATE	SELF-DESTRUCT
COSMOS 1285	1981-071A	12627	4-Aug-81	21-Nov-81	8	8	40100	720	63.1	DELIBERATE	SELF-DESTRUCT
NIMBUS 7 R/B	1978-098B	11081	24-Oct-78	26-Dec-81	1	1	955	935	99.3	UNKNOWN	DELTA SECOND STAGE
COSMOS 1260	1981-028A	12364	20-Mar-81	8-May-82	68	0	750	450	65	UNKNOWN	COSMOS 699 CLASS
				10-Aug-82			750	445	65	UNKNOWN	
COSMOS 1220	1980-089A	12054	4-Nov-80	20-Jun-82	81	2	885	570	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1306	1981-089A	12828	14-Sep-81	12-Jul-82	8	0	405	380	64.9	UNKNOWN	COSMOS 699 CLASS
				18-Sep-82			370	370	64.9	UNKNOWN	
COSMOS 1286	1981-072A	12631	4-Aug-81	29-Sep-82	2	0	325	300	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1423 R/B	1982-115E	13696	8-Dec-82	8-Dec-82	29	0	427	235	62.9	PROPULSION	MOLNIYA FINAL STAGE
COSMOS 1217	1980-085A	12032	24-Oct-80	12-Feb-83	3	3	38830	1530	65.2	DELIBERATE	SELF-DESTRUCT
COSMOS 1481	1983-070A	14182	8-Jul-83	9-Jul-83	4	4	39225	625	62.9	DELIBERATE	SELF-DESTRUCT
COSMOS 1355	1982-038A	13150	29-Apr-82	8-Aug-83	29	0	395	360	65.1	UNKNOWN	COSMOS 699 CLASS
				1-Feb-84			320	305	65	UNKNOWN	
				20-Feb-84			290	270	65	UNKNOWN	
COSMOS 1456	1983-038A	14034	25-Apr-83	13-Aug-83	4	0	39630	730	63.3	DELIBERATE	SELF-DESTRUCT
COSMOS 1405	1982-088A	13508	4-Sep-82	20-Dec-83	32	0	340	310	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1317	1981-108A	12933	31-Oct-81	Late-Jan-84	4	4	39055	1315	62.8	DELIBERATE	SELF-DESTRUCT
WESTAR 6 R/B	1984-011F	14694	3-Feb-84	3-Feb-84	14	1	310	305	28.5	PROPULSION	PAM-D UPPER STAGE
PALAPA B2 R/B	1984-011E	14693	3-Feb-84	6-Feb-84	3	0	285	275	28.5	PROPULSION	PAM-D UPPER STAGE
ASTRON ULLAGE MOTOR	1983-020B	13902	23-Mar-83	3-Sep-84	1	0	1230	220	51.5	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1461	1983-044A	14064	7-May-83	11-Mar-85	159	2	890	570	65	UNKNOWN	COSMOS 699 CLASS
				13-May-85			885	570	65	UNKNOWN	

TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
COSMOS 1654	1985-039A	15734	23-May-85	21-Jun-85	18	0	300	185	64.9	DELIBERATE	SELF-DESTRUCT
P-78 (SOLWIND)	1979-017A	11278	24-Feb-79	13-Sep-85	285	4	545	515	97.6	DELIBERATE	HYPERVELOCITY IMPACT
COSMOS 1375	1982-055A	13259	6-Jun-82	21-Oct-85	60	59	1000	990	65.8	BATTERY	
COSMOS 1691	1985-094B	16139	9-Oct-85	22-Nov-85	14	11	1415	1410	82.6	BATTERY	
COSMOS 1714 R/B	1985-121F	16439	28-Dec-85	28-Dec-85	2	0	830	165	71	PROPULSION	ZENIT SECOND STAGE
NOAA 8	1983-022A	13923	28-Mar-83	30-Dec-85	7	1	830	805	98.6	BATTERY	
COSMOS 1588	1984-083A	15167	7-Aug-84	23-Feb-86	45	0	440	410	65	UNKNOWN	COSMOS 699 CLASS
USA 19	1986-069A	16937	5-Sep-86	5-Sep-86	13	0	745	210	39.1	DELIBERATE	HYPERVELOCITY IMPACT
USA 19 R/B	1986-069B	16938	5-Sep-86	5-Sep-86	5	0	610	220	22.8	DELIBERATE	HYPERVELOCITY IMPACT
SPOT 1/VIKING R/B	1986-019C	16615	22-Feb-86	13-Nov-86	488	43	835	805	98.7	UNKNOWN	ARIANE 1 FINAL STAGE
COSMOS 1278	1981-058A	12547	19-Jun-81	Early-Dec-86	3	0	37690	2665	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1682	1985-082A	16054	19-Sep-85	18-Dec-86	23	0	475	385	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1813	1987-004A	17297	15-Jan-87	29-Jan-87	194	0	415	360	72.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1866	1987-059A	18184	9-Jul-87	26-Jul-87	9	0	255	155	67.1	DELIBERATE	SELF-DESTRUCT
AUSSAT/ECS R/B	1987-078C	18352	16-Sep-87	Mid-Sep-87	4	2	36515	245	6.9	UNKNOWN	ARIANE 3 FINAL STAGE
COSMOS 1769	1986-059A	16895	4-Aug-86	21-Sep-87	4	0	445	310	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1646	1985-030A	15653	18-Apr-85	20-Nov-87	24	0	410	385	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 1823	1987-020A	17535	20-Feb-87	17-Dec-87	113	40	1525	1480	73.6	BATTERY	
COSMOS 1656 ULLAGE MOTOR	1985-042E	15773	30-May-85	5-Jan-88	6	6	860	810	66.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1906	1987-108A	18713	26-Dec-87	31-Jan-88	37	0	265	245	82.6	DELIBERATE	SELF-DESTRUCT
COSMOS 1916	1988-007A	18823	3-Feb-88	27-Feb-88	1	0	230	150	64.8	DELIBERATE	SELF-DESTRUCT
COSMOS 1045 R/B	1978-100D	11087	26-Oct-78	9-May-88	48	43	1705	1685	82.6	UNKNOWN	TSYKLON THIRD STAGE
COSMOS 2030	1989-054A	20124	12-Jul-89	28-Jul-89	1	0	215	150	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 2031	1989-056A	20136	18-Jul-89	31-Aug-89	9	0	365	240	50.5	DELIBERATE	SELF-DESTRUCT
FENGYUN 1-2 R/B	1990-081D	20791	3-Sep-90	4-Oct-90	83	72	895	880	98.9	PROPULSION	CZ-4A FINAL STAGE
COSMOS 2101	1990-087A	20828	1-Oct-90	30-Nov-90	4	0	280	195	64.8	DELIBERATE	SELF-DESTRUCT
USA 68	1990-105A	20978	1-Dec-90	1-Dec-90	28	1	850	610	98.9	PROPULSION	TE-M-364-15 UPPER STAGE
COSMOS 1519-1521 ULLAGE MOTOR	1983-127H	14608	29-Dec-83	4-Feb-91	6	4	18805	340	51.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2125-2132 R/B	1991-009J	21108	12-Feb-91	5-Mar-91	86	86	1725	1460	74	PROPULSION	COSMOS SECOND STAGE
NIMBUS 6 R/B	1975-052B	7946	12-Jun-75	1-May-91	240	186	1103	1093	99.6	PROPULSION	DELTA SECOND STAGE
COSMOS 2163	1991-071A	21741	9-Oct-91	6-Dec-91	1	0	259	187	64.8	DELIBERATE	SELF-DESTRUCT

TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
COSMOS 1710-1712 ULLAGE MOTOR OV2-5 R/B	1985-118L	16446	24-Dec-85	29-Dec-91	12	8	18886	654	65.3	PROPULSION	PROTON-K BLOCK DM SOZ
	1968-081E	3432	26-Sep-68	21-Feb-92	3	3	35812	35102	11.9	UNKNOWN	TITAN TRANSTAGE
COSMOS 2054 ULLAGE MOTOR	1989-101E	20399	27-Dec-89	Jul-92 (?)	9	6	27651	344	47.1	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1603 ULLAGE MOTOR	1984-106F	15338	28-Sep-84	5-Sep-92	22	1	845	836	66.6	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 17 ULLAGE MOTOR	1989-004E	19771	26-Jan-89	17-18 -Dec-92	1	0	17577	197	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2227 R/B	1992-093B	22285	25-Dec-92	26-Dec-92	219	181	855	847	71	PROPULSION	ZENIT-2 SECOND STAGE
				30-Dec-92			855	847	71	PROPULSION	
GORIZONT 18 ULLAGE MOTOR	1989-052F	20116	5-Jul-89	12-Jan-93	1	0	36747	258	46.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2225	1992-091A	22280	22-Dec-92	18-Feb-93	6	0	279	227	64.9	DELIBERATE	SELF-DESTRUCT
COSMOS 2237 R/B	1993-016B	22566	26-Mar-93	28-Mar-93	29	27	850	841	71	PROPULSION	ZENIT-2 SECOND STAGE
TELECOM 2B/ INMARSAT 2 R/B	1992-021C	21941	15-Apr-92	21-Apr-93	11	11	34080	235	4	UNKNOWN	ARIANE H10 + FINAL STAGE
COSMOS 2243	1993-028B	22642	27-Apr-93	27-Apr-93	1	0	225	181	70.4	DELIBERATE	SELF-DESTRUCT
COSMOS 2259	1993-045A	22716	14-Jul-93	25-Jul-93	1	0	320	175	67.1	DELIBERATE	SELF-DESTRUCT
COSMOS 1484	1983-075A	14207	24-Jul-83	18-Oct-93	48	1	593	545	97.5	UNKNOWN	
COSMOS 2262	1993-057A	22789	7-Sep-93	18-Dec-93	0	0	316	180	64.9	DELIBERATE	SELF-DESTRUCT
CLEMINTINE R/B	1994-004B	22974	25-Jan-94	7-Feb-94	0	0	295	240	67	UNKNOWN	
ASTRA 1B/MOP 2 R/B	1991-015C	21141	2-Mar-91	27-Apr-94	5	4	17630	205	6.8	UNKNOWN	ARIANE 4 H10 FINAL STAGE
COSMOS 2133 ULLAGE MOTOR	1991-010D	21114	12-Feb-91	7-May-94	3	3	21805	225	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2204-2206 ULLAGE MOTOR	1992-047H	22067	30-Jul-92	8-Nov-94	3	2	19035	480	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2238	1993-018A	22585	3-Mar-93	1-Dec-94	1	0	303	210	65	UNKNOWN	COSMOS 699 CLASS
RS-15 R/B	1994-085B	23440	26-Dec-94	26-Dec-94	23	21	2200	1880	64.8	UNKNOWN	
ETS-VI R/B	1994-056B	23231	28-Aug-94	31-Mar-95	1	0	4840	100	28.6	AERODYNAMICS	H-II SECOND STAGE
ELEKTRO ULLAGE MOTOR	1994-069E	23338	31-Oct-94	11-May-95	1	0	35465	155	46.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2282 ULLAGE MOTOR	1994-038F	23174	6-Jul-94	21 Oct 95	2	2	34930	280	47	PROPULSION	PROTON-K BLOCK DM SOZ
GORIZONT 22 ULLAGE MOTOR	1990-102E	20957	23-Nov-90	14 Dec 95	1	0	13105	170	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
RADUGA 33 R/B	1996-010D	23797	19-Feb-96	19-Feb-96	2	1	36505	240	48.7	PROPULSION	PROTON-K BLOCK DM
ITALSAT 1 R/B/ EUTELSAT 2 F2	1991-003C	21057	15-Jan-91	1-May-96	8	6	30930	235	6.7	UNKNOWN	ARIANE 4 H10 FINAL STAGE
STEP II R/B	1994-029B	23106	19-May-94	3-Jun-96	704	134	820	585	82	UNKNOWN	PEGASUS HAPS

TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
CERISE	1995-033B	23606	7-Jul-95	24-Jul-96	2	2	675	665	98.1	COLLISION	
COSMOS 1883-1885 ULLAGE MOTOR	1987-079G	18374	16-Sep-87	1-Dec-96	14	11	19120	335	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
EKRAN 17 ULLAGE MOTOR	1987-109E	18719	27-Dec-87	22-May-97	1	0	22975	310	46.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2313	1995-028A	23596	8-Jun-95	26-Jun-97	13	0	325	210	65	UNKNOWN	COSMOS 699 CLASS
COSMOS 2343	1997-024A	24805	15-May-97	16-Sep-97	1	0	285	225	65	DELIBERATE	SELF-DESTRUCT
COSMOS 1869	1987-062A	18214	16-Jul-87	27-Nov-97	2	2	635	605	83	UNKNOWN	
COSMOS 1172	1980-028A	11758	12-Apr-80	23-Dec-97	2	0	5125	75	61.8	AERODYNAMICS	
ASIASAT 3 R/B	1997-086D	25129	24-Dec-97	25-Dec-97	1	0	35995	270	51	PROPULSION	PROTON-K BLOCK DM
MOLNIYA 3-16	1981-054A	12512	9-Jun-81	5-Feb-98	1	0	7670	85	62.1	AERODYNAMICS	
ELEKTRON 1/2 R/B	1964-006D	751	30-Jan-64	13-Feb-98	2	1	56315	90	56.2	AERODYNAMICS	VOSTOK FINAL STAGE
METEOR 2-16 R/B	1987-068B	18313	18-Aug-87	15-Feb-98	79	18	960	940	82.6	UNKNOWN	TSYKLON THIRD STAGE
SKYNET 4B/ASTRA 1A R/B	1988-109C	19689	11-Dec-88	17-Feb-98	7	7	35875	435	7.3	UNKNOWN	ARIANE 4 H10 FINAL STAGE
COMETS R/B	1998-011B	25176	21-Feb-98	21-Feb-98	1	0	1880	245	30	PROPULSION	H-II SECOND STAGE
COSMOS 2109-2111 ULLAGE MOTOR	1990-110H	21013	8-Dec-90	14-Mar-98	2	2	18995	520	65.1	PROPULSION	PROTON-K BLOCK DM SOZ
MOLNIYA 3-16 R/B	1981-054E	12519	9-Jun-81	Jul-98	1	0	33415	85	62.0	AERODYNAMIC	MOLNIYA FINAL STAGE
COSMOS 1987-1989	1989-001G	19755	10-Jan-89	3-Aug-98	7	5	19055	340	64.9	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1650-1652 ULLAGE MOTOR	1985-037G	15714	17-May-85	29-Nov-98	2	2	18620	320	52	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 1970-1972 ULLAGE MOTOR	1988-085G	19537	16-Sep-88	9-Mar-99	1	1	18950	300	64.6	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2079-2081 ULLAGE MOTOR	1990-045G	20631	19-May-90	28-Mar-99	1	1	19065	405	64.8	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2053 R/B	1989-100B	20390	27-Dec-89	18-Apr-99	26	1	485	470	73.5	UNKNOWN	TSYKLON THIRD STAGE
COSMOS 2157-2162 R/B	1991-068G	21734	28-Sep-91	9-Oct-99	34	34	1485	1410	82.6	UNKNOWN	TSYKLON THIRD STAGE
COSMOS 2347	1997-079A	25088	9-Dec-97	22-Nov-99	9	0	419	402	65	UNKNOWN	COSMOS 699 CLASS
GORIZONT 32 ULLAGE MOTOR	1996-034F	23887	23-May-96	13-Dec-99	1	0	5605	145	46.5	PROPULSION	PROTON-K BLOCK DM SOZ
CBERS-1/SACI-1 R/B	1999-057C	25942	14-Oct-99	11-Mar-00	293	234	746	726	98.5	PROPULSION	LONG MARCH 4 THIRD STAGE
MOLNIYA 3-36	1989-094A	20338	28-Nov-89	19-May-00	1	0	7145	75	63.6	AERODYNAMICS	
MOLNIYA 3-36 R/B	1989-094B	20339	28-Nov-89	28-Jun-00	1	0	1532	82	63.7	AERODYNAMICS	MOLNIYA FINAL STAGE
GORIZONT 29 ULLAGE MOTOR	1993-072E	22925	18-Nov-93	6-Sep-00	1	0	11215	140	46.7	PROPULSION	PROTON-K BLOCK DM SOZ
COSMOS 2316-2318 ULLAGE MOTOR	1995-037K	23631	24-Jul-95	21-Nov-00	1	0	18115	147	64.4	PROPULSION	PROTON-K BLOCK DM SOZ

TABLE 2.2 HISTORY OF SATELLITE BREAKUPS BY EVENT DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	EVENT DATE	DEBRIS CATALOGED	DEBRIS LEFT	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)	ASSESSED CAUSE	COMMENT
INTELSAT 515 R/B	1989-006B	19773	27-Jan-89	1-Jan-01	6	6	35720	510	8.3	UNKNOWN	ARIANE 2 THIRD STAGE
MOLNIYA 3-26	1985-091A	16112	3-Oct-85	21-Feb-01	1	0	5689	78	62.6	AERODYNAMIC	MOLNIYA 3-26
COSMOS 1701	1985-105A	16235	9-Nov-85	29-Apr-01	1	0	25570	85	62.9	AERODYNAMIC	
				TOTAL	9422	3400					

2.2 IDENTIFIED SATELLITE BREAKUPS

The remainder of this section devotes two pages to each identified satellite breakup. Each satellite is listed by common name, international designator, and satellite number. The satellite is then described in terms of type, ownership, launch date, and physical characteristics. The third grouping defines the breakup event by time, location, altitude, and assessed cause. In almost all cases, the calculated time of the event has been determined by NAVSPASUR, or more recently the Naval Space Operation Center (NAVSPOC) staff. Next, the last available element set for the satellite prior to the breakup is provided.

Contents of the pre- or post-event elements are described in Table 2.2-1. The epoch time's format consists of the last two digits of a year (YY) followed by a fractional day of year (DDD.DDDDDDDD). Three propagation scheme drag coefficients are available in a TLE, which form the basis of the orbital element data presented in this subsection. Though not all TLEs possess data for all three, they are described here for completeness; these are denoted as drag coefficients peculiar to the USSPACECOM SGP, SGP4, and SGP8 orbit propagators. The data items $n''/2$ (pronounced "n dot over two") and $n''/6$ (pronounced "n dot dot over six") refer to the first and second order time derivatives of the mean motion n and represent phenomenological series expansion coefficient fits to the observed change in mean motion. The SGP4 propagator is the accepted standard for orbit propagation.

Table 2.1-1: TLE Numerical Data, as incorporated into this section's "Pre-/Post-Event Elements" for all fragmentation events.

DATA ITEM	FORMAT/UNITS
Epoch time	YYDDD.DDDDDDDD
$n''/2$ (SGP) <u>or</u> B (SGP8)	[rev/day ²] <u>or</u> [m ² /kg]
$n''/6$ (SGP)	[rev/day ³]
B* (SGP4)	[1/Earth radii]
Eccentricity e	[-]
Inclination i	[°]
Right ascension of ascending node Ω	[°]
Argument of perigee ω	[°]
Mean anomaly M	[°]
Mean motion n	[rev/day]

If the breakup occurred soon after launch or after a maneuver and before an element set could be generated, the most appropriate post-event element set is given. The maximum observed changes in the orbital period (ΔP) and inclination (ΔI), referenced to the parent's pre-event element set, are then summarized. The reader is reminded that for a given event, the magnitudes of the resultant ΔP and ΔI are a function of the satellite's latitude and altitude. Comparisons of these values from one event to another cannot be made directly. Additionally, inclination changes measure only one portion of the fragmentation orbital plane change. Changes in Right Ascension also occur in most events and can account for some plane change fragmentation energy.

A general summary of the event, actions leading to the event, debris cataloging progress, and evaluations of the event are collected under the Comments heading. Documents which relate directly to the subject breakup or to breakups of satellites of this type are then listed. Gabbard diagrams of the early debris cloud prior to the effects of perturbations, if the data were available, are reconstructed. These diagrams often include uncataloged as well as cataloged debris data. When used correctly, Gabbard diagrams can provide important insights into the features of the fragmentation.

SATELLITE DATA

TYPE: Ablestar Stage
OWNER: US
LAUNCH DATE: 29.18 Jun 1961
DRY MASS (KG): 625
MAIN BODY: Flaired cylinder; 1.6 m diameter by 4.8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE: 29 Jun 1961 LOCATION: 28N, 254E (dsc)
TIME: 0608 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 990 km

POST-EVENT ELEMENTS

EPOCH: 61187.36647288 MEAN ANOMALY: 72.1786
RIGHT ASCENSION: 79.1120 MEAN MOTION: 13.86864257
INCLINATION: 66.8199 MEAN MOTION DOT/2: .0
ECCENTRICITY: .0078181 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 288.2398 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 15.5 min
MAXIMUM ΔI : 1.3 deg


COMMENTS

This is the first known satellite fragmentation. The Ablestar stage performed two main burns and a small payload separation retro burn to successfully deploy three payloads (Transit 4A, Injun, and Solrad 3), although the Injun and Solrad 3 satellites did not separate from one another as planned. The event occurred approximately 77 minutes after orbital insertion and was photographically imaged by the Organ Pass, NM, Baker-Nunn camera system. Fragmentation coincided with cessation of the 378 MHz beacon on the Ablestar stage at 0608:10 GMT. At the time of the event, 100 kg of hypergolic propellants remained on board. This was the first time an Ablestar stage did not vent the fuel tank during payload separation. After a thorough investigation, fuel venting was recommended for future missions. No reliable elements are available prior to the event. Elements above are for one of the payloads with parameters believed to be very similar to those for the Ablestar at the time of the event.

REFERENCE DOCUMENTS

Transit 4-A Ablestar Vehicle Fragmentation Study (Preliminary), Report TOR-930(2102)-6, Flight Test Planning and Evaluation Department, Transit Program Office, USAF Systems Command, Inglewood, 28 August 1961.

Description, Operation and Performance of Ablestar Stage AJ10-104S, S/N 008 (Transit 4-A), T.W. Fehr and J.K. Stark, Report No. 2102, Spacecraft Division, Aerojet-General Corporation, Azusa, October 1961.



Transit 4A R/B debris cloud of 201 cataloged fragments in May 1964 as reconstructed from US SSN database.

SATELLITE DATA

TYPE:	Payload and R/B(s) (?)
OWNER:	CIS
LAUNCH DATE:	24.75 Oct 1962
DRY MASS (KG):	1500
MAIN BODY:	Cylinder; 2.6 m diameter by 7.15 m length
MAJOR APPENDAGES:	None
ATTITUDE CONTROL:	Unknown at time of event
ENERGY SOURCES:	On-board propellants

EVENT DATA

DATE:	29 Oct 1962	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	~200 km		

PRE-EVENT ELEMENTS

EPOCH:	62297.80327270	MEAN ANOMALY:	229.0409
RIGHT ASCENSION:	336.4972	MEAN MOTION:	16.15589719
INCLINATION:	65.1128	MEAN MOTION DOT/2:	.01124103
ECCENTRICITY:	.0044520	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	92.2650	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP :	Unknown
MAXIMUM ΔI :	0.6 deg

COMMENTS

Sputnik 29 (also known as Sputnik 22) was not acknowledged at launch by the USSR and was probably a Mars probe which failed to leave Earth orbit. This was apparently the fourth orbital failure of the Molniya third stage since 25 August 1962. No Molniya orbital (3rd) stage nor final (4th) stage was cataloged after launch. Possible that orbital and final stages never separated. Sputnik 29 was officially decayed 29 October 1962 but no debris were cataloged before 11 November. Consequently, ΔP cannot be calculated. Source of the fragmentation was probably the fully-fueled Molniya final stage.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Sputnik 29 debris cloud of 24 fragments cataloged by mid-December 1962 as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Centaur Stage
OWNER: US
LAUNCH DATE: 27.79 Nov 1963
DRY MASS (KG): 4600
MAIN BODY: Cylinder; 3 m diameter by 9 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Unknown at time of the event
ENERGY SOURCES: Unknown

EVENT DATA

DATE:	27 Nov 1963	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

POST-EVENT ELEMENTS

EPOCH:	63336.85832214	MEAN ANOMALY:	213.1623
RIGHT ASCENSION:	135.1828	MEAN MOTION:	13.34437775
INCLINATION:	30.3440	MEAN MOTION DOT/2:	.00003262
ECCENTRICITY:	.0869282	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	151.8246	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 0.9 min
MAXIMUM ΔI : 0.4 deg

COMMENTS

First Centaur stage to reach Earth orbit. No payload was carried. After orbital insertion, residual liquid hydrogen vaporized, resulting in an increase in tank pressurization. Venting via an aft tube then induced a pin-wheel tumble which reached 48 rpm a little more than one hour after launch. At the beginning of the third orbit insulation blankets around the Centaur stage were thrown off. Subsequent Centaur missions were not subject to this phenomenon which was caused by the unique configuration of Atlas Centaur 2. First six fragments were cataloged within one week of launch. Centaur stage retains large radar cross-section, while all debris are substantially smaller.

REFERENCE DOCUMENT

Supplementary Information on AC-2 Post-Injection Flight Events, W.S. Hicks, Memorandum BXN63-521, 27 December 1963.



Atlas Centaur 2 debris cloud of 8 fragments five months after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Vostok Final Stage
OWNER: CIS
LAUNCH DATE: 30.40 Jan 1964
DRY MASS (KG): 1440
MAIN BODY: Cylinder; 2.60 m diameter by 3.80 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	13 Feb 1998	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Aerodynamics
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	98046.35712735	MEAN ANOMALY:	300.9358
RIGHT ASCENSION:	135.2636	MEAN MOTION:	14.76299757
INCLINATION:	56.2317	MEAN MOTION DOT/2:	0.47833383
ECCENTRICITY:	0.0811049	MEAN MOTION DOT DOT/6:	0.000010116
ARG. OF PERIGEE:	67.5469	BSTAR:	0.00019700

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Satellite 1964-006D was in final catastrophic decay at the time of event. Consequently, all fragments, including the parent body, had very short lifetimes. At least 26 debris were detected by SSN.

REFERENCE DOCUMENT

"A New Category For Satellite Breakups", The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 2.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 28.45 Oct 1964
DRY MASS (KG): 4750
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 4.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, 10 kg TNT explosive charge

EVENT DATA

DATE: 5 Nov 1964 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Deliberate
ALTITUDE: ~200 km

PRE-EVENT ELEMENTS

EPOCH: 64303.72916435 MEAN ANOMALY: 46.7488
RIGHT ASCENSION: 198.5952 MEAN MOTION: 16.23335350
INCLINATION: 51.2318 MEAN MOTION DOT/2: .00269057
ECCENTRICITY: .0034483 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 312.9624 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Spacecraft was destroyed after a malfunction prevented reentry and landing in the Soviet Union. Event occurred on the anticipated day of recovery. All debris were cataloged without elements. A probable fragment from this event reentered on 12 November 1964, landing in Malawi. See cited reference below.

REFERENCE DOCUMENTS

The Examination of a Sample of Space Debris, P.H.H. Bishop and K.F. Rogers, Technical Report 65165, Royal Aircraft Establishment, Farnborough Hants, August 1965.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 22.32 Feb 1965
DRY MASS (KG): 5500
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 6 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, 10 kg TNT explosive charge

EVENT DATA

DATE: 22 Feb 1965 LOCATION: 64N, 80E (asc)
TIME: 0957 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 380 km

POST-EVENT ELEMENTS

EPOCH: 65056.64509999 MEAN ANOMALY: 293.2095
RIGHT ASCENSION: 288.1532 MEAN MOTION: 15.92461677
INCLINATION: 64.7411 MEAN MOTION DOT/2: .01501524
ECCENTRICITY: .0182240 MEAN MOTION DOT DOT/6: .0048063
ARG. OF PERIGEE: 68.7266 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.4 min
MAXIMUM ΔI : 0.9 deg

COMMENTS

Cosmos 57 was an unmanned precursor for the manned Voskhod 2 mission which took place in March 1965. Spacecraft fragmented a little more than two hours after launch when operational ground instructions were misinterpreted by the on-board command system and the self-destruct system was activated. No elements available for Cosmos 57, but the rocket body elements are provided above. The Royal Aircraft Establishment published the following parameters for Cosmos 57 for 22.4 February: 165 km by 427 km, 64.74 degree inclination, 64 degree argument of perigee. A total of 35 debris were cataloged without elements. Event may have occurred a little later than the time calculated above.

REFERENCE DOCUMENTS


The 1093 Breakup, D.J. Watson, BMEWS-ADC Systems Engineering Memorandum BSM-1000-16, 16 June 1965.

"To Save Man: A Conversation with the General Designer of Life-Support and Rescue Systems, Hero of Socialist Labor G.I. Severin", Pravda, Moscow, 26 June 1989, p. 4.

"Pages From a Diary: He Soared Freely Above the Earth", Sovetskaya Rossiya, Moscow, 17 March 1990, p. 6.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"The Kamanin Diaries 1964-1966", B. Hendrickx, Journal of the Interplanetary Society, Vol. 51, 1998, pp. 421-422.



Cosmos 57 debris cloud of 133 fragments cataloged within one month of the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Cosmos Second Stage
OWNER: CIS
LAUNCH DATE: 15.46 Mar 1965
DRY MASS (KG): 1600
MAIN BODY: Cylinder; 2.4 m diameter by 5 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Unknown

EVENT DATA

DATE: 15 Mar 1965 LOCATION: 51S, 162E (dsc)
TIME: 1714 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 1640 km

POST-EVENT ELEMENTS

EPOCH: 65074.89183830 MEAN ANOMALY: 265.7165
RIGHT ASCENSION: 357.3218 MEAN MOTION: 13.57884745
INCLINATION: 56.0538 MEAN MOTION DOT/2: .00231832
ECCENTRICITY: .1056119 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 106.1560 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 10.3 min
MAXIMUM ΔI : 0.4 deg


COMMENTS

This is the first confirmed case of the fragmentation of the Cosmos 3 (SL-8 or C-1) second stage. This was the third mission to deploy three payloads and was a repeat of the Cosmos 54-56 mission three weeks earlier. The event occurred a little more than 6 hours after the successful deployment of the three payloads. Elements above are the first developed for the rocket body and are about 4 hours after the event. Official debris cataloging did not begin for six weeks.

REFERENCE DOCUMENTS

"Fragmentations of Asteroids and Artificial Satellites in Orbit", W. Wiesel, Icarus, Vol. 34, 1978, pp. 99-116.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 61-63 R/B debris cloud of 113 fragments eight months after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Titan 3C-4 Transtage
OWNER: US
LAUNCH DATE: 15.72 Oct 1965
DRY MASS (KG): 2500
MAIN BODY: Cylinder; 3 m diameter by 6 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 15 Oct 1965 LOCATION: 22S, 108E (asc)
TIME: 1820 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 740 km

POST-EVENT ELEMENTS

EPOCH: 65361.23126396 MEAN ANOMALY: 237.1066
RIGHT ASCENSION: 21.5316 MEAN MOTION: 14.54928550
INCLINATION: 32.1697 MEAN MOTION DOT/2: .00000268
ECCENTRICITY: .0072678 MEAN MOTION DOT DOT/6: .071801
ARG. OF PERIGEE: 123.6068 BSTAR: .0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 4.1 min
MAXIMUM ΔI : 1.4 deg

COMMENTS

This was the second test of the Titan 3C-4 Transtage with AJ10-138 engine using hypergolic propellants. Event occurred one-half revolution after launch following second ignition which may have been accompanied with vehicle tumbling. LCS 2 payload was to have been deployed at 735 km circular while OV2-1 was to have been released later in an orbit of 735 km by about 7400 km. Transtage also malfunctioned on next mission in December 1965. Rocket body not officially identified; main remnant may be satellite 1822.

REFERENCE DOCUMENT

TRW Space Log, Winter 1965-66, Vol. 5, No. 4, T.L. Branigan, ed., TRW Systems, Redondo Beach, 1966, pp. 15-17.



OV2-1/LCS 2 R/B debris cloud of 103 cataloged fragments six weeks after the event as reconstructed from the US SSN database.

SATELLITE DATA

TYPE:	Payload
OWNER:	USSR
LAUNCH DATE:	4.23 Nov 1965
DRY MASS (KG):	400
MAIN BODY:	Ellipsoid; 1.2 m diameter by 1.8 m length
MAJOR APPENDAGES:	Unknown
ATTITUDE CONTROL:	Unknown
ENERGY SOURCES:	Unknown

EVENT DATA

DATE:	15 Jan 1966	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	66009.5	MEAN ANOMALY:	Unknown
RIGHT ASCENSION:	Unknown	MEAN MOTION:	16.09757275
INCLINATION:	48.39	MEAN MOTION DOT/2:	Unknown
ECCENTRICITY:	0.009282	MEAN MOTION DOT DOT/6:	Unknown
ARG. OF PERIGEE:	77	BSTAR:	Unknown

DEBRIS CLOUD DATA

MAXIMUM ΔP :	Unknown
MAXIMUM ΔI :	Unknown

COMMENTS

Pre-event elements were taken from RAE Table of Earth Satellites. Cosmos 95 was placed into a low Earth orbit on 4 November 1965. Within two weeks nearly two dozen debris had been detected and were later cataloged. However, the nature of the debris, i.e. breakup versus operational, was not determined. The last of these debris decayed naturally by 6 January 1966. Russian records indicate that a breakup may have occurred on 15 January 1966, three days before the 400 kg spacecraft itself reentered. No other information on this event has been discovered, and no debris remains in orbit.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

OPS 3031

1966-012C

2015

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 15.85 Feb 1966
DRY MASS (KG): 4
MAIN BODY: Sphere; 0.3 m diameter
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: Unknown

EVENT DATA

DATE:	15 Feb 1966	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	~200 km		

POST-EVENT ELEMENTS


EPOCH:	66047.01671304	MEAN ANOMALY:	234.6777
RIGHT ASCENSION:	148.6481	MEAN MOTION:	16.20030654
INCLINATION:	96.5380	MEAN MOTION DOT/2:	.01298049
ECCENTRICITY:	.0108362	MEAN MOTION DOT DOT/6:	.0053719
ARG. OF PERIGEE:	126.3670	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : 0.6 deg

COMMENTS

OPS 3031 was an inflated sphere also known as Bluebell 2. It was deployed from satellite 2012 which was an Agena D stage carrying a separate payload. Elements above are for satellite 2012. Debris cataloging began 19 February after many debris had already decayed. Consequently, ΔP cannot be calculated. OPS 3031 and all debris decayed within one week of launch.



OPS 3031 debris cloud of 38 fragments as initially cataloged by US SSN
during February, 1966.

SATELLITE DATA

TYPE: Atlas Core Stage
OWNER: US
LAUNCH DATE: 1.63 Jun 1966
DRY MASS (KG): 3400
MAIN BODY: Cylinder; 3 m diameter by 20 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Unknown

EVENT DATA

DATE: Mid-Jun 1966 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Unknown
ALTITUDE: ~250 km

PRE-EVENT ELEMENTS


EPOCH:	66164.96883397	MEAN ANOMALY:	224.9775
RIGHT ASCENSION:	223.9064	MEAN MOTION:	16.05545399
INCLINATION:	28.7968	MEAN MOTION DOT/2:	.00654808
ECCENTRICITY:	.0025152	MEAN MOTION DOT DOT/6:	.0010778
ARG. OF PERIGEE:	135.2510	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 5.5 min
MAXIMUM ΔI : 1.5 deg

COMMENTS

This stage successfully deployed the Augmented Target Docking Adapter (ATDA) for the Gemini 9 mission. The elements above are the last available for the rocket body. Debris cataloging began on 21 June. Debris decay dates ranged from 21 June to 4 July with the rocket body officially decaying on 22 June. A review of NASA archives for this mission revealed no documented anomaly with the Atlas booster. Discussions in 1989 with General Dynamics personnel involved in the mission (Mr. Phil Genser of General Dynamics, San Diego) also failed to uncover any knowledge of the event. Pressure relief valves should have relieved pressurization increases, particularly in the oxygen tank. Possible failure of the oxygen relief valve could not be ruled out.



Gemini 9 ATDA R/B debris cloud of 24 fragments cataloged between 21 and 24 June as reconstructed from the US SSN database.

SATELLITE DATA

TYPE: Payload
 OWNER: US
 LAUNCH DATE: 24.01 Jun 1966
 DRY MASS (KG): 55
 MAIN BODY: Sphere; 30 m diameter
 MAJOR APPENDAGES: None
 ATTITUDE CONTROL: None
 ENERGY SOURCES: None

EVENT DATA (1)

DATE:	12 Jul 1975	LOCATION:	67N, 135E (dsc)
TIME:	2248 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	5145 km		

PRE-EVENT ELEMENTS (1)

EPOCH:	75192.78059719	MEAN ANOMALY:	67.9594
RIGHT ASCENSION:	238.7429	MEAN MOTION:	7.99684492
INCLINATION:	85.2811	MEAN MOTION DOT/2:	.00001217
ECCENTRICITY:	.0931904	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	281.8264	BSTAR:	.77087

EVENT DATA (2)

DATE:	20 Jan 1976	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS (2)

EPOCH:	76019.86486339	MEAN ANOMALY:	305.5539
RIGHT ASCENSION:	209.8639	MEAN MOTION:	8.00368182
INCLINATION:	85.0720	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.1179567	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	66.4633	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 0.1 min*
 MAXIMUM ΔI : 0.7 deg*

*Based on 1st event data


COMMENTS

PAGEOS (Passive Geodetic Earth-Orbiting Satellite) was an inflated balloon made of thin mylar with an aluminum coating. The first fragmentation event occurred nine years after launch and resulted in 11 new cataloged objects. The second event was detected by D.G. King-Hele of the RAE, and NAVSPASUR confirmed 44 additional fragments. By August 1976 no additional debris had been cataloged but 19 objects were being tracked in orbits with mean motions near 8 and eccentricities between 0.16 and 0.34. Due to the character of PAGEOS and its subsequent debris, natural perturbations had little effect on orbital period but strongly increased eccentricity by simultaneously lowering perigee and raising apogee. About 10 September 1976 one of the 19 unofficial objects is believed to have broken up into perhaps more than 250 new pieces, none of which

were cataloged prior to reentry. Eighteen objects were later cataloged during 7-8 October 1976. On the first anniversary of the second fragmentation (20 Jan 1977), 45 fragments were cataloged without elements and immediately decayed administratively. Additional fragmentations are suspected to have taken place in June 1978, September 1984, and December 1985. Historically, radar tracking of PAGEOS debris has been extremely difficult and cross-tagging frequent. Cause for the second and subsequent events may be material deterioration under environmental stress. A suspected PAGEOS fragment, SSN 5994, which was cataloged as a Westford Needles object, fragmented on 8 September 1995 and again on 14 September 1995 with 12 associated objects.

REFERENCE DOCUMENT

Spacetrack System Data Related to Some Non-Routine Events Through May 1981, J.R. Gabbard, Technical Memorandum 81-6, DCS/Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, 30 June 1981.



PAGEOS debris cloud of 12 fragments five weeks after the first event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Saturn SIVB Stage
OWNER: US
LAUNCH DATE: 5.62 Jul 1966
DRY MASS (KG): 26,600
MAIN BODY: Cylinder; 6.6 m diameter by 28.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: Attitude control and pressurization systems

EVENT DATA

DATE:	5 Jul 1966	LOCATION:	20N, 277E (dsc)
TIME:	2111 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	205 km		

PRE-EVENT ELEMENTS

EPOCH:	66186.73481847	MEAN ANOMALY:	353.9219
RIGHT ASCENSION:	5.5870	MEAN MOTION:	16.27379993
INCLINATION:	31.9810	MEAN MOTION DOT/2:	.03796193
ECCENTRICITY:	.0022272	MEAN MOTION DOT DOT/6:	.17429
ARG. OF PERIGEE:	6.1632	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 3.5 min
MAXIMUM ΔI : 1.4 deg

COMMENTS

This was the second flight of the SIVB stage. After orbital insertion, the vehicle was intentionally subjected to dynamic integrity tests, including high gravity loadings during attitude control maneuvers and high pressure tests. The vehicle finally brokeup after exceeding structural design limits with a propellant tank bulkhead differential pressure in excess of 23.7 N/cm². The fragmentation occurred early on the fifth revolution. Elements for the first fragments were not cataloged until 8 July.

REFERENCE DOCUMENT

Saturn AS-203 Evaluation Bulletin, No. 2, R-AERO-F-142-66, J.P. Lindberg, NASA Marshall Space Flight Center, Alabama, 21 July 1966.



AS-203 debris cloud of 25 fragments using orbits developed within one week of the event as reconstructed from the US SSN database.

SATELLITE DATA

TYPE:	Unknown
OWNER:	CIS
LAUNCH DATE:	17.94 Sep 1966
DRY MASS (KG):	Unknown
MAIN BODY:	Cone-cylinder; 1.5 m diameter by 6 m length
MAJOR APPENDAGES:	None
ATTITUDE CONTROL:	Unknown
ENERGY SOURCES:	Explosive device

EVENT DATA

DATE:	17 Sep 1966	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	~300 km		

POST-EVENT ELEMENTS

EPOCH:	66261.0	MEAN ANOMALY:	283
RIGHT ASCENSION:	338	MEAN MOTION:	14.879
INCLINATION:	49.63	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.063	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	83	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP :	Unknown
MAXIMUM ΔI :	Unknown

COMMENTS

This was the first of two missions of this type flown in 1966 and not acknowledged by the USSR. The identity of the parent orbit is uncertain. Satellite 2437 was the first cataloged fragment. The above elements are taken or derived from the RAE Table of Earth Satellites. The debris distribution is consistent with a fragmentation near 300 km. Failure of the payload led to immediate activation of the self-destruct system.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos U-1 debris cloud of 43 fragments cataloged by 5 October 1966 as reconstructed from US SSN database.

COSMOS U-2

1966-101A

2536

SATELLITE DATA

TYPE: Unknown
OWNER: CIS
LAUNCH DATE: 2.03 Nov 1966
DRY MASS (KG): Unknown
MAIN BODY: Cone-cylinder; 1.5 m diameter by 6 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Unknown
ENERGY SOURCES: Explosive device

EVENT DATA

DATE:	2 Nov 1966	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	~225 km		

POST-EVENT ELEMENTS

EPOCH:	66309.99121234	MEAN ANOMALY:	265.7893
RIGHT ASCENSION:	35.2944	MEAN MOTION:	15.17033022
INCLINATION:	49.5617	MEAN MOTION DOT/2:	.01866914
ECCENTRICITY:	.05339049	MEAN MOTION DOT DOT/6:	.0043309
ARG. OF PERIGEE:	100.3324	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This was the second mission of this type flown in 1966 and not acknowledged by the USSR. No elements were cataloged until three days after the launch. The identity of the parent orbit is uncertain. Satellite 2536 was the first object cataloged and was near the center of the debris cloud. The debris distribution is consistent with a fragmentation near 225 km. Failure of the payload led to immediate activation of the self-destruct system.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos U-2 debris cloud composed of 14 different orbits as developed by the US SSN within one week of the event.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 16.50 Jan 1968
DRY MASS (KG): 5500
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 6.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, 10 kg TNT explosive charge

EVENT DATA

DATE:	24 Jan 1968	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	68024.25242706	MEAN ANOMALY:	305.4920
RIGHT ASCENSION:	247.4278	MEAN MOTION:	15.98596524
INCLINATION:	65.6289	MEAN MOTION DOT/2:	0.00196964
ECCENTRICITY:	0.0118074	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	55.7254	BSTAR:	0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Spacecraft was destroyed after a malfunction prevented reentry and landing in the Soviet Union.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Saturn SIVB Stage
OWNER: US
LAUNCH DATE: 4.50 Apr 1968
DRY MASS (KG): 30,000
MAIN BODY: Cylinder; 6.6 m diameter by 30 m length(?)
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 13 Apr 1968 LOCATION: 32N, 245E (asc)
TIME: 1054 GMT ASSESSED CAUSE: Propulsion-related
ALTITUDE: 330 km

PRE-EVENT ELEMENTS

EPOCH: 68103.56521409 MEAN ANOMALY: 151.0074
RIGHT ASCENSION: 177.3270 MEAN MOTION: 15.97292993
INCLINATION: 32.5869 MEAN MOTION DOT/2: .00302835
ECCENTRICITY: .0120930 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 208.3921 BSTAR: .0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 0.7 min
MAXIMUM ΔI : 0.1 deg

COMMENTS

This Saturn SIVB Stage was fitted with a 11,800 kg mock Lunar Module (LM). The SIVB stage was programmed for a second firing to place the Apollo 6 vehicle into a more eccentric orbit, but the restart did not occur. The Apollo 6 payload was separated, leaving the SIVB stage and the LM in a low Earth orbit. Vaporization and venting of residual liquid oxygen induced a tumble to the SIVB stage which reached 30 rpm by 13 April. On this date the axial loads on the LM attach strap fittings and support struts were exceeded, resulting in separation of the LM from the SIVB along with numerous debris. Five fragments were cataloged without elements.

REFERENCE DOCUMENT

Apollo 6 Mission Anomaly Report No. 6, Unexpected Structural Indications During Launch Phase (Review Copy), MSC-PT-R-68-22, prepared by Apollo 6 Mission Evaluation Team, Marshall Space Flight Center, Alabama, and Manned Spacecraft Center, Texas, 1968.



Apollo 6 R/B debris cloud of 9 fragments four days after the event as reconstructed from US SSN database.

OV2-5 R/B

1968-081E

3432

SATELLITE DATA

TYPE: Titan 3C Transtage
OWNER: US
LAUNCH DATE: 26.32 Sep 1968
DRY MASS (KG): 2500
MAIN BODY: Cylinder; 3 m diameter by 6 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	21 Feb 1992	LOCATION:	Unknown (~ 197E)
TIME:	0931 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	~ 35600		

PRE-EVENT ELEMENTS

EPOCH:	92043.23217642	MEAN ANOMALY:	284.5600
RIGHT ASCENSION:	21.8025	MEAN MOTION:	1.01459126
INCLINATION:	11.9035	MEAN MOTION DOT/2:	.00000174
ECCENTRICITY:	.0084771	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	76.2786	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This was the second major fragmentation of a Titan 3C Transtage (the first was 1965-082B). This transtage released ERS-28 (also known as OV5-2) in highly eccentric transfer orbit, then released LES-6 and ERS-21 (also known as OV5-4) in synchronous orbit, before slightly decelerating and releasing OV2-5 into a slightly lower orbit. This rocket body successfully completed its mission and remained on-orbit for 281 months before fragmenting. Mr. Bob Brock, operating the Maui GEODSS sensor, observed this transtage as it fragmented, liberating a reported 20 objects.

REFERENCE DOCUMENTS

TRW Space Log, Winter 1968-69 edition, Vol. 8, No. 4, H. T. Seaborn, ed., TRW Systems Group, Redondo Beach, pp. 32-35.

"Debris in Geosynchronous Orbits", A.F. Pensa et al, Space Forum, special issue, 1st International Workshop on Space Debris, Moscow, October 1995.

Insufficient data to construct a Gabbard Diagram

COSMOS 248

1968-090A

3503

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 19.18 Oct 1968
DRY MASS (KG): 1400
MAIN BODY: Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES: Unknown
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 1 Nov 1968
TIME: 0412 GMT
ALTITUDE: 540 km
LOCATION: 55N, 104E (dsc)
ASSESSED CAUSE: Deliberate

PRE-EVENT ELEMENTS

EPOCH: 68304.83833772
RIGHT ASCENSION: 82.2502
INCLINATION: 62.2495
ECCENTRICITY: .0050333
ARG. OF PERIGEE: 298.4670
MEAN ANOMALY: 61.1261
MEAN MOTION: 15.19330723
MEAN MOTION DOT/2: .00016932
MEAN MOTION DOT DOT/6: .0
BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : 0.1 deg

COMMENTS

Cosmos 248 was the target of rendezvous for the Cosmos 249 and Cosmos 252 tests. Calculations suggest the few fragments detected from Cosmos 248 were released within ten minutes of the Cosmos 252 event which took place in the vicinity of Cosmos 248. The four observed fragments were not cataloged until 4-6 weeks after the event, preventing an accurate assessment of the event due to drag effects. It is possible that the Cosmos 248 event occurred immediately after the rendezvous and was a direct result of interaction with Cosmos 252 debris.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

COSMOS 249

1968-091A

3504

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 20.17 Oct 1968
DRY MASS (KG): 1400
MAIN BODY: Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 20 Oct 1968 LOCATION: 57S, 181E (asc)
TIME: 1427 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 1995 km

POST-EVENT ELEMENTS

EPOCH: 68294.85197372 MEAN ANOMALY: 295.3555
RIGHT ASCENSION: 118.4255 MEAN MOTION: 12.83515528
INCLINATION: 62.3313 MEAN MOTION DOT/2: .0
ECCENTRICITY: .1088260 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 76.6147 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 3.9 min
MAXIMUM ΔI : 0.4 deg


COMMENTS

Cosmos 249 was the first of a class of maneuverable spacecraft flown to rendezvous within four hours with another Cosmos satellite. In 9 of 20 such missions, orbital debris clouds were created by the active spacecraft, and in one case a passive (target) spacecraft also spawned a few fragments. Fragmentations occurred either in the vicinity of the passive satellite or a few hours after the rendezvous. In the case of Cosmos 249, the spacecraft was launched on a two-revolution rendezvous with Cosmos 248. After a close approach, Cosmos 249 continued on before its warhead was intentionally fired. The elements above are the first available for the final orbit. Some debris from Cosmos 249 and Cosmos 252 have been cross-tagged.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 249 cataloged debris cloud of 43 fragments four months after the event as reconstructed from US SSN database. Cross-tagging with Cosmos 252 debris is evident.

COSMOS 252

1968-097A

3530

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 1.02 Nov 1968
DRY MASS (KG): 1400
MAIN BODY: Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 1 Nov 1968 LOCATION: 58N, 34E (asc)
TIME: 0402 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 535 km

POST-EVENT ELEMENTS

EPOCH: 68306.70122094 MEAN ANOMALY: 297.5777
RIGHT ASCENSION: 76.5565 MEAN MOTION: 12.81276799
INCLINATION: 62.3351 MEAN MOTION DOT/2: .00811969
ECCENTRICITY: .1040368 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 73.6953 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 8.7 min
MAXIMUM ΔI : 0.5 deg


COMMENTS

Cosmos 252 was launched on a two-revolution rendezvous with Cosmos 248. The fragmentation occurred in the vicinity of Cosmos 248. Cosmos 252 was part of the test series begun with Cosmos 249. Elements above are for the orbit of the spacecraft after final maneuver, which took place immediately before fragmentation. Some debris from Cosmos 249 and Cosmos 252 have been cross-tagged.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 252 cataloged debris cloud of 43 fragments four months after the event as reconstructed from US SSN database. Cross-tagging with the Cosmos 249 cloud is evident.

SATELLITE DATA

TYPE: Vostok Second Stage
OWNER: CIS
LAUNCH DATE: 26.52 Mar 1969
DRY MASS (KG): 1440
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Unknown

EVENT DATA

DATE: 28 Mar 1969 LOCATION: 59N, 91E (dsc)
TIME: 1845 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 555 km

PRE-EVENT ELEMENTS

EPOCH: 69087.21308063 MEAN ANOMALY: 175.1148
RIGHT ASCENSION: 33.3926 MEAN MOTION: 14.71400174
INCLINATION: 81.1687 MEAN MOTION DOT/2: .0
ECCENTRICITY: .0276787 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 184.7318 BSTAR: .0

DEBRIS CLOUD DATA


MAXIMUM ΔP: 2.4 min
MAXIMUM ΔI: 0.5 deg

COMMENTS

The vehicle successfully deployed the Meteor 1-1 payload into the desired orbit. An object believed to be the rocket body was found on 27 March in an orbit (1) of 565 km by 755 km, similar to earlier missions of the Vostok second stage. Early on 28 March an object was found in an orbit (2) of 460 km by 850 km with elements as indicated above. Analysis indicates that a transition from orbit (1) to orbit (2) was possible during the latter part of 27 March. Debris analysis clearly indicates that the orbit of the parent satellite had to be similar to orbit (2). Radar cross-section data supports the belief that the post-event object in the center of the debris cloud is the rocket body. No object was found in orbit (1) after the event.

REFERENCE DOCUMENT

History of the Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Meteor 1-1 R/B debris cloud of 31 fragments two months after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: TE 364-4 (STAR 37E motor)
OWNER: US
LAUNCH DATE: 26.09 Jul 1969
DRY MASS (KG): 1100 (70 without solid propellants)
MAIN BODY: Sphere-nozzle; 1.0 m by 1.8 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 26 Jul 1969 LOCATION: 0N, 333E (dsc)
TIME: 0228 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 270 km

POST-EVENT ELEMENTS

EPOCH: 69208.17261261 MEAN ANOMALY: 166.4542
RIGHT ASCENSION: 130.0186 MEAN MOTION: 9.78100102
INCLINATION: 30.3692 MEAN MOTION DOT/2: .00000270
ECCENTRICITY: .2800849 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 187.9970 BSTAR: .0

DEBRIS CLOUD DATA


MAXIMUM ΔP : Unknown
MAXIMUM ΔI : 1.2 deg

COMMENTS

This solid-propellant upper stage failed soon after ignition, following a normal launch. The cause of the failure is assessed to be a possible rupture of the motor casing or nozzle. See similar failures of two PAM-D upper stages in 1984. Elements above are first developed for the rocket body about one day after the event. Rocket body may later have been cross-tagged with satellite 4053. Validity of debris identification and cataloging after 1969 is suspect.

REFERENCE DOCUMENT

TRW Space Log, Winter 1969-70 edition, Vol. 9, No. 4, W.A. Donop, ed., TRW Systems Group, Redondo Beach, pp. 34-36.



Intelsat 3 F-5 R/B debris cloud of 6 fragments ten days after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Agena D Stage
OWNER: US
LAUNCH DATE: 30.57 Sep 1969
DRY MASS (KG): 600
MAIN BODY: Cylinder; 1.5 m diameter by 7.1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Unknown

EVENT DATA

DATE: 4 Oct 1969 LOCATION: 54N, 178E (dsc)
TIME: 1553 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 920 km

POST-EVENT ELEMENTS

EPOCH: 69295.54249482 MEAN ANOMALY: 274.0514
RIGHT ASCENSION: 243.5157 MEAN MOTION: 13.68701087
INCLINATION: 69.9611 MEAN MOTION DOT/2: .00000064
ECCENTRICITY: .0117819 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 87.4011 BSTAR: .0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 3.1 min
MAXIMUM ΔI : 1.0 deg

COMMENTS

This was the first of two Agena D stages to fragment in a span of only 12 months. The vehicle delivered ten payloads to an orbit of about 905 km by 940 km. Four days later, before the rocket body had been cataloged, a large fragmentation occurred. What appeared to be the largest piece of the rocket body was found in the orbit described by the elements above almost three weeks after the event. See 1967-53 as a reference to an earlier mission of this type. Both missions were sponsored by DOD and public information is limited.

REFERENCE DOCUMENT

"Fragmentations of Asteroids and Artificial Satellites in Orbit", W. Wiesel, Icarus, Vol. 34, 1978, pp. 99-116.



OPS 7613 R/B debris cloud (excluding 10 payloads) of 152 fragments eight months after the event. The largest fragment was found in an eccentric orbit with an orbital period of more than 105 min and is presumed to be the rocket body remnant.

SATELLITE DATA

TYPE: Agena D Stage
OWNER: US
LAUNCH DATE: 8.35 Apr 1970
DRY MASS (KG): 600
MAIN BODY: Cylinder; 1.5 m diameter by 7.1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Unknown

EVENT DATA

DATE:	17 Oct 1970	LOCATION:	50S, 142E (asc)
TIME:	0317 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	1075 km		

PRE-EVENT ELEMENTS

EPOCH:	70289.33183878	MEAN ANOMALY:	141.3434
RIGHT ASCENSION:	203.5235	MEAN MOTION:	13.49254887
INCLINATION:	99.8780	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0016616	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	218.6463	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 14.2 min
MAXIMUM ΔI : 0.8 deg


COMMENTS

This was the second Agena D stage to fragment in a span of only 12 months. The event occurred six months after the successful deployment of the Nimbus 4 payload. Twice in 1985, again in 1986, once in 1991, and twice in 1995 Nimbus 4 R/B debris spawned a few additional fragments, accounting for an additional 16 new debris objects between the 6 sub-events.

REFERENCE DOCUMENTS

"Fragmentations of Asteroids and Artificial Satellites in Orbit", W. Wiesel, Icarus, Vol. 34, 1978, pp. 99-116.

"Analysis of the Nimbus 4 Rocket Body Breakup and Subsequent Debris Anomalies", N.L. Johnson, Kaman Sciences Corporation, February 1992.



Nimbus 4 R/B debris cloud of 246 fragments eight months after the event as reconstructed from US SSN database. Some lower period fragments already exhibit the effects of natural decay.

COSMOS 374

1970-089A

4594

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 23.18 Oct 1970
DRY MASS (KG): 1400
MAIN BODY: Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 23 Oct 1970 LOCATION: 22S, 217E (asc)
TIME: 1513 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 1195 km

PRE-EVENT ELEMENTS

EPOCH: 70296.40542099 MEAN ANOMALY: 309.5623
RIGHT ASCENSION: 129.1049 MEAN MOTION: 12.82808179
INCLINATION: 62.9380 MEAN MOTION DOT/2: .00019973
ECCENTRICITY: .1039489 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 60.4933 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown


COMMENTS

Cosmos 374 was launched on a two-revolution rendezvous with Cosmos 373. After a close approach, Cosmos 374 continued on before its warhead was intentionally fired. Cosmos 374 was part of test series begun with Cosmos 249. Considerable cross-cataloging of Cosmos 374 and Cosmos 375 debris occurred; therefore, ΔP and ΔI are not calculated.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 374 official debris cloud of 43 fragments five months after the event as reconstructed from US SSN database. All fragments were cataloged after the Cosmos 375 fragmentation, and some contamination exists.

COSMOS 375

1970-091A

4598

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 30.09 Oct 1970
DRY MASS (KG): 1400
MAIN BODY: Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 30 Oct 1970 LOCATION: 54N, 23E (asc)
TIME: 0600 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 535 km

POST-EVENT ELEMENTS

EPOCH: 70306.81102869 MEAN ANOMALY: 313.3102
RIGHT ASCENSION: 96.4080 MEAN MOTION: 12.87482205
INCLINATION: 62.8057 MEAN MOTION DOT/2: .00009999
ECCENTRICITY: .1022289 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 56.0864 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown


COMMENTS

Cosmos 375 was launched on a two-revolution rendezvous with Cosmos 373. The fragmentation occurred in the vicinity of Cosmos 373. Cosmos 375 was part of test series begun with Cosmos 249. Elements above are first reliable ones for orbit after final maneuver which took place immediately before fragmentation. Considerable cross-cataloging of Cosmos 374 and Cosmos 375 debris occurred; therefore, ΔP and ΔI are not calculated.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 375 debris cloud of 38 fragments about four months after the event as reconstructed from US SSN database. Some contamination exists with Cosmos 374 debris.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 25.47 Feb 1971
DRY MASS (KG): 1400
MAIN BODY: Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 25 Feb 1971 LOCATION: 54N, 21E (asc)
TIME: 1431 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 585 km

POST-EVENT ELEMENTS

EPOCH: 71057.77590281 MEAN ANOMALY: 318.5528
RIGHT ASCENSION: 352.8670 MEAN MOTION: 12.68709606
INCLINATION: 65.7618 MEAN MOTION DOT/2: .00013192
ECCENTRICITY: .1046189 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 50.3064 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 2.8 min
MAXIMUM ΔI : 1.2 deg


COMMENTS

Cosmos 397 was launched on a two-revolution rendezvous with Cosmos 394. The fragmentation occurred in the vicinity of Cosmos 394. Cosmos 397 was part of the test series begun with Cosmos 249. Elements above are first available for orbit after final maneuver which took place immediately before fragmentation.

REFERENCE DOCUMENT

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 397 cataloged debris cloud of 26 fragments about seven weeks after the event as reconstructed from the US SSN database.

COSMOS 462

1971-106A

5646

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 3.55 Dec 1971
DRY MASS (KG): 1400
MAIN BODY: Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 3 Dec 1971 LOCATION: 51N, 7E (asc)
TIME: 1651 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 230 km

POST-EVENT ELEMENTS

EPOCH: 71339.01001769 MEAN ANOMALY: 316.0762
RIGHT ASCENSION: 294.0999 MEAN MOTION: 13.65823046
INCLINATION: 65.7483 MEAN MOTION DOT/2: .00001349
ECCENTRICITY: .1062360 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 53.3215 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 3.6 min
MAXIMUM ΔI : 0.7 deg


COMMENTS

Cosmos 462 was launched on a two-revolution rendezvous with Cosmos 459. The fragmentation occurred in the vicinity of Cosmos 459. Cosmos 462 was part of test series begun with Cosmos 249. Elements above are first available for orbit after final maneuver which took place immediately before fragmentation.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 462 debris cloud of 25 cataloged fragments within one week of the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Delta Second Stage (900)
OWNER: US
LAUNCH DATE: 23.75 Jul 1972
DRY MASS (KG): 800
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 6.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE: 22 May 1975 LOCATION: 34S, 46E (asc)
TIME: 1827 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 730 km

PRE-EVENT ELEMENTS

EPOCH: 75142.56642671 MEAN ANOMALY: 323.2981
RIGHT ASCENSION: 196.3353 MEAN MOTION: 14.36209995
INCLINATION: 98.3439 MEAN MOTION DOT/2: .00000060
ECCENTRICITY: .0193108 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 38.1650 BSTAR: .000027579

DEBRIS CLOUD DATA

MAXIMUM ΔP : 9.3 min
MAXIMUM ΔI : 1.0 deg

COMMENTS

This was the second Delta Second Stage to experience a severe fragmentation. The event occurred 34 months after the successful deployment of the Landsat 1 payload. Cause of the explosion is assessed to be related to the nearly 150 kg of residual propellants and characteristics of the sun-synchronous orbit.

REFERENCE DOCUMENTS


Dynamics of Satellite Disintegration, R. Dasenbrock, B. Kaufman, and W. Heard, NRL Report 7954, Naval Research Laboratory, Washington, 30 January 1976.

"Fragmentations of Asteroids and Artificial Satellites in Orbit", W. Wiesel, Icarus, Vol. 34, 1978, pp. 99-116.

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



Landsat 1 R/B debris cloud of 133 fragments four months after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Proton Third Stage
OWNER: CIS
LAUNCH DATE: 3.38 Apr 1973
DRY MASS (KG): 4000
MAIN BODY: Cylinder; 4.0 m diameter by 12.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	3 Apr 1973	LOCATION:	45N, 290E (dsc)
TIME:	2236 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	225 km		

PRE-EVENT ELEMENTS


EPOCH:	73093.61404736	MEAN ANOMALY:	357.9254
RIGHT ASCENSION:	334.5652	MEAN MOTION:	16.20127597
INCLINATION:	51.4798	MEAN MOTION DOT/2:	.00508885
ECCENTRICITY:	.0037670	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	2.1878	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 3.8 min
MAXIMUM ΔI : 0.5 deg

COMMENTS

This is the only known fragmentation of the Proton third stage. The event occurred less than 14 hours after reaching orbit. The event was apparently unrelated to the later payload malfunction. NAVSPASUR counted at least 95 objects shortly after the event, but most reentered before being officially cataloged. Information uncovered by Mr. Nicholas Johnson during an information exchange with Russian officials in the Spring of 1993 revealed that residual propellants resulted in an over-pressurization of the rocket body, causing this fragmentation. After this event, the Russians reported that the Proton third stage has been vented to avoid future events of this nature.



Salyut 2 R/B debris cloud of 25 fragments as reconstructed from US SSN database. Most elements were developed within two days of the event.

COSMOS 554

1973-021A

6432

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 19.38 Apr 1973
DRY MASS (KG): 6300
MAIN BODY: Sphere-cylinder; 2.8 m diameter by 6.5 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	6 May 1973	LOCATION:	71S, 215E (asc)
TIME:	0724 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	310 km		

PRE-EVENT ELEMENTS

EPOCH:	73125.63953480	MEAN ANOMALY:	337.7411
RIGHT ASCENSION:	305.5573	MEAN MOTION:	16.05578988
INCLINATION:	72.8514	MEAN MOTION DOT/2:	.00433078
ECCENTRICITY:	.0137599	MEAN MOTION DOT DOT/6:	.00010923
ARG. OF PERIGEE:	22.9846	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 6.0 min
MAXIMUM ΔI : 1.3 deg

COMMENTS

Spacecraft was destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. A total of 88 fragments were cataloged without elements.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 554 debris cloud of 107 fragments using initial elements as developed over several weeks. Some decay effects are present. Source is US SSN database.

SATELLITE DATA

TYPE: Delta Second Stage (300)
OWNER: US
LAUNCH DATE: 6.71 Nov 1973
DRY MASS (KG): 840
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 6.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE: 28 Dec 1973 LOCATION: 37S, 181E (asc)
TIME: 0904 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 1515 km

PRE-EVENT ELEMENTS

EPOCH: 73359.56303028 MEAN ANOMALY: 202.2816
RIGHT ASCENSION: 41.7242 MEAN MOTION: 12.40088347
INCLINATION: 102.0500 MEAN MOTION DOT/2: .00000577
ECCENTRICITY: .0005689 MEAN MOTION DOT DOT/6: .000000056523
ARG. OF PERIGEE: 157.8450 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 10.4 min
MAXIMUM ΔI : 1.4 deg

COMMENTS

This was the first of seven Delta Second Stages to experience severe fragmentations between 1973 and 1981. Six of the seven stages were left in mid-morning, sun-synchronous orbits with residual propellants. Fragmentations occurred from 2-35 months after launch. The seventh stage exploded within hours of launch on a geosynchronous mission. The assessed cause in all cases is a propellant-induced explosion. Depletion burns to remove residual propellants were initiated in 1981, and no vented Delta Second Stages have fragmented since. In the case of the NOAA 3 R/B, fragmentation took place nearly two months after successful deployment of the NOAA 3 payload. Approximately 130 kg of propellants were left on board.


REFERENCE DOCUMENTS

Dynamics of Satellite Disintegration, R. Dasenbrock, B. Kaufman, and W. Heard, NRL Report 7954, Naval Research Laboratory, Washington, 30 January 1976.

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



NOAA 3 R/B debris cloud of 160 fragments four months after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Delta Second Stage (2310)
OWNER: US
LAUNCH DATE: 15.72 Nov 1974
DRY MASS (KG): 840
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length
MAJOR APPENDAGES: Mini-skirt; 2.4m by 0.3 m
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE: 20 Aug 1975 LOCATION: 52S, 278E (dsc)
TIME: 1307 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 1465 km

PRE-EVENT ELEMENTS

EPOCH: 75231.53619619 MEAN ANOMALY: 309.0001
RIGHT ASCENSION: 277.2201 MEAN MOTION: 12.52826370
INCLINATION: 101.6940 MEAN MOTION DOT/2: .00000083
ECCENTRICITY: .0009694 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 51.1891 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 15.7 min
MAXIMUM ΔI : 1.8 deg

COMMENTS


This was the third Delta Second Stage to experience a severe fragmentation. The event occurred 9 months after the successful deployment of the NOAA 4 payload. Cause of the explosion is assessed to be related to the estimated more than 200 kg of residual propellants and characteristics of the sun-synchronous orbit. A fragment from this event (satellite number 8138) may have generated six or more additional pieces in September 1981.

REFERENCE DOCUMENTS

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



NOAA 4 R/B debris cloud of 101 fragments six months after the event as reconstructed from US SSN database.

COSMOS 699

1974-103A

7587

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 24.46 Dec 1974
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA (1)

DATE:	17 Apr 1975	LOCATION:	01N, 278E (dsc)
TIME:	2148 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	440 km		

PRE-EVENT ELEMENTS (1)

EPOCH:	75107.81173798	MEAN ANOMALY:	71.8460
RIGHT ASCENSION:	271.0743	MEAN MOTION:	15.44155646
INCLINATION:	65.0355	MEAN MOTION DOT/2:	.00007106
ECCENTRICITY:	.0014224	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	288.1084	BSTAR:	.0

EVENT DATA (2)

DATE:	2 Aug 1975	LOCATION:	02S, 258E (dsc)
TIME:	1623 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	435 km		

PRE-EVENT ELEMENTS (2)

EPOCH:	75214.45597981	MEAN ANOMALY:	68.4232
RIGHT ASCENSION:	274.3453	MEAN MOTION:	15.46205523
INCLINATION:	65.0458	MEAN MOTION DOT/2:	.00001715
ECCENTRICITY:	.0020980	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	291.4623	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 3.5 min*
MAXIMUM ΔI : 0.9 deg*

*Based on NRL analysis

COMMENTS


Cosmos 699 was the first of a new type spacecraft. Many members of this class have experienced breakups. Beginning in 1988 old spacecraft have been commanded to lower perigee at end of life, resulting in an accelerated natural decay with fewer fragmentations. For several spacecraft, two distinct events have been detected and observational data suggest that the spacecraft remain essentially intact after each event. In all but one case, breakups occur after spacecraft has ceased orbit maintenance and entered natural decay. Debris are sometimes highly unidirectional. In the case of Cosmos 699, the spacecraft had been in a regime of natural decay for one month at the time of the event.

REFERENCE DOCUMENTS

An Analysis of the Breakup of Satellite 1974-103A (Cosmos 699), W. B. Heard, NRL Report 7991, Naval Research Laboratory, Washington, 23 April 1976.

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of the Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 699 debris cloud of 41 fragments after the first breakup event as reconstructed from radar observations following the first breakup event.

SATELLITE DATA

TYPE: Delta Second Stage (2910)
OWNER: US
LAUNCH DATE: 22.75 Jan 1975
DRY MASS (KG): 840
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.2 m
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA (1)

DATE:	9 Feb 1976	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS (1)

EPOCH:	76040.08509016	MEAN ANOMALY:	189.3492
RIGHT ASCENSION:	60.2329	MEAN MOTION:	14.19373945
INCLINATION:	97.7751	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0120730	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	170.9843	BSTAR:	.0

EVENT DATA (2)

DATE:	19 Jun 1976	LOCATION:	7N, 344E (dsc)
TIME:	0659 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	750 km		

PRE-EVENT ELEMENTS (2)

EPOCH:	76170.97576375	MEAN ANOMALY:	217.2433
RIGHT ASCENSION:	175.3897	MEAN MOTION:	14.19574919
INCLINATION:	97.7497	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0115288	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	143.6594	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 5.6 min
MAXIMUM ΔI : 2.3 deg

COMMENTS


This was the fourth Delta Second Stage to experience a severe fragmentation. The first event occurred almost 13 months after the successful deployment of the Landsat 2 payload. Only 14 fragments were cataloged after the first event and all possessed orbital period changes of less than 0.6 min. Four months later a much larger fragmentation occurred. The cause of the second event is assessed to be related to the estimated 150 kg of residual propellants on board and characteristics of the sun-synchronous orbit.

REFERENCE DOCUMENTS

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



Landsat 2 R/B debris cloud of 147 fragments about six weeks after the second event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Delta Second Stage (2910)
OWNER: US
LAUNCH DATE: 12.34 Jun 1975
DRY MASS (KG): 840
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE: 1 May 1991 LOCATION: 66N, 322E (asc)
TIME: 0856 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 1090 km

PRE-EVENT ELEMENTS

EPOCH: 91112.56709963 MEAN ANOMALY: 211.7525
RIGHT ASCENSION: 329.2109 MEAN MOTION: 13.43007146
INCLINATION: 99.5801 MEAN MOTION DOT/2: .00000050
ECCENTRICITY: .0006217 MEAN MOTION DOT DOT/6: 0.0
ARG. OF PERIGEE: 148.3989 BSTAR: .0055458

DEBRIS CLOUD DATA

MAXIMUM ΔP: 27.4 min*
MAXIMUM ΔI: 2.4 min*

*Based on uncataloged debris data


COMMENTS

This was the eighth Delta Second Stage to experience a severe fragmentation. The event occurred nearly 191 months after the successful deployment of the Nimbus 6 payload. Cause of the explosion is assessed to be related to the estimated 245 kg of residual propellants on board and characteristics of the sun-synchronous orbit.

REFERENCE DOCUMENTS

The Fragmentation of the Nimbus 6 Rocket Body, D. J. Nauer and N. L. Johnson, Technical Report CS91-TR-JSC-017, Teledyne Brown Engineering, Colorado Springs, Colorado, November 1991.

Nimbus 6 Delta Upper Stage Rocket Body Breakup Report, E. L. Jenkins and H. V. Reynolds, Naval Space Surveillance Center, Dahlgren, Virginia, 1991.



Nimbus 6 R/B debris cloud of 386 identified fragments within one week after the event as reconstructed from Naval Space Surveillance System database. This diagram is taken from the first cited reference.

COSMOS 758

1975-080A

8191

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 5.62 Sep 1975
DRY MASS (KG): 5700
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	6 Sep 1975	LOCATION:	32N, 293E (asc)
TIME:	1906 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	185 km		

PRE-EVENT ELEMENTS

EPOCH:	75249.72782895	MEAN ANOMALY:	294.2107
RIGHT ASCENSION:	189.2795	MEAN MOTION:	16.09422927
INCLINATION:	67.1445	MEAN MOTION DOT/2:	.00430774
ECCENTRICITY:	.0113994	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	67.1020	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Spacecraft was apparently destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Most debris reentered before being officially cataloged. All but three official fragments were cataloged without elements.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

COSMOS 777

1975-102A

8416

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 29.46 Oct 1975
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE:	25 Jan 1976	LOCATION:	53N, 7E (asc)
TIME:	1400 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	440 km		

PRE-EVENT ELEMENTS

EPOCH:	76025.37753295	MEAN ANOMALY:	88.9272
RIGHT ASCENSION:	303.6319	MEAN MOTION:	15.43461781
INCLINATION:	65.0177	MEAN MOTION DOT/2:	.00000373
ECCENTRICITY:	.0009065	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	271.0782	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 1.6 min
MAXIMUM ΔI : 0.4 deg


COMMENTS

Cosmos 777 was the second spacecraft of the Cosmos 699-type to experience a fragmentation. It is the only one to breakup before terminating its precise orbit maintenance pattern and entering a regime of natural decay. A second event may have occurred about 90 minutes after the event cited above.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 777 debris cloud of 35 fragments about ten days after the event as reconstructed from US SSN database. Some drag effects are already evident.

COSMOS 838

1976-063A

8932

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 2.44 Jul 1976
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE: 17 May 1977 LOCATION: 9S, 284E (dsc)
TIME: 1018 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 430 km

PRE-EVENT ELEMENTS

EPOCH: 77136.94211102 MEAN ANOMALY: 73.5502
RIGHT ASCENSION: 131.3837 MEAN MOTION: 15.45822335
INCLINATION: 65.0556 MEAN MOTION DOT/2: .00007521
ECCENTRICITY: .0021270 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 286.3253 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP: 8.0 min*
MAXIMUM ΔI: 1.1 deg*

*Based on uncataloged debris data


COMMENTS

Cosmos 838 was the third spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in a regime of natural decay for six months prior to the event. Many debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 838 debris cloud of 59 fragments about one week after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 8.88 Jul 1976
DRY MASS (KG): 650
MAIN BODY: Polyhedron; 1.4 m by 1.4 m
MAJOR APPENDAGES: Solar panels, gravity-gradient boom (?)
ATTITUDE CONTROL: Gravity gradient (?)
ENERGY SOURCES: Battery

EVENT DATA

DATE: 29 Sep 1977 LOCATION: 33S, 162E (dsc)
TIME: 0717 GMT ASSESSED CAUSE: Battery
ALTITUDE: 1910 km

PRE-EVENT ELEMENTS

EPOCH: 77270.46732078 MEAN ANOMALY: 7.6996
RIGHT ASCENSION: 85.9347 MEAN MOTION: 12.32137908
INCLINATION: 65.8538 MEAN MOTION DOT/2: .00000367
ECCENTRICITY: .0706585 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 351.1444 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP: 2.7 min
MAXIMUM ΔI: 0.3 deg


COMMENTS

Cosmos 839 was the first of three satellites of the same class to experience unexplained fragmentations. These satellites are used in conjunction with the Cosmos 249-type spacecraft which are deliberately fragmented; but the cause of the Cosmos 839-type events appears to be unrelated since they occur more than one year after tests with Cosmos 249-type spacecraft. In the case of Cosmos 839, 14 months elapsed between its test with a Cosmos 249-type spacecraft and its fragmentation. Russian officials have determined that battery malfunctions were the causes of these events.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 839 debris cloud of 33 fragments about five weeks after the event as reconstructed from US SSN database.

COSMOS 844

1976-072A

9046

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 22.66 Jul 1976
DRY MASS (KG): 5700
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE:	25 Jul 1976	LOCATION:	49N, 100E (dsc)
TIME:	1718 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	210 km		

PRE-EVENT ELEMENTS

EPOCH:	76207.45032150	MEAN ANOMALY:	291.2246
RIGHT ASCENSION:	152.6930	MEAN MOTION:	16.04433196
INCLINATION:	67.1467	MEAN MOTION DOT/2:	.00313532
ECCENTRICITY:	.0136374	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	70.3553	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Spacecraft was apparently destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. No elements were cataloged on any of the official debris. Most fragments reentered rapidly.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Delta Second Stage (2310)
OWNER: US
LAUNCH DATE: 29.71 Jul 1976
DRY MASS (KG): 840
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE: 24 Dec 1977 LOCATION: 40S, 146E (asc)
TIME: 1133 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 1510 km

PRE-EVENT ELEMENTS

EPOCH: 77354.53228225 MEAN ANOMALY: 330.8663
RIGHT ASCENSION: 38.5560 MEAN MOTION: 12.38394892
INCLINATION: 102.0192 MEAN MOTION DOT/2: .0
ECCENTRICITY: .0010085 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 29.2920 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 12.5 min
MAXIMUM ΔI : 3.0 deg

COMMENTS


This was the sixth Delta Second Stage to experience a severe fragmentation. The event occurred 17 months after the successful deployment of the NOAA 5 payload. Cause of the explosion is assessed to be related to the estimated 250 kg of residual propellants on board and characteristics of the sun-synchronous orbit.

REFERENCE DOCUMENTS

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



NOAA 5 R/B debris cloud of 98 fragments about four months after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 22.38 Oct 1976
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive device

EVENT DATA

DATE: 15 Mar 1977 LOCATION: 39N, 114E (asc)
TIME: 1256 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 5375 km

PRE-EVENT ELEMENTS

EPOCH: 77066.03986408 MEAN ANOMALY: 4.4196
RIGHT ASCENSION: 98.8078 MEAN MOTION: 2.00311741
INCLINATION: 63.1553 MEAN MOTION DOT/2: .0
ECCENTRICITY: .7312859 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 318.6653 BSTAR: .0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 5.7 min
MAXIMUM ΔI : 0.4 deg

COMMENTS

Cosmos 862 was the first of a new class of operational satellites in highly elliptical, semi-synchronous orbits which experienced a total of 16 fragmentations during the period 1977-1986. Due to the nature of these orbits, which result in high altitudes over the Northern Hemisphere where most surveillance sensors are located, debris detection and tracking is extremely difficult. Only the largest fragments can be seen. Cosmos 862 spacecraft were equipped with self-destruct packages in the event that spacecraft control was lost; this was the cause of breakups until the explosives were removed after Cosmos 1481.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 862 debris cloud of 10 cataloged fragments two weeks after the event as reconstructed from US SSN database.

COSMOS 880

1976-120A

9601

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 9.84 Dec 1976
DRY MASS (KG): 650
MAIN BODY: Polyhedron; 1.4 m by 1.4 m
MAJOR APPENDAGES: Solar panels, gravity-gradient boom (?)
ATTITUDE CONTROL: Gravity gradient (?)
ENERGY SOURCES: Battery

EVENT DATA

DATE: 27 Nov 1978 LOCATION: 65S, 306E (dsc)
TIME: 1703 GMT ASSESSED CAUSE: Battery
ALTITUDE: 560 km

PRE-EVENT ELEMENTS

EPOCH: 78331.59395829 MEAN ANOMALY: 55.5772
RIGHT ASCENSION: 11.0317 MEAN MOTION: 14.93841919
INCLINATION: 65.8440 MEAN MOTION DOT/2: .00000004
ECCENTRICITY: .0050108 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 304.0553 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP: 1.3 min*
MAXIMUM ΔI: 0.0 deg*

*Based on uncataloged debris data


COMMENTS

Cosmos 880 was the second spacecraft of the Cosmos 839-type to experience a fragmentation. Although these satellites are used in conjunction with the Cosmos 249-type spacecraft which are deliberately fragmented, the cause of the Cosmos 839-type events appears to be unrelated. In the case of Cosmos 880, 23 months elapsed since its test with a Cosmos 249-type spacecraft. Russian officials have determined that battery malfunctions were the cause of these events.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 880 debris cloud of 40 fragments two days after the event
as reconstructed from the US SSN database.

COSMOS 884

1976-123A

9614

SATELLITE DATA

TYPE: Payload
OWNER: USSR
LAUNCH DATE: 17.40 Dec 1976
DRY MASS (KG): 6300
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 6.5 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	29 Dec 1976	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	76362.45360574	MEAN ANOMALY:	302.3648
RIGHT ASCENSION:	227.6719	MEAN MOTION:	16.11011505
INCLINATION:	65.0214	MEAN MOTION DOT/2:	0.00147448
ECCENTRICITY:	0.0113306	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	58.8529	BSTAR:	0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Spacecraft was destroyed after a malfunction prevented reentry and landing in the Soviet Union. Event identified by Russian officials during investigation cited below.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

COSMOS 886

1976-126A

9634

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 27.53 Dec 1976
DRY MASS (KG): 1400
MAIN BODY: Irregular; 1.8 m by 4.2 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 27 Dec 1976 LOCATION: 65S, 210E (asc)
TIME: 1840 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 2090 km

POST-EVENT ELEMENTS

EPOCH: 76362.79720829 MEAN ANOMALY: 313.0540
RIGHT ASCENSION: 306.5669 MEAN MOTION: 12.54457816
INCLINATION: 65.8434 MEAN MOTION DOT/2: .00004000
ECCENTRICITY: .1087102 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 57.0236 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.3 min
MAXIMUM ΔI : 0.2 deg


COMMENTS

Cosmos 886 was launched on a two-revolution rendezvous with Cosmos 880. After a close approach, Cosmos 886 continued on before its warhead was intentionally fired. Cosmos 886 was part of test series begun with Cosmos 249. The elements above are the first available after the final maneuver of Cosmos 886 but represent the revolution immediately after the event.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 886 debris cloud of 53 fragments five months after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 11.07 Apr 1977
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	8 Jun 1978	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	78156.86414074	MEAN ANOMALY:	5.0496
RIGHT ASCENSION:	115.5660	MEAN MOTION:	2.00599850
INCLINATION:	63.1514	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7100107	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	319.7397	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 2.6 min*
MAXIMUM ΔI : 0.5 deg*


*See Comments

COMMENTS

Cosmos 903 was another spacecraft of the Cosmos 862-type to experience a fragmentation. One new fragment was cataloged within a week of the event. The ΔP and ΔI values above are based on the lower period (717.5 min) orbit of Cosmos 903 after the event.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 903 and a single piece of debris three weeks after the event as reconstructed from US SSN database.

COSMOS 917

1977-047A

10059

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 16.08 Jun 1977
DRY MASS (KG): 1250
MAIN BODY: Irregular; 1.7 m by 2 m
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	30 March 1979	LOCATION:	63S, 0E (dsc)
TIME:	1545 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	3280 km		

PRE-EVENT ELEMENTS

EPOCH:	79089.17562851	MEAN ANOMALY:	5.2297
RIGHT ASCENSION:	156.1576	MEAN MOTION:	2.00553521
INCLINATION:	62.9498	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.6980052	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	322.3289	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 22.6 min*
MAXIMUM ΔI : 0.6 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 917 was another spacecraft of the Cosmos 862-type to experience a fragmentation.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 917 debris cloud of 12 fragments about three weeks after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Delta Second Stage (2914)
OWNER: US
LAUNCH DATE: 14.44 Jul 1977
DRY MASS (KG): 900
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE: 14 Jul 1977 LOCATION: 14N, 249E (dsc)
TIME: 1612 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 1450 km

POST-EVENT ELEMENTS

EPOCH: 77197.57445278 MEAN ANOMALY: 303.2693
RIGHT ASCENSION: 262.0317 MEAN MOTION: 12.95114397
INCLINATION: 29.0493 MEAN MOTION DOT/2: .00007335
ECCENTRICITY: .0973469 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 66.7255 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP: 9.7 min*
MAXIMUM ΔI: 3.0 deg*

*Based on uncataloged debris data

COMMENTS


This was the fifth Delta Second Stage to experience a severe fragmentation. It is also the only one which was not in a sun-synchronous orbit, which had performed a depletion burn, and which fragmented on the day of launch. This rocket body did perform its mission successfully, carrying the third stage and the payload into a low Earth orbit. The energy for the breakup is assessed to have been the 40 kg of propellants (mainly oxidizer) remaining after the depletion burn. The elements above are the first available after the depletion burn although also after the event.

REFERENCE DOCUMENTS

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



Himawari 1 R/B debris cloud of 132 fragments five months after the event as reconstructed from US SSN database.

COSMOS 931

1977-068A

10150

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 20.20 Jul 1977
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	24 Oct 1977	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	77289.02131186	MEAN ANOMALY:	4.2624
RIGHT ASCENSION:	305.6648	MEAN MOTION:	2.00651833
INCLINATION:	62.9440	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7341055	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.8771	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 5.3 min*
MAXIMUM ΔI : 0.7 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 931 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Debris were not officially cataloged until four years after the event.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 931 debris cloud of 13 fragments two weeks after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 20.73 Sept 1977
DRY MASS (KG): 1750
MAIN BODY: Cone; 2 m by 4 m
MAJOR APPENDAGES: Plate + 2 solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, Battery

EVENT DATA

DATE: 23 Jun 1978 LOCATION: 0.0N, 98.7E
TIME: Unknown ASSESSED CAUSE: Battery
ALTITUDE: 35790 km

PRE-EVENT ELEMENTS

EPOCH: 88166.03647595 MEAN ANOMALY: 78.3897
RIGHT ASCENSION: 78.3897 MEAN MOTION: 1.00252588
INCLINATION: 0.1137 MEAN MOTION DOT/2: .0
ECCENTRICITY .0001436 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 325.2771 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This event was revealed by Russian officials in an orbital debris meeting in February 1992 in Moscow. This is the first known Geostationary orbit fragmentation and was not detected by the Space Surveillance Network (SSN). Russian photographs originally linked to the breakup were later determined to have been misidentified.

REFERENCE DOCUMENTS

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Breakup in Review-Two GEO Breakups", Orbital Debris Monitor, April 1992, p 35-36.

Insufficient data to construct a Gabbard diagram.

COSMOS 970

1977-121A

10531

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 21.44 Dec 1977
DRY MASS (KG): 1400
MAIN BODY: Cylinder; 2 m diameter by 4 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 21 Dec 1977 LOCATION: 38S, 274E (asc)
TIME: 1710 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 1135 km

PRE-EVENT ELEMENTS

EPOCH: 77355.65049149 MEAN ANOMALY: 245.5638
RIGHT ASCENSION: 282.1792 MEAN MOTION: 13.58084598
INCLINATION: 65.8467 MEAN MOTION DOT/2: .00023007
ECCENTRICITY: .0129854 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 116.3098 BSTAR: .0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.7 min
MAXIMUM ΔI : 1.1 deg


COMMENTS

Cosmos 970 was launched on a two-revolution rendezvous with Cosmos 967. After a close approach, Cosmos 970 continued on before its warhead was intentionally fired. Cosmos 970 was part of test series begun with Cosmos 249.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N. L. Johnson, Journal of the British Interplanetary Society, August 1983, p. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 970 debris cloud of 34 fragments about five months after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Delta Second Stage (2910)
OWNER: US
LAUNCH DATE: 5.75 Mar 1978
DRY MASS (KG): 900
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 5.8 m length
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE: 27 Jan 1981 LOCATION: 80S, 301E (asc)
TIME: 0432 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 910 km

PRE-EVENT ELEMENTS

EPOCH: 81026.99107090 MEAN ANOMALY: 147.0549
RIGHT ASCENSION: 68.7927 MEAN MOTION: 13.96108433
INCLINATION: 98.8485 MEAN MOTION DOT/2: .00000434
ECCENTRICITY: .0006255 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 212.9842 BSTAR: .00032708

DEBRIS CLOUD DATA

MAXIMUM ΔP : 9.1 min
MAXIMUM ΔI : 0.5 deg

COMMENTS

This was the seventh Delta Second Stage to experience a severe fragmentation. The event occurred nearly 35 months after the successful deployment of the Landsat 3 payload. Cause of the explosion is assessed to be related to the estimated 100 kg of residual propellants on board and characteristics of the sun-synchronous orbit.


REFERENCE DOCUMENTS

Explosion of Satellite 10704 and other Delta Second Stage Rockets, J.R. Gabbard, Technical Memorandum 81-5, DCS Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, May 1981.

Analysis of PARCS Recorded Data on the Breakup of Satellite 10704 on 27 January 1981, S.F. Hoffman and P.P. Shinkunas, Technical Report MSB82-ADC-0138, Teledyne Brown Engineering, Huntsville, February 1982.

Investigation of Delta Second Stage On-Orbit Explosions, C.S. Gumpel, Report MDC-H0047, McDonnell Douglas Astronautics Company - West, Huntington Beach, April 1982.

A Later Look at Delta Second Stage On-Orbit Explosions, J.R. Gabbard, Technical Report CS85-BMDSC-00-24, Teledyne Brown Engineering, Colorado Springs, March 1985.



Landsat 3 R/B debris cloud of 90 identified fragments four days after the event as
reconstructed from US SSN database.

COSMOS 1030

1978-083A

11015

SATELLITE DATA

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	6.13 Sep 1978
DRY MASS (KG):	1250
MAIN BODY:	Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES:	Solar panels (?)
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

EVENT DATA

DATE:	10 Oct 1978	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	78277.19859350	MEAN ANOMALY:	4.9827
RIGHT ASCENSION:	336.7676	MEAN MOTION:	2.00213289
INCLINATION:	62.8388	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7350882	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.4262	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP :	Unknown
MAXIMUM ΔI :	Unknown

COMMENTS

Cosmos 1030 was another spacecraft of the Cosmos 862-type to experience a fragmentation. After entering a Molniya-type transfer orbit on 6 September, Cosmos 1030 maneuvered about 14 September to enter an operational orbit. Elements on the first identifiable fragment did not appear until a year after the event. Official cataloging of debris did not begin until three years after the event.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1030 and a single debris fragment one year after the event as
reconstructed from US SSN database.

NIMBUS 7 R/B

1978-098B

11081

SATELLITE DATA

TYPE: Delta Second Stage (2910)
OWNER: US
LAUNCH DATE: 24.34 Oct 1978
DRY MASS (KG): 900
MAIN BODY: Cylinder-nozzle; 2.4 m diameter by 8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE:	26 Dec 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	81360.19972720	MEAN ANOMALY:	311.8261
RIGHT ASCENSION:	277.7553	MEAN MOTION:	13.85390161
INCLINATION:	99.3003	MEAN MOTION DOT/2:	.000000425
ECCENTRICITY:	.0010821	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	48.3801	BSTAR:	.00004426123


DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : 0.6 deg*

*Based on uncataloged debris data

COMMENTS

Nimbus 7 R/B is designated Cameo in U.S. Space Command Satellite Catalog in reference to scientific piggy-back payload attached to the Delta second stage. This satellite experienced an anomalous event prior to and after the event cited above (See Section 3). Most fragments decayed very rapidly, preventing an accurate assessment of the event and its resulting debris cloud. No new objects were cataloged as a result of this event. The event apparently occurred prior to 0700 GMT.



The Nimbus 7 R/B debris cloud remnant of 27 fragments a few days after the event as reconstructed from US SSN database. Most fragments have already experienced considerable drag effects.

SATELLITE DATA

TYPE: Tsyklon Third Stage
OWNER: CIS
LAUNCH DATE: 26.29 Oct 1978
DRY MASS (KG): 1360
MAIN BODY: Cone-cylinder; 2.1 m diameter by 3.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Unknown

EVENT DATA

DATE: 9 May 1988 LOCATION: 29S, 126E (dsc)
TIME: 1218 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 1705 km

PRE-EVENT ELEMENTS

EPOCH: 88121.02005933 MEAN ANOMALY: 279.0818
RIGHT ASCENSION: 359.3059 MEAN MOTION: 11.97080974
INCLINATION: 82.5543 MEAN MOTION DOT/2: .000000208
ECCENTRICITY: .0011463 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 81.1553 BSTAR: .0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 7.8 min
MAXIMUM ΔI : 0.9 deg

COMMENTS

This flight, which successfully carried three separate payloads, was the fifth orbital mission of the Tsyklon third stage. Propellants used were N₂O₄ and UDMH. Nearly 10 years elapsed from launch to breakup. A second Tsyklon third stage breakup after a similar length of time; see 1987-068B.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1045 R/B debris cloud of 25 fragments as determined one week after the event.

P-78 (SOLWIND)

1979-017A

11278

SATELLITE DATA

TYPE:	Payload
OWNER:	US
LAUNCH DATE:	24.35 Feb 1979
DRY MASS (KG):	850
MAIN BODY:	Cylinder; 2.1 m diameter by 1.3 m length
MAJOR APPENDAGES:	1 solar panel
ATTITUDE CONTROL:	Spin-stabilized
ENERGY SOURCES:	None

EVENT DATA

DATE:	13 Sep 1985	LOCATION:	35N, 234E (asc)
TIME:	2043 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	525 km		

PRE-EVENT ELEMENTS

EPOCH:	85256.72413718	MEAN ANOMALY:	260.9644
RIGHT ASCENSION:	182.5017	MEAN MOTION:	15.11755304
INCLINATION:	97.6346	MEAN MOTION DOT/2:	.00000616
ECCENTRICITY:	.0022038	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	99.4081	BSTAR:	.000037918

DEBRIS CLOUD DATA


MAXIMUM ΔP :	12.7 min
MAXIMUM ΔI :	1.4 deg

COMMENTS

P-78 was impacted by a sub-orbital object at high velocity as part of a planned test.

REFERENCE DOCUMENT

Postmortem of a Hypervelocity Impact: Summary, R. L. Kling, Technical Report CS86-LKD-001, Teledyne Brown Engineering, Colorado Springs, September 1986.



P-78 debris cloud of 267 fragments seen eleven hours after the event by the US SSN PARCS radar.

COSMOS 1094

1979-033A

11333

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 18.50 Apr 1979
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE: 17 Sep 1979 LOCATION: 53S, 336E (dsc)
TIME: 1039 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 385 km

PRE-EVENT ELEMENTS

EPOCH: 79260.33615661 MEAN ANOMALY: 61.9566
RIGHT ASCENSION: 271.8638 MEAN MOTION: 15.58096051
INCLINATION: 65.0398 MEAN MOTION DOT/2: .00102640
ECCENTRICITY: .0016936 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 297.9871 BSTAR: .0013492

DEBRIS CLOUD DATA

MAXIMUM ΔP : 7.1 min*
MAXIMUM ΔI : 0.3 deg*

*Based on uncataloged debris data


COMMENTS

Cosmos 1094 was the fourth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in a regime of natural decay for four months prior to the event. All new debris decayed before being officially cataloged.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1094 debris cloud of 20 fragments within one week of the event as reconstructed from US SSN database.

COSMOS 1109

1979-058A

11417

SATELLITE DATA

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	27.76 Jun 1979
DRY MASS (KG):	1250
MAIN BODY:	Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES:	Solar panels
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge

EVENT DATA

DATE:	Mid-Feb 1980	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	80048.26161234	MEAN ANOMALY:	5.0375
RIGHT ASCENSION:	104.4713	MEAN MOTION:	2.00453352
INCLINATION:	63.3495	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7238911	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.4445	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP :	3.5 min*
MAXIMUM ΔI :	0.2 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 1109 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Cosmos 1109 maneuvered into an operational orbit about 19 July. The payload was "lost" after 17 February 1980 and three pieces of debris were soon found which could be traced back to that period.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1109 and three fragments in February 1980 as reconstructed
from US SSN database.

COSMOS 1124

1979-077A

11509

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 28.01 Aug 1979
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	9 Sep 1979	LOCATION:	52N, 304E (asc)
TIME:	0230 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	8375 km		

PRE-EVENT ELEMENTS

EPOCH:	79249.09448656	MEAN ANOMALY:	3.7678
RIGHT ASCENSION:	288.1742	MEAN MOTION:	2.00548359
INCLINATION:	63.0212	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7383335	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.3799	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.0 min*
MAXIMUM ΔI : 0.1 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 1124 was another spacecraft of the Cosmos 862-type to experience a fragmentation. After insertion into a Molniya-type transfer orbit on 28 August, Cosmos 1124's ascending node was allowed to drift until 3 September when a maneuver placed the spacecraft into an operational, semi-synchronous orbit. The fragmentation occurred six days later. The spacecraft never maneuvered again and soon drifted off station.

REFERENCE DOCUMENTS

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1124 debris cloud of 6 fragments about one week after the event as reconstructed from US SSN database.

CAT R/B

1979-104B

11659

SATELLITE DATA

TYPE: Ariane 1 Third Stage
OWNER: ESA
LAUNCH DATE: 24.72 Dec 1979
DRY MASS (KG): 1400
MAIN BODY: Cylinder; 2.6 m diameter by 10.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety device

EVENT DATA

DATE:	Apr 1980	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	80088.55565320	MEAN ANOMALY:	17.6019
RIGHT ASCENSION:	101.5521	MEAN MOTION:	2.48253031
INCLINATION:	17.9092	MEAN MOTION DOT/2:	.001764977
ECCENTRICITY:	.7152375	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	264.7858	BSTAR:	.001078542

DEBRIS CLOUD DATA


MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This mission was the inaugural flight of the Ariane 1 launch vehicle. Payload and R/B were apparently cross-tagged until mid-January 1980. Detection and tracking of debris has always been extremely difficult in part due to low inclination and highly elliptical orbit. Debris data were first developed in the second half of April, and calculations suggest the fragmentation occurred during the first week of April. The magnitude of the event and the total number of pieces created are unknown. Many debris had high decay rates.

REFERENCE DOCUMENT

A Preliminary Analysis of the Fragmentation of the Spot 1 Ariane Third Stage, N. L. Johnson, Technical Report CS87-LKD-003, Teledyne Brown Engineering, Colorado Springs, March 1987.



CAT R/B debris cloud of 7 fragments about eight weeks after the event as reconstructed from US SSN database.

COSMOS 1167

1980-021A

11729

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 14.44 Mar 1980
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE:	15 Jul 1981	LOCATION:	10N, 106E (asc)
TIME:	0921 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	430 km		

PRE-EVENT ELEMENTS

EPOCH:	81196.19449955	MEAN ANOMALY:	110.8351
RIGHT ASCENSION:	174.9184	MEAN MOTION:	15.54665775
INCLINATION:	65.0101	MEAN MOTION DOT/2:	.00025375
ECCENTRICITY:	.0068471	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	248.6139	BSTAR:	.00034595

DEBRIS CLOUD DATA

MAXIMUM ΔP : 1.0 min*
MAXIMUM ΔI : 0.5 deg*

*Based on uncataloged debris data

COMMENTS


Cosmos 1167 was the fifth spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a regime of natural decay for three months prior to the event. Most debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

The Fragmentations of USSR Satellites 11729 and 12504 (U), J. R. Gabbard and P. M. Landry, Technical Memorandum 82-S-03, DCS/Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, August 1982 (Secret).

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1167 debris cloud remnant of 53 fragments about two weeks after the event as reconstructed from US SSN database.

COSMOS 1172

1980-028A

11758

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 12.85 Apr 1980
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Explosive charge

EVENT DATA

DATE:	23 Dec 1997	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Aerodynamics
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	97356.59992844	MEAN ANOMALY:	74.9404
RIGHT ASCENSION:	113.3624	MEAN MOTION:	9.35368651
INCLINATION:	61.8079	MEAN MOTION DOT/2:	0.40016780
ECCENTRICITY:	0.3214294	MEAN MOTION DOT DOT/6:	0.0000021584
ARG. OF PERIGEE:	248.2224	BSTAR:	0.00076617

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Cosmos 1172 was in final catastrophic decay at the time of the event. Consequently, all fragments, including the parent body, had very short lifetimes.

REFERENCE DOCUMENT

“A New Category For Satellite Breakup”, The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 7.

Insufficient data to construct a Gabbard diagram.

COSMOS 1174

1980-030A

11765

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 18.04 Apr 1980
DRY MASS (KG): 1400
MAIN BODY: Cylinder; 2 m diameter by 4 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	18 Apr 1980	LOCATION:	47N, 322E (asc)
TIME:	0726 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	1625 km		

POST-EVENT ELEMENTS

EPOCH:	80109.51771250	MEAN ANOMALY:	102.2095
RIGHT ASCENSION:	250.9679	MEAN MOTION:	13.64414319
INCLINATION:	66.1153	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0865337	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	248.5294	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 5.4 min
MAXIMUM ΔI : 0.6 deg

COMMENTS

Cosmos 1174 was launched on a two-revolution rendezvous with Cosmos 1171. After a close approach, Cosmos 1174 performed a final maneuver shortly before its warhead was intentionally fired. Elements above are first data available after the final maneuver but also following the fragmentation. Cosmos 1174 was part of test series begun with Cosmos 249.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



COSMOS 1191

1980-057A

11871

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 2.04 Jul 1980
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	14 May 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	81133.07322634	MEAN ANOMALY:	5.1166
RIGHT ASCENSION:	198.5704	MEAN MOTION:	2.00555560
INCLINATION:	62.6448	MEAN MOTION DOT/2:	.00001257
ECCENTRICITY:	.7180863	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	319.4330	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 6.0 min*
MAXIMUM ΔI : 0.1 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 1191 was another spacecraft of the Cosmos 862-type to experience a fragmentation. The first debris elements were developed for 25 May.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1191 debris cloud of 5 identified fragments one month after the event as reconstructed from US SSN database.

COSMOS 1217

1980-085A

12032

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 24.46 Oct 1980
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	12 Feb 1983	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	83042.34036514	MEAN ANOMALY:	6.0502
RIGHT ASCENSION:	36.1600	MEAN MOTION:	2.00587025
INCLINATION:	65.2478	MEAN MOTION DOT/2:	0.00001154
ECCENTRICITY:	0.7021051	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	314.5975	BSTAR:	0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Cosmos 1217 was another member of the Cosmos 862-type to experience a fragmentation.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentation-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

COSMOS 1220

1980-089A

12054

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 4.63 Nov 1980
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA (1)

DATE:	20 Jun 1982	LOCATION:	10S, 332E (dsc)
TIME:	1818 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	875 km		

PRE-EVENT ELEMENTS (1)

EPOCH:	82171.72558670	MEAN ANOMALY:	0.2166
RIGHT ASCENSION:	330.3811	MEAN MOTION:	14.49658466
INCLINATION:	65.0033	MEAN MOTION DOT/2:	.00000066
ECCENTRICITY:	.0219432	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	357.8883	BSTAR:	.000025640

EVENT DATA (2)

DATE:	25 Aug 1982	LOCATION:	65S, 238E (dsc)
TIME:	1231 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	665 km		

PRE-EVENT ELEMENTS (2)

EPOCH:	82230.91714195	MEAN ANOMALY:	22.7965
RIGHT ASCENSION:	159.4489	MEAN MOTION:	14.49745561
INCLINATION:	65.0025	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0225583	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	336.3217	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 3.4 min*
MAXIMUM ΔI : 1.8 deg*

*Based on uncataloged debris data

COMMENTS

Cosmos 1220 was the seventh spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a natural decay regime for more than 14 months at the time of the first event. A total of 47 fragments had been officially cataloged by the time of the second event which occurred two months later. See similar dual events happening in the summer of 1982 with Cosmos 1306 and Cosmos 1260.


REFERENCE DOCUMENTS

Analysis of PARCS Recorded Data on the Breakup of Satellite 12054, J.W. Rider, Technical Report MSB83-ADC-0162, Teledyne Brown Engineering, Huntsville, January 1983.

Analysis of Cosmos 1220 and Cosmos 1306 Fragments (U), D. Fennessy, Report AH-23, FTD/OLAI, Cheyenne Mountain, Colorado, 12 January 1983 (Secret).

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1220 debris cloud of 72 fragments about one week after the first event as reconstructed from US SSN database.

COSMOS 1247

1981-016A

12303

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 19.41 Feb 1981
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	20 Oct 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	81293.17083627	MEAN ANOMALY:	5.0298
RIGHT ASCENSION:	214.2278	MEAN MOTION:	2.00570861
INCLINATION:	62.9685	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7233048	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	318.2473	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 2.7 min*
MAXIMUM ΔI : 0.4 deg*


*See comments below

COMMENTS

Cosmos 1247 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Cosmos 1247 appears to have completed the first burn of a 2-phase maneuver sequence on the event date, followed by debris generation. The ΔP and ΔI values above are based on the post-maneuver, 711-minute orbit of 12303 rather than the pre-maneuver, 718-minute orbit cited above.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1247 debris cloud of 6 fragments about six weeks after the event as reconstructed from US SSN database.

COSMOS 1260

1981-028A

12364

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 20.99+ Mar 1981
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA (1)

DATE:	8 May 1982	LOCATION:	40N, 62E (asc)
TIME:	0444 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	555 km		

PRE-EVENT ELEMENTS (1)

EPOCH:	82127.98788154	MEAN ANOMALY:	28.1726
RIGHT ASCENSION:	337.2406	MEAN MOTION:	14.88799005
INCLINATION:	65.0246	MEAN MOTION DOT/2:	.00003980
ECCENTRICITY:	.0214690	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	330.7493	BSTAR:	.00028791

EVENT DATA (2)

DATE:	10 Aug 1982	LOCATION:	51N, 238E (dsc)
TIME:	2335 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	750 km		

PRE-EVENT ELEMENTS (2)

EPOCH:	82222.89259484	MEAN ANOMALY:	62.7628
RIGHT ASCENSION:	45.7388	MEAN MOTION:	14.89366232
INCLINATION:	65.0248	MEAN MOTION DOT/2:	.00004369
ECCENTRICITY:	.0219155	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	295.0884	BSTAR:	.00030390

DEBRIS CLOUD DATA


MAXIMUM ΔP : 5.2 min
MAXIMUM ΔI : 1.0 deg

COMMENTS

Cosmos 1260 was the sixth spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a regime of natural decay for eight months before the first event. After the event the main remnant became satellite 13183, which then fragmented three months later. A total of 40 new fragments were officially cataloged prior to the second event. See also Cosmos 1220 and Cosmos 1306 for similar dual fragmentations of Cosmos 699-type spacecraft during this period.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.



Cosmos 1260 debris cloud of 43 fragments three weeks after the first event from US SSN database.

COSMOS 1261

1981-031A

12376

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 31.40 Mar 1981
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	Apr-May 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	81095.90157023	MEAN ANOMALY:	4.6715
RIGHT ASCENSION:	282.6240	MEAN MOTION:	2.00494188
INCLINATION:	63.0386	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7369210	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	316.4347	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 2.3 min*
MAXIMUM ΔI : 0.3 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 1261 was another spacecraft of the Cosmos 862-type to experience a fragmentation. The spacecraft attempted to maneuver from its transfer orbit to an operational orbit three days after launch. The maneuver appears to have been unsuccessful, and the spacecraft never became groundtrack-stabilized. Some debris appeared immediately after the maneuver, while additional debris were discovered in mid-May. More than one event may have occurred. The element set above is the first available after the unsuccessful maneuver.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995._



Cosmos 1261 debris cloud of 6 fragments about eight weeks after (initial) event as reconstructed from the US SSN database.

COSMOS 1275

1981-053A

12504

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 4.66 Jun 1981
DRY MASS (KG): 800
MAIN BODY: Cylinder; 2.4 m diameter by 4 m length
MAJOR APPENDAGES: Gravity-gradient boom
ATTITUDE CONTROL: Gravity gradient
ENERGY SOURCES: Unknown

EVENT DATA

DATE:	24 Jul 1981	LOCATION:	68N, 197E (asc)
TIME:	2351 GMT	ASSESSED CAUSE:	Battery
ALTITUDE:	980 km		

PRE-EVENT ELEMENTS

EPOCH:	81205.39693092	MEAN ANOMALY:	221.3567
RIGHT ASCENSION:	119.8245	MEAN MOTION:	13.73455672
INCLINATION:	82.9633	MEAN MOTION DOT/2:	.000000580
ECCENTRICITY:	.0036415	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	139.0334	BSTAR:	.00004538900

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.9 min
MAXIMUM ΔI : 0.4 deg

COMMENTS


Cosmos 1275 is the only member of its class to fragment. The satellite was only 50 days old at the time of the event. During the February 1992 Space Debris Conference in Moscow, Russian analysts discussed independent studies about the probable cause of the breakup. Later, the official Russian assessment asserted that a battery malfunction was the likely culprit.

REFERENCE DOCUMENTS

The Fragmentations of USSR Satellites 11729 and 12504 (U), J.R. Gabbard and P.M. Landry, Technical Memorandum 82-S-03, DCS/Plans, Hdqtrs NORAD/ADCOM, Colorado Springs, August 1982 (Secret).

Determining the Cause of a Satellite Breakup: A Case Study of the Kosmos 1275 Breakup, D.S. McKnight, IAA-87-573, 38th Congress of the International Astronautical Federation, Brighton, England, October 1987.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1275 debris cloud of 136 identified fragments one week after the event as
reconstructed from US SSN database.

MOLNIYA 3-16

1981-054A

12512

SATELLITE DATA

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	9.15 Jun 1981
DRY MASS (KG):	1600
MAIN BODY:	Cylinder; 1.4 m diameter by 4.4 m length
MAJOR APPENDAGES:	Solar panels, antenna
ATTITUDE CONTROL:	None at time of the event.
ENERGY SOURCES:	Unknown

EVENT DATA

DATE:	5 Feb 1998	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Aerodynamics
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	98036.1640741	MEAN ANOMALY:	46.0211
RIGHT ASCENSION:	87.0622	MEAN MOTION:	8.35758907
INCLINATION:	62.1024	MEAN MOTION DOT/2:	0.58576490
ECCENTRICITY:	0.3698726	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	273.4353	BSTAR:	0

DEBRIS CLOUD DATA

MAXIMUM ΔP :	Unknown
MAXIMUM ΔI :	Unknown

COMMENTS

Molniya 3-16 was in final catastrophic decay at the time of event. As many as 18 debris were detected before reentry.

REFERENCE DOCUMENTS

“A New Category For Satellite Breakups”, The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 2.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Molniya Rocket Body
OWNER: CIS
LAUNCH DATE: 9.15 Jun 1981
DRY MASS (KG): 1100
MAIN BODY: Cylinder; 2.35 m diameter by 3.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants ?

EVENT DATA

DATE: ~Late Jul 1998 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Aerodynamic
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 98205.15897911 MEAN ANOMALY: 15.2555
RIGHT ASCENSION: 113.0145 MEAN MOTION: 2.47771878
INCLINATION: 61.9899 MEAN MOTION DOT/2: 0.00106801
ECCENTRICITY: 0.7203600 MEAN MOTION DOT DOT/6: -0.0000052945
ARG. OF PERIGEE: 270.2059 BSTAR: 0.000013048

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This rocket body was associated with the Molniya 3-16 communication spacecraft, satellite number 12512, which suffered aerodynamic breakup on 5 February 1998. In both cases the perigees of the spacecraft were less than 100 km. Any debris created was likely to have been related to appendages. No long-term environmental consequences are expected.

REFERENCE DOCUMENT

"A New Category for Satellite Breakups", The Orbital Debris Quarterly News, NASA JSC, April 1998. Available on-line at <http://sn-callisto.jsc.nasa.gov/newsletter/v3i2/v3i2.html#news2>.

Insufficient data to construct a Gabbard diagram.

COSMOS 1278

1981-058A

12547

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 19.81 Jun 1981
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	Early Dec 1986	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	86334.22199701	MEAN ANOMALY:	12.7886
RIGHT ASCENSION:	288.0814	MEAN MOTION:	2.00618298
INCLINATION:	67.1073	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.6594262	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	291.9890	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 0.1 min
MAXIMUM ΔI : 0.0 deg

COMMENTS

Cosmos 1278 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Spacecraft had apparently been inactive since early 1984. Additional fragments may exist, but surveillance for small objects in this orbit is difficult.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1278 and additional fragment in mid-December 1986. Elements from US SSN as published by the NASA Goddard Space Flight Center.

COSMOS 1285

1981-071A

12627

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 4.01 Aug 1981
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	21 Nov 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	81324.16708257	MEAN ANOMALY:	4.8196
RIGHT ASCENSION:	249.5852	MEAN MOTION:	1.98014597
INCLINATION:	63.1086	MEAN MOTION DOT/2:	.00000781
ECCENTRICITY:	.7350717	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	317.0022	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 8.6 min*
MAXIMUM ΔI : 0.2 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 1285 was another spacecraft of the Cosmos 862-type to experience a fragmentation. Spacecraft was placed in a temporary transfer orbit on the day of launch by its launch vehicle but never maneuvered to an operational orbit, suggesting an early fatal spacecraft malfunction. Event occurred three and a half months after the launch.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1285 debris cloud of 5 fragments less than one week after the event as reconstructed from US SSN database.

COSMOS 1286

1981-072A

12631

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 4.35 Aug 1981
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE: 29 Sep 1982 LOCATION: 51N, 80E (asc)
TIME: 0520 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 325 km

PRE-EVENT ELEMENTS

EPOCH: 82272.21193719 MEAN ANOMALY: 92.4681
RIGHT ASCENSION: 132.9736 MEAN MOTION: 15.86141247
INCLINATION: 65.0071 MEAN MOTION DOT/2: .00400345
ECCENTRICITY: .0017215 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 267.4145 BSTAR: .0015199

DEBRIS CLOUD DATA

MAXIMUM ΔP : 0.9 min*
MAXIMUM ΔI : 0.2 deg*

*Based on uncataloged debris data

COMMENTS

Cosmos 1286 was the ninth spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a regime of natural decay for more than six months at the time of the event. The low altitude and high drag conditions made determination of the precise breakup time uncertain. The breakup or a precursor event may have occurred earlier on 29 September 1982. Most fragments decayed before being officially cataloged.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentation-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

COSMOS 1305 R/B

1981-088F

12827

SATELLITE DATA

TYPE: Molniya Final Stage
OWNER: CIS
LAUNCH DATE: 11.36 Sep 1981
DRY MASS (KG): 1100
MAIN BODY: Cylinder; 2.7 m diameter by 3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	11 Sep 1981	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

POST-EVENT ELEMENTS

EPOCH:	81258.60717998	MEAN ANOMALY:	26.9249
RIGHT ASCENSION:	68.6245	MEAN MOTION:	5.48678032
INCLINATION:	62.8166	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.4855644	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	286.6972	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Cosmos 1305 R/B malfunctioned about 1 hour after launch during a maneuver from a LEO parking orbit to a Molniya-type orbit. The maneuver was initiated at approximately 0937 GMT near 58S, 245E (asc) at an altitude of 600 km. Apogee was raised to less than 14,000 km. Debris tracking after the event was limited, preventing an accurate assessment of magnitude of the event. First debris officially cataloged in June 1983. Debris generation is assumed to have occurred during or immediately after the unsuccessful maneuver. The element set above is for the rocket body after burn termination.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1305 R/B debris cloud of 7 fragments about two years after the event as reconstructed from US SSN database.

COSMOS 1306

1981-089A

12828

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 14.85 Sep 1981
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA (1)

DATE:	12 Jul 1982	LOCATION:	65S, 40E (asc)
TIME:	2325 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	380 km		

PRE-EVENT ELEMENTS (1)

EPOCH:	82193.22052182	MEAN ANOMALY:	72.7640
RIGHT ASCENSION:	43.8843	MEAN MOTION:	15.58171668
INCLINATION:	64.9399	MEAN MOTION DOT/2:	.00042116
ECCENTRICITY:	.0019953	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	287.2390	BSTAR:	.00055055

EVENT DATA (2)

DATE:	18 Sep 1982	LOCATION:	32N, 293E (asc)
TIME:	1702 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	370 km		

PRE-EVENT ELEMENTS (2)

EPOCH:	82260.17037940	MEAN ANOMALY:	44.8033
RIGHT ASCENSION:	173.7764	MEAN MOTION:	15.65882738
INCLINATION:	64.9408	MEAN MOTION DOT/2:	.00076164
ECCENTRICITY:	.0002181	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	315.2578	BSTAR:	.00073994

DEBRIS CLOUD DATA

MAXIMUM ΔP : 2.1 min*
MAXIMUM ΔI : 0.2 deg

*Based on uncataloged debris data

COMMENTS


Cosmos 1306 was the eighth spacecraft of the Cosmos 699-type to experience a fragmentation. The first event occurred five months after the spacecraft had entered a regime of natural decay. After the event the main remnant was tagged as satellite 13369, while a piece of debris tagged as 12828 decayed on 16 July 1982. Only 5 new fragments were officially cataloged prior to the second event when satellite 13369 experienced a fragmentation. Three long-lived fragments cataloged with 1981-89 (13393, 13404, and 14837) were actually part of the breakup of 1980-89, another Cosmos 699-type satellite. Most Cosmos 1306 debris reentered quickly and elements were developed for only a few fragments.

REFERENCE DOCUMENTS

Analysis of Cosmos 1220 and Cosmos 1306 Fragments (U), D. Fennessy, Report AH-23, FTD/OLAI, Cheyenne Mountain, Colorado, 12 January 1983 (Secret)

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1306 debris cloud of 5 identified fragments one day after the event as reconstructed from US SSN database.

COSMOS 1317

1981-108A

12933

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 31.95 Oct 1981
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive

EVENT DATA

DATE:	25-28 Jan 1984	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	84024.46309667	MEAN ANOMALY:	4.4900
RIGHT ASCENSION:	219.5352	MEAN MOTION:	2.00535027
INCLINATION:	62.8286	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7103977	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	324.1891	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 1.8 min
MAXIMUM ΔI : 0.3 deg

COMMENTS

Cosmos 1317 was another spacecraft of the Cosmos 862-type to experience a fragmentation

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1317 debris cloud of 7 fragments about two weeks after the event as
reconstructed from US SSN database.

COSMOS 1355

1982-038A

13150

SATELLITE DATA

TYPE: Payload
 OWNER: CIS
 LAUNCH DATE: 29.41 Apr 1982
 DRY MASS (KG): 3000
 MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
 MAJOR APPENDAGES: Solar panels
 ATTITUDE CONTROL: Active, 3-axis
 ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA (1)

DATE:	8 Aug 1983	LOCATION:	32S, 310E (asc)
TIME:	2331 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	365 km		

PRE-EVENT ELEMENTS (1)

EPOCH:	83220.21851552	MEAN ANOMALY:	66.8795
RIGHT ASCENSION:	279.4096	MEAN MOTION:	15.63233551
INCLINATION:	65.0504	MEAN MOTION DOT/2:	.00048258
ECCENTRICITY:	.0024043	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	292.8515	BSTAR:	.00051620

EVENT DATA (2)

DATE:	1 Feb 1984	LOCATION:	4S, 200E (asc)
TIME:	0322 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	320 km		

PRE-EVENT ELEMENTS (2)

EPOCH:	84031.38369465	MEAN ANOMALY:	81.7159
RIGHT ASCENSION:	25.3553	MEAN MOTION:	15.84652631
INCLINATION:	65.0404	MEAN MOTION DOT/2:	.00119378
ECCENTRICITY:	.0017572	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	278.1110	BSTAR:	.00050318

EVENT DATA (3)

DATE:	20 Feb 1984	LOCATION:	Unknown
TIME:	Before 0340 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS (3)

EPOCH:	84050.69015256	MEAN ANOMALY:	105.8772
RIGHT ASCENSION:	316.3115	MEAN MOTION:	15.97914042
INCLINATION:	65.0338	MEAN MOTION DOT/2:	.00430956
ECCENTRICITY:	.0014134	MEAN MOTION DOT DOT/6:	.000083799
ARG. OF PERIGEE:	254.0517	BSTAR:	.00093344

DEBRIS CLOUD DATA

MAXIMUM ΔP : 36.8 min*
 MAXIMUM ΔI : 2.3 deg*

*Based on uncataloged debris data (Event 1)

COMMENTS


Cosmos 1355 was the tenth spacecraft of the Cosmos 699-type to experience a fragmentation. The spacecraft had been in a regime of natural decay for six months prior to the first event. Twenty-one fragments were cataloged following the first event, and the main body became satellite 14275. This object spawned at least seven more fragments on 1 February. The parent was then retagged to the original 13150 satellite number. The third event resulted in the development of 13 new fragment element sets, but none were cataloged and the low altitude prevented an estimate of a precise breakup location.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

Analysis of the Fragmentation of Kosmos 1355, N. L. Johnson, Technical Report CS84-SPACECMD-28, Teledyne Brown Engineering, Colorado Springs, January 1985.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1355 debris cloud of 150 fragments about seven hours after the first event in August 1983 as seen by the US SSN PARCS radar. Figure from the cited reference.

COSMOS 1375

1982-055A

13259

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 6.72 Jun 1982
DRY MASS (KG): 650
MAIN BODY: Polyhedron; 1.4 m by 1.4 m
MAJOR APPENDAGES: Solar panels, gravity-gradient boom (?)
ATTITUDE CONTROL: Gravity gradient (?)
ENERGY SOURCES: Battery

EVENT DATA

DATE: 21 Oct 1985 LOCATION: 66N, 351E (asc)
TIME: 0353 GMT ASSESSED CAUSE: Battery
ALTITUDE: 995 km

PRE-EVENT ELEMENTS

EPOCH: 85293.85195210 MEAN ANOMALY: 333.5602
RIGHT ASCENSION: 350.2805 MEAN MOTION: 13.71079597
INCLINATION: 65.8390 MEAN MOTION DOT/2: .00000158
ECCENTRICITY: .0005355 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 26.5667 BSTAR: .00023894

DEBRIS CLOUD DATA

MAXIMUM ΔP: 2.3 min*
MAXIMUM ΔI: 0.1 deg*

*Based on uncataloged debris data

COMMENTS


Cosmos 1375 was the third spacecraft of the Cosmos 839-type to experience a fragmentation. Although these satellites are used in conjunction with the Cosmos 249-type spacecraft which are deliberately fragmented, the cause of Cosmos 839-type events appears to be unrelated. In the case of Cosmos 1375, 40 months elapsed since its test with a Cosmos 249-type spacecraft.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 2): Soviet Anti-Satellite Program", N.L. Johnson, Journal of the British Interplanetary Society, August 1983, pp. 357-362.

Analysis of the Kosmos 1375 Fragmentation, J. M. Koskella and R. L. Kling, Technical Report CS86-USASDC-0006, Teledyne Brown Engineering, Colorado Springs, March 1986.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1375 debris cloud of 68 fragments seen a few hours after the event by the US SSN PARCS radar.

COSMOS 1405

1982-88A

13508

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 4.74 Sep 1982
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE: 20 Dec 1983 LOCATION: 25S, 45E (dsc)
TIME: 1215 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 330 km

PRE-EVENT ELEMENTS

EPOCH: 83354.22079767 MEAN ANOMALY: 42.0375
RIGHT ASCENSION: 126.1259 MEAN MOTION: 15.81899265
INCLINATION: 65.0055 MEAN MOTION DOT/2: .00186341
ECCENTRICITY: .0020774 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 318.0927 BSTAR: .00088277

DEBRIS CLOUD DATA

MAXIMUM ΔP: 7.3 min*
MAXIMUM ΔI: 2.0 deg*

*Based on uncataloged debris data

COMMENTS

Cosmos 1405 was the eleventh spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in natural decay for 12 months prior to the event. Most debris reentered before being officially cataloged.


REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

Separation of Objects from Cosmos 1405, F.T. Lipp, NAVSPASUR Technical Note 1-84, Naval Space Surveillance System, Dahlgren, 2 April 1984.

Analysis of the Fragmentation of Kosmos 1405, N.L. Johnson, Technical Report CS84-SPACECMD-10, Teledyne Brown Engineering, Colorado Springs, September 1984.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1405 debris cloud of 143 fragments one hour after the event
as seen by the US SSN PARCS radar.

COSMOS 1423 R/B

1982-115E

13696

SATELLITE DATA

TYPE: Molniya Final Stage
OWNER: CIS
LAUNCH DATE: 8.58 Dec 1982
DRY MASS (KG): 1100
MAIN BODY: Cylinder; 2.7 m diameter by 3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	8 Dec 1982	LOCATION:	62S, 302E (asc)
TIME:	1448 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	400 km		

PRE-EVENT ELEMENTS

EPOCH:	82342.56790507	MEAN ANOMALY:	305.2204
RIGHT ASCENSION:	316.3789	MEAN MOTION:	15.79849844
INCLINATION:	62.9496	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0143321	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	56.2493	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 4.9 min
MAXIMUM ΔI : 0.2 deg

COMMENTS

Fragmentation occurred at the time the Molniya final stage was fired to move the payload from a parking orbit to a Molniya-type transfer orbit. Pre-event elements are taken from satellite 13686 for first revolution parking orbit. A second fragmentation may have occurred on 9 December 1982.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1423 R/B debris cloud of 22 fragments soon after the event(s) as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 23.53 Mar 1983
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 3 Sep 1984 LOCATION: 12S, 352E (dsc)
TIME: 2023 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 400 km

PRE-EVENT ELEMENTS

EPOCH: 84247.05150886 MEAN ANOMALY: 106.3279
RIGHT ASCENSION: 94.4099 MEAN MOTION: 14.50264973
INCLINATION: 51.5306 MEAN MOTION DOT/2: .00079313
ECCENTRICITY: .0710960 MEAN MOTION DOT DOT/6: .0000075234
ARG. OF PERIGEE: 246.1573 BSTAR: .00035531

DEBRIS CLOUD DATA

MAXIMUM ΔP: 2.4 min*
MAXIMUM ΔI: 0.3 deg*

*Based on uncataloged debris data

COMMENTS


Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Cherniatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. Element sets on 16 fragments were developed. None were officially cataloged. This was the first in a series of fragmentations of this object type.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

“Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle”, B.V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Astron ullage motor debris cloud of 16 fragments as determined within a few days of the first event. Elements from US SSN database.

NOAA 8

1983-022A

13923

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 28.66 Mar 1983
DRY MASS (KG): 1000
MAIN BODY: Cylinder-box; 1.9 m diameter by 7.5 m length
MAJOR APPENDAGES: 1 solar panel
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	30 Dec 1985	LOCATION:	68S, 300E (dsc)
TIME:	1005 GMT	ASSESSED CAUSE:	Battery
ALTITUDE:	825 km		

PRE-EVENT ELEMENTS

EPOCH:	85348.40460348	MEAN ANOMALY:	83.2801
RIGHT ASCENSION:	16.9717	MEAN MOTION:	14.22481975
INCLINATION:	98.6488	MEAN MOTION DOT/2:	.00000037
ECCENTRICITY:	.0015724	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	276.6589	BSTAR:	.000025130

DEBRIS CLOUD DATA


MAXIMUM ΔP : 4.7 min
MAXIMUM ΔI : 0.1 deg

COMMENTS

A malfunction on NOAA 8 caused a battery to overcharge, resulting in a minor explosion of the battery. The spacecraft was operational at the time of the event. Six new fragments were detected and cataloged. All decayed by February 1989, leaving the parent still in orbit.

REFERENCE DOCUMENT

"NOAA Turns Off Satellite Following Malfunction", Aviation Week and Space Technology, 13 January 1986, p. 21.



NOAA 8 debris cloud of 6 fragments plus the parent satellite one day after the event as reconstructed from the Naval Space Surveillance System database.

COSMOS 1456

1983-038A

14034

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 25.81 Apr 1983
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	13 Aug 1983	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	83225.00107283	MEAN ANOMALY:	4.5332
RIGHT ASCENSION:	79.8630	MEAN MOTION:	2.00589678
INCLINATION:	63.3076	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.7324437	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	320.0041	BSTAR:	.0068163

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.8 min*
MAXIMUM ΔI : 0.4 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 1456 was another spacecraft of the Cosmos 862-type to experience a fragmentation. The spacecraft may have been active at the time of the event, having last made a station-keeping maneuver on 22 June 1983. The next station-keeping maneuver should have occurred in the second half of August or early September 1983. The spacecraft began drifting off station immediately after the event and never recovered.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



**Cosmos 1456 debris cloud of 6 fragments less than three weeks after the event
as reconstructed from US SSN database.**

COSMOS 1461

1983-044A

14064

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 7.44 May 1983
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA (1)

DATE:	11 Mar 1985	LOCATION:	4S, 196E (asc)
TIME:	0940 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	750 km		

PRE-EVENT ELEMENTS (1)

EPOCH:	85068.60956125	MEAN ANOMALY:	101.2285
RIGHT ASCENSION:	157.6403	MEAN MOTION:	14.49322542
INCLINATION:	65.0244	MEAN MOTION DOT/2:	.00000357
ECCENTRICITY:	.0224980	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	256.3703	BSTAR:	.000080310

EVENT DATA (2)

DATE:	13 May 1985	LOCATION:	10N, 82E (asc)
TIME:	0133 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	845 km		

PRE-EVENT ELEMENTS (2)

EPOCH:	85125.54047130	MEAN ANOMALY:	121.1528
RIGHT ASCENSION:	353.4544	MEAN MOTION:	14.49239036
INCLINATION:	65.0248	MEAN MOTION DOT/2:	.0
ECCENTRICITY:	.0222492	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	236.8082	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 5.9 min*
MAXIMUM ΔI : 1.0 deg*

*Based on uncataloged debris data

COMMENTS


Cosmos 1461 was the twelfth spacecraft of the Cosmos 699-type to experience a fragmentation. Cosmos 1461 entered a natural decay regime more than 13 months prior to first event. After the first event as many as 20 fragments were detected but only six new objects were cataloged. The second event occurred two months later and produced considerably more debris. These events followed the pattern set by Cosmos 1220 and Cosmos 1260.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

Analysis of the Fragmentation of Kosmos 1461, G.T. DeVere and N.L. Johnson, Technical Report CS85-BMDSC-0056, Teledyne Brown Engineering, Colorado Springs, September 1985.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1461 debris cloud remnant of 65 fragments four days after the second event as reconstructed from the US SSN database.

COSMOS 1481

1983-070A

14182

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 8.80 Jul 1983
DRY MASS (KG): 1250
MAIN BODY: Cylinder; 1.7 m diameter by 2 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	9 Jul 1983	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	83189.85702098	MEAN ANOMALY:	4.6462
RIGHT ASCENSION:	166.3194	MEAN MOTION:	2.03523282
INCLINATION:	62.9394	MEAN MOTION DOT/2:	.00000702
ECCENTRICITY:	.7337681	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	317.9301	BSTAR:	.0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 8.7 min*
MAXIMUM ΔI : 0.8 deg*


*Based on uncataloged debris data

COMMENTS

Cosmos 1481 was the twelfth spacecraft of the Cosmos 862-type to experience a fragmentation. The event apparently occurred within a day of launch. An expected orbital maneuver by Cosmos 1481 to move from its transfer orbit to an operational orbit about 3 days after launch was never performed.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1481 debris cloud of 4 objects one month after the event as
reconstructed from US SSN database.

COSMOS 1484

1983-075A

14207

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 24.25 Jul 1983
DRY MASS (KG): 1800
MAIN BODY: Cylinder; 1.5 m diameter by 5.0 m length
MAJOR APPENDAGES: Solar panels, antenna
ATTITUDE CONTROL: Gravity gradient; momentum wheels
ENERGY SOURCES: Electrical system (?); pressurized vessels

EVENT DATA

DATE: 18 Oct 1993 LOCATION: 7S, 111E (asc)
TIME: 1204 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 605 km

PRE-EVENT ELEMENTS

EPOCH: 93289.76777232 MEAN ANOMALY: 40.8047
RIGHT ASCENSION: 316.3082 MEAN MOTION: 14.98254133
INCLINATION: 97.5219 MEAN MOTION DOT/2: .00001299
ECCENTRICITY: .0033451 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 319.0655 BSTAR: .00011294

DEBRIS CLOUD DATA

MAXIMUM ΔP : 14.0 min *
MAXIMUM ΔI : 2.5 deg *

* Based on uncataloged debris data

COMMENTS


Cosmos 1484 was the third of four Resurs-0 prototypes flown in sun-synchronous orbits, and the only one to fragment. This is the first sun-synchronous Russian satellite to ever fragment. The NAVSPOC generated 79 analyst satellites on this event.

REFERENCE DOCUMENTS

The Fragmentation of Cosmos 1484, D. J. Nauer, Technical Report CS94-LKD-003, Teledyne Brown Engineering, Colorado Springs, 17 November 1993.

The Soviet Year in Space, 1990, N. L. Johnson, Teledyne Brown Engineering, 1991.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1484 debris cloud of 79 fragments assembled by the NAVSPOC.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 29.04 Dec 1983
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 4 Feb 1991 LOCATION: 28N, 106E (dsc)
TIME: 0312 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 18550 km

PRE-EVENT ELEMENTS

EPOCH: 91032.22560633 MEAN ANOMALY: 10.4843
RIGHT ASCENSION: 133.4557 MEAN MOTION: 4.30882556
INCLINATION: 51.9464 MEAN MOTION DOT/2: .00004140
ECCENTRICITY: .5787304 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 315.5487 BSTAR: .0018354

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS


Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed at least 12 fragments on the day of the event and approximately three dozen on 7 February. An element set was initially developed on only one new fragment. This was the third in a series of fragmentations of this object type.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Gabbard diagram of the five cataloged and single analyst satellite generated on the Cosmos 1519-21 debris cloud.

PALAPA B2 R/B

1984-011E

14693

SATELLITE DATA

TYPE: PAM-D Upper Stage (STAR 48 motor)
OWNER: US
LAUNCH DATE: 3.54 Feb 1984
DRY MASS (KG): 2200
MAIN BODY: Sphere-nozzle; 1.2 m by 2.1 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Spin-stabilized
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	6 Feb 1984	LOCATION:	0N, 120E (asc)
TIME:	1600 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	280 km		

PRE-EVENT ELEMENTS

EPOCH:	84037.35377144	MEAN ANOMALY:	82.4657
RIGHT ASCENSION:	138.8370	MEAN MOTION:	15.97451864
INCLINATION:	28.4669	MEAN MOTION DOT/2:	.00197501
ECCENTRICITY:	.0006481	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	277.3659	BSTAR:	.00040999


DEBRIS CLOUD DATA

MAXIMUM ΔP : 9.4 min*
MAXIMUM ΔI : 0.3 deg*

*Based on uncataloged debris data

COMMENTS

Palapa B2 and its PAM-D upper stage were deployed from the Space Shuttle Challenger at 1513 GMT, 6 February 1984. Ignition of the upper stage occurred on schedule at 1600 GMT, but the nozzle fragmented within 10 seconds. Without the nozzle the burn could not be sustained and a natural shutdown quickly followed. The PAM-D then separated from Palapa B2. The above elements are for the Shuttle prior to deployment. The Shuttle made a small posigrade evasive maneuver after deployment and before ignition of the PAM-D. See also Westar 6 R/B fragmentation.



Palapa B2 R/B debris cloud of 5 fragments about three days after the event as reconstructed from US SSN database. The Palpa B2 R/B is the object with the second highest orbital period.

WESTAR 6 R/B

1984-011F

14694

SATELLITE DATA

TYPE: PAM-D Upper Stage (STAR 48 motor)
OWNER: US
LAUNCH DATE: 3.54 Feb 1984
DRY MASS (KG): 2200
MAIN BODY: Sphere-nozzle; 1.2 m by 2.1 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Spin-stabilized
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	3 Feb 1984	LOCATION:	0N, 56E (asc)
TIME:	2145 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	305 km		

PRE-EVENT ELEMENTS

EPOCH:	84034.84362284	MEAN ANOMALY:	48.7355
RIGHT ASCENSION:	157.5848	MEAN MOTION:	15.88299499
INCLINATION:	28.4660	MEAN MOTION DOT/2:	.00000250
ECCENTRICITY:	.0006644	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	311.2683	BSTAR:	.0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 9.7 min
MAXIMUM ΔI : 0.8 deg

COMMENTS

Westar 6 and its PAM-D upper stage were deployed from the Space Shuttle Challenger at 2100 GMT, 3 February 1984. Ignition of the upper stage occurred on schedule at 2145 GMT but the nozzle fragmented within 10 seconds. Without the nozzle the burn could not be sustained and a natural shutdown quickly followed. The PAM-D then separated from Westar 6. See also Palapa B2 R/B fragmentation.

REFERENCE DOCUMENT

Westar Failure, Technical Memorandum from N.L. Johnson, Teledyne Brown Engineering, to Preston Landry, NORAD/ADCOM/XPYS, Colorado Springs, 7 February 1984.



Westar 6 R/B debris cloud of 7 fragments less than two days after the event as reconstructed from US SSN database. The Westar 6 R/B is the object in the high, 100-min orbit.

COSMOS 1588

1984-083A

15167

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 7.95 Aug 1984
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE:	23 Feb 1986	LOCATION:	29N, 187E (asc)
TIME:	1850 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	430 km		

PRE-EVENT ELEMENTS

EPOCH:	86048.57631415	MEAN ANOMALY:	72.5463
RIGHT ASCENSION:	268.3025	MEAN MOTION:	15.47795866
INCLINATION:	65.0271	MEAN MOTION DOT/2:	.00005888
ECCENTRICITY:	.0022403	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	287.3230	BSTAR:	.00011680

DEBRIS CLOUD DATA

MAXIMUM ΔP : 2.0 min
MAXIMUM ΔI : 0.4 deg


COMMENTS

Cosmos 1588 was the thirteenth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in natural decay for seven months prior to the event.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1588 cataloged debris cloud of 16 fragments three weeks after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 28.58 Sep 1984
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 5 Sep 1992 LOCATION: 46.1S, 351.8E
TIME: 1451 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 835 km

PRE-EVENT ELEMENTS

EPOCH: 92249.36121283 MEAN ANOMALY: 6.5555
RIGHT ASCENSION: 353.4197 MEAN MOTION: 14.15474339
INCLINATION: 66.5712 MEAN MOTION DOT/2: -.00009086
ECCENTRICITY: .0007128 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 353.5641 BSTAR: -.004641

DEBRIS CLOUD DATA

MAXIMUM ΔP : 2.9 min
MAXIMUM ΔI : 0.5 deg

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR has observed 62 objects associated with this breakup. This was the sixth in a series of fragmentations of this object type.


REFERENCE DOCUMENTS

Soviet Space Programs 1980-1985, Science and Technology Series, Volume 66, Nicholas L. Johnson, American Astronautical Society, Univelt, Inc., 1987.

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Naval Space Surveillance System tracked 62 objects within the Cosmos 1603 debris cloud,
with 22 appearing in the Satellite Catalog.

COSMOS 1646

1985-030A

15653

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 18.90 Apr 1985
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE: 20 Nov 1987 LOCATION: 65N, 300E (dsc)
TIME: 0131 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 410 km

PRE-EVENT ELEMENTS

EPOCH: 87323.98216942 MEAN ANOMALY: 105.3951
RIGHT ASCENSION: 286.0367 MEAN MOTION: 15.56048984
INCLINATION: 65.0306 MEAN MOTION DOT/2: .00039428
ECCENTRICITY: .0018658 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 254.4728 BSTAR: .00055895

DEBRIS CLOUD DATA

MAXIMUM ΔP: 5.5 min*
MAXIMUM ΔI: 0.2 deg*

*Based on cataloged and uncataloged debris data


COMMENTS

Cosmos 1646 was the sixteenth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in natural decay for nearly 20 months prior to the event. Many debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1646 debris cloud remnant of 38 fragments about ten days after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 17 May 1985
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 29 Nov 1998 LOCATION: 38.3N, 172.6E
TIME: 0925 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 16420 km

POST-EVENT ELEMENTS

EPOCH: 98332.38151447 MEAN ANOMALY: 98.9018
RIGHT ASCENSION: 344.4719 MEAN MOTION: 4.35077855212150
INCLINATION: 52.0277 MEAN MOTION DOT/2: .00009109
ECCENTRICITY: .5772516 MEAN MOTION DOT DOT/6: 00000-0
ARG. OF PERIGEE: 209.7130 BSTAR: .030939

DEBRIS CLOUD DATA


MAXIMUM ΔP : 91.18 min
MAXIMUM ΔI : .76 deg

COMMENTS

This is the 18th event of the Proton Block DM SOZ Ullage Motor class identified to date; it is the seventh associated with a GLONASS mission. This mission was conducted before the engineering defect was identified and passivation measures implemented. In this orbit, debris may be long-lived but hard to track. A total of 60 debris objects were detected.

REFERENCE DOCUMENT

"1998 Ends with Eighth Satellite Breakup", The Orbital Debris Quarterly News, NASA JSC, January 1999.



Cosmos 1650-1652 ullage motor debris cloud of 4 fragments within one day of the event as reconstructed from US SSN database.

COSMOS 1654

1985-039A

15734

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 23.53 May 1985
DRY MASS (KG): 5700
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	21 Jun 1985	LOCATION:	8N, 292E (asc)
TIME:	1047 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	200 km		

PRE-EVENT ELEMENTS

EPOCH:	85172.01363851	MEAN ANOMALY:	313.0734
RIGHT ASCENSION:	1.2391	MEAN MOTION:	16.11890623
INCLINATION:	64.8566	MEAN MOTION DOT/2:	.00311214
ECCENTRICITY:	.0086971	MEAN MOTION DOT DOT/6:	.000034493
ARG. OF PERIGEE:	47.8764	BSTAR:	.00015520

DEBRIS CLOUD DATA

MAXIMUM ΔP : 22.1 min*
MAXIMUM ΔI : 1.5 deg*

*Based on uncataloged debris data


COMMENTS

Spacecraft was destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Most debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

Analysis of the Fragmentation of Kosmos 1654, G.T. DeVere, Technical Report CS86-BMDSC-0003, Teledyne Brown Engineering, Colorado Springs, October 1985.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1654 debris cloud remnant of 543 fragments seen nine hours after the event by the US SSN PARCS radar.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 30.62 May 1985
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 5 Jan 1988 LOCATION: 66N, 151E (asc)
TIME: 0147 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 860 km

PRE-EVENT ELEMENTS

EPOCH: 88002.58690356 MEAN ANOMALY: 91.9605
RIGHT ASCENSION: 205.7335 MEAN MOTION: 14.17143400
INCLINATION: 66.5867 MEAN MOTION DOT/2: .00000144
ECCENTRICITY: .0034143 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 267.7562 BSTAR: .000088961

DEBRIS CLOUD DATA

MAXIMUM ΔP : 3.3 min
MAXIMUM ΔI : 0.0 deg

COMMENTS


Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed two additional, uncataloged fragments associated with this event. This was the second in a series of fragmentations of this object type.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Fragments from Cosmos 1656 debris as determined two weeks after the event. Elements from US SSN database as published by NASA Goddard Space Flight Center.

COSMOS 1682

1985-082A

16054

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 19.07 Sep 1985
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE: 18 Dec 1986 LOCATION: 22S, 292 E (asc)
TIME: 2017 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 415 km

PRE-EVENT ELEMENTS

EPOCH: 86351.87879723 MEAN ANOMALY: 315.5258
RIGHT ASCENSION: 337.4852 MEAN MOTION: 15.45249396
INCLINATION: 65.0089 MEAN MOTION DOT/2: .00011076
ECCENTRICITY: .0068048 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 45.1423 BSTAR: .00021714

DEBRIS CLOUD DATA

MAXIMUM ΔP: 2.3 min*
MAXIMUM ΔI: 0.7 deg*

*Based on uncataloged debris data


COMMENTS

Cosmos 1682 was the fourteenth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft had been in natural decay for two months prior to the event. Many debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, p. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1682 debris cloud remnant of 66 fragments about one week after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Communications spacecraft
OWNER: CIS
LAUNCH DATE: 3.31 Oct 1985
DRY MASS (KG): ~1600
MAIN BODY: Cylinder: 1.4 m diameter by 4.4 m length
MAJOR APPENDAGES: Solar Panels, antenna
ATTITUDE CONTROL: None at time of event
ENERGY SOURCES: Unknown

EVENT DATA

DATE: 21 Feb 2001 LOCATION: -33.4 Lat, -74.1 Lon
TIME: 21:22 GMT ASSESSED CAUSE: Aerodynamics
ALTITUDE: 505 km

PRE-EVENT ELEMENTS

EPOCH: 1050.98761025 MEAN ANOMALY: 104.9356
RIGHT ASCENSION: 62.3792 MEAN MOTION: 11.091010229
INCLINATION: 62.5886 MEAN MOTION DOT/2: .47703516
ECCENTRICITY: .2394363 MEAN MOTION DOT DOT/6: .00079843
ARG. OF PERIGEE: 263.7471 BSTAR: .0017249

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

The year 2001's second fragmentation event was that of the Molniya 3-26 spacecraft. Launched from the Plesetsk Cosmodrome on 3 October 1985 at 0726 UT aboard an SL-6 (Molniya) rocket, this fragmentation event occurred after approximately 5620 days on-orbit. Two single track elsets were created.

The Molniya 3 series of spacecraft are communication payloads, the signal feature of which is the orbit pioneered and employed by these vehicles. This event was the second such event in as many years. The Molniya 3-36 vehicle (1989-094A, 20338) fragmented under similar circumstances on 19 May 2000. Both were undergoing catastrophic decay at the time, *i.e.* perigee height was low enough that significant aerodynamic forces were present, resulting in probable ablative heating and subsequent breakup.

REFERENCE DOCUMENT

"Molniya Breakup", The Orbital Debris Quarterly News, NASA JSC, April 2001. Available online at <http://sn-callisto.jsc.nasa.gov/newsletter/v6i2/v6i2.html#news2>.

Insufficient data to construct a Gabbard diagram.

COSMOS 1691

1985-094B

16139

SATELLITE DATA

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	9.90 Oct 1985
DRY MASS (KG):	220
MAIN BODY:	Cylinder; 1.0 m diameter by 1.5 m length
MAJOR APPENDAGES:	Gravity gradient boom
ATTITUDE CONTROL:	Gravity gradient
ENERGY SOURCES:	Battery

EVENT DATA

DATE:	22 Nov 1985	LOCATION:	31N, 326E (dsc)
TIME:	0840 GMT	ASSESSED CAUSE:	Battery
ALTITUDE:	1415 km		

PRE-EVENT ELEMENTS

EPOCH:	85320.62059878	MEAN ANOMALY:	91.0897
RIGHT ASCENSION:	345.1807	MEAN MOTION:	12.62038878
INCLINATION:	82.6124	MEAN MOTION DOT/2:	.00000022
ECCENTRICITY:	.0002812	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	268.9870	BSTAR:	.000099999

DEBRIS CLOUD DATA


MAXIMUM ΔP:	1.0 min
MAXIMUM ΔI:	0.1 deg

COMMENTS

Cosmos 1691 was one of six independent payloads on this launch, which was only the second in this program. Cosmos 1691 was the last payload deployed and may be referred to as Cosmos 1695 in the former Soviet Union. One fragment was administratively decayed in February, 1989. No other payloads in this program have fragmented. This event is assessed to be the second known NiH₂ battery failure as indicated by Dr. K. M. Suitshev during the early 1992 Space Debris Conference in Moscow. See also reference below.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1691 debris cloud of 9 fragments two days after the event as reconstructed from
Naval Space Surveillance System database.

SATELLITE DATA

TYPE:	Spacecraft
OWNER:	CIS
LAUNCH DATE:	9.35 Nov 1985
DRY MASS (KG):	1250
MAIN BODY:	Cylinder; 2 m diameter by 1.7 m long
MAJOR APPENDAGES:	Solar panels and sun shield
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge (?)

EVENT DATA

DATE:	~29 Apr 2001	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Aerodynamic
ALTITUDE:	Near perigee, < 100 km		

PRE-EVENT ELEMENTS

EPOCH:	01119.57786427	MEAN ANOMALY:	114.2867
RIGHT ASCENSION:	244.8036	MEAN MOTION:	3.21624619
INCLINATION:	62.8513	MEAN MOTION DOT/2:	.02989026
ECCENTRICITY:	.6664210	MEAN MOTION DOT DOT/6:	.0000062077
ARG. OF PERIGEE:	199.7412	BSTAR:	.00060000

DEBRIS CLOUD DATA

MAXIMUM ΔP :	Unknown
MAXIMUM ΔI :	Unknown

COMMENTS

The third fragmentation event of the year 2001 occurred on or about 29 April with the fragmentation of the Russian *Cosmos 1701* spacecraft. Ten (10) large debris were tracked by the USSPACECOM Space Surveillance Network as of that date; as of 30 May 2001, no debris objects had entered the Space Control Center's (SCC) catalogue.

Cosmos 1701 was an *Oko*-class vehicle. These vehicles perform missile launch early warning duties in orbits very similar to the Russian *Molniya* communications payloads. While this event represents the 17th known breakup of a *Cosmos 862*-class payload since the first event in 1977, this event is dissimilar to all preceding events. Assessed cause of the Cosmos 1701 fragmentation was aerodynamic loading due to the low perigee of the vehicle, rather than the deliberate destruction of the vehicle by an on-board explosive system.

Cosmos 1701 was in the final stage of catastrophic decay from a highly elliptical orbit. Breakup was reported near perigee, which was less than 100 km. Assessed cause of the breakup is aerodynamic forces encountered during perigee passage. The parent satellite and breakup debris will decay rapidly and pose no long-term environmental impact.

Insufficient data to construct a Gabbard diagram.

COSMOS 1714 R/B

1985-121F

16439

SATELLITE DATA

TYPE: Zenit Second Stage
OWNER: USSR
LAUNCH DATE: 28.40 Dec 1985
DRY MASS (KG): 9000
MAIN BODY: Cylinder; 3.9 m diameter by 12 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	28 Dec 1985	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	85363.19328410	MEAN ANOMALY:	84.6199
RIGHT ASCENSION:	281.3886	MEAN MOTION:	14.77971051
INCLINATION:	71.0178	MEAN MOTION DOT/2:	0.00065991
ECCENTRICITY:	0.0306365	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	271.9949	BSTAR:	0.0041108

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

The Zenit second stage low thrust engine used to perform final orbit insertion exploded. Four pieces of debris cataloged with this mission are probably not associated with the breakup.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 24.91 Dec 1985
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 29 Dec 1991 LOCATION: 25.3N, 331.9E
TIME: 0903 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 4730 km

PRE-EVENT ELEMENTS

EPOCH: 91333.40579226 MEAN ANOMALY: 46.8976
RIGHT ASCENSION: 48.0333 MEAN MOTION: 4.23089679
INCLINATION: 65.2547 MEAN MOTION DOT/2: .00000167
ECCENTRICITY: .5645362 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 245.7447 BSTAR: .0012603

DEBRIS CLOUD DATA

MAXIMUM ΔP : 5.7 min *
MAXIMUM ΔI : 0.8 deg *

* based upon uncataloged debris data

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. There were 26 objects associated with this event on 30 December per a phonecon with NAVSPASUR (Edna Jenkins). Only 2 analyst satellites were generated and insufficient data was available for a Gabbard diagram. This was the fourth in a series of fragmentations of this object type.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

Insufficient data to construct a Gabbard diagram.

SPOT 1 R/B

1986-019C

16615

SATELLITE DATA

TYPE: Ariane 1 Third Stage
OWNER: ESA
LAUNCH DATE: 22.07 Feb 1986
DRY MASS (KG): 1400
MAIN BODY: Cylinder; 2.6 m diameter by 10.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants, range safety package

EVENT DATA

DATE:	13 Nov 1986	LOCATION:	7N, 42E (asc)
TIME:	1940 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	805 km		

PRE-EVENT ELEMENTS

EPOCH:	86305.08337689	MEAN ANOMALY:	300.1947
RIGHT ASCENSION:	18.0087	MEAN MOTION:	14.22163662
INCLINATION:	98.6973	MEAN MOTION DOT/2:	.00000203
ECCENTRICITY:	.0021203	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	60.1312	BSTAR:	.000099999

DEBRIS CLOUD DATA

MAXIMUM ΔP : 6.2 min
MAXIMUM ΔI : 1.2 deg


COMMENTS

Event occurred approximately nine months after the rocket body had successfully deployed the SPOT 1 and Viking payloads. First use of Ariane launch vehicle for low Earth orbit. May be related to other Ariane fragmentations.

REFERENCE DOCUMENTS

A Preliminary Analysis of the Fragmentation of the Spot 1 Ariane Third Stage, N. L. Johnson, Technical Report CS87-LKD-003, Teledyne Brown Engineering, Colorado Springs, March 1987.

Orbital Debris from Upper Stage Breakup, J.P. Loftus, Jr., ed., Vol. 121, Progress in Astronautics and Aeronautics, AIAA, 1989.



Spot 1 R/B debris cloud of 463 fragments three months after the event
as reconstructed from US SSN database.

COSMOS 1769

1986-059A

16895

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 4.21 Aug 1986
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE:	21 Sep 1987	LOCATION:	60S, 174E (dsc)
TIME:	1205 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	320 km		

PRE-EVENT ELEMENTS

EPOCH:	87263.81808697	MEAN ANOMALY:	70.4851
RIGHT ASCENSION:	122.5376	MEAN MOTION:	15.63167584
INCLINATION:	65.0147	MEAN MOTION DOT/2:	.00078200
ECCENTRICITY:	.0099296	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	288.4915	BSTAR:	.00065556

DEBRIS CLOUD DATA

MAXIMUM ΔP: 1.9 min*
MAXIMUM ΔI: 0.0 deg*

*Based on uncataloged debris data


COMMENTS

Cosmos 1769 was the fifteenth spacecraft of the Cosmos 699-type to experience a fragmentation. Spacecraft was regularly maneuvered until 17 Sep 1987 when the vehicle began to decay naturally. Most debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

"Artificial Satellite Break-Ups (Part 1): Soviet Ocean Surveillance Satellites", N. L. Johnson, Journal of the British Interplanetary Society, February 1983, pp. 51-58.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1769 debris cloud remnant of 34 fragments three days after the event as reconstructed from Naval Space Surveillance System database.

USA 19

1986-069A

16937

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 5.63 Sep 1986
DRY MASS (KG): 930
MAIN BODY: Cylinder-cone; 1.2 m diameter by 4.6 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE: 5 Sep 1986 LOCATION: 15N, 166E (asc)
TIME: 1752 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 220 km

POST-EVENT ELEMENTS

EPOCH: 86250.63774662 MEAN ANOMALY: 335.3264
RIGHT ASCENSION: 28.1524 MEAN MOTION: 15.28976390
INCLINATION: 39.0665 MEAN MOTION DOT/2: .01159823
ECCENTRICITY: .0390567 MEAN MOTION DOT DOT/6: .0000050922
ARG. OF PERIGEE: 26.7075 BSTAR: .0028192

DEBRIS CLOUD DATA

MAXIMUM ΔP: 424.1 min*
MAXIMUM ΔI: 4.4 deg*

*Based on uncataloged debris data

COMMENTS


USA 19 deliberately collided with USA 19 R/B at high relative velocity. Both satellites were thrusting at the time of impact. Element set above is post-event and is best estimate of orbit at time of the event. Most debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

The Collision of Satellites 16937 and 16938: A Preliminary Report, N. L. Johnson, Technical Report CS87-LKD-002, Teledyne Brown Engineering, Colorado Springs, 3 December 1986.

The Collision of Satellites 16937 and 16938: Debris Characterization, R. L. Kling, Technical Report CS87-LKD-005, Teledyne Brown Engineering, Colorado Springs, 15 May 1987.

Hazard Analysis of the Breakup of Satellites 16937 and 16938, Technical Report JSC 22471(U), NASA Lyndon B. Johnson Space Center, Houston, 27 February 1987.



USA 19 debris cloud remnant of 187 fragments one day after the event as seen by the US SSN radar FPS-85 at Eglin AFB, Florida.

USA 19 R/B

1986-069B

16938

SATELLITE DATA

TYPE: Delta Second Stage (3920) with auxiliary payload
OWNER: US
LAUNCH DATE: 5.63 Sep 1986
DRY MASS (KG): 1455
MAIN BODY: Cylinder-nozzle; 1.4 m diameter by 4.8 m length
MAJOR APPENDAGES: Mini-skirt; 2.4 m by 0.3 m
ATTITUDE CONTROL: Active
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	5 Sep 1986	LOCATION:	15N, 166E (asc)
TIME:	1752 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	220 km		

POST-EVENT ELEMENTS

EPOCH:	86249.96053354	MEAN ANOMALY:	307.9381
RIGHT ASCENSION:	10.4654	MEAN MOTION:	15.50608380
INCLINATION:	22.7830	MEAN MOTION DOT/2:	.00138611
ECCENTRICITY:	.0288474	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	54.7772	BSTAR:	.00033298

DEBRIS CLOUD DATA

MAXIMUM ΔP : 53.6 min*
MAXIMUM ΔI : 2.5 deg*

*Based on uncataloged debris data

COMMENTS


USA 19 R/B was deliberately struck by USA 19 at high relative velocity. Both satellites were thrusting at the time of impact. Element set above is post-event and is best estimate of orbit at time of the event. Most debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

The Collision of Satellites 16937 and 16938: A Preliminary Report, N. L. Johnson, Technical Report CS87-LKD-002, Teledyne Brown Engineering, Colorado Springs, 3 December 1986.

The Collision of Satellites 16937 and 16938: Debris Characterization, R. L. Kling, Technical Report CS87-LKD-005, Teledyne Brown Engineering, Colorado Springs, 15 May 1987.

Hazard Analysis of the Breakup of Satellites 16937 and 16938, Technical Report JSC 22471(U), NASA Lyndon B. Johnson Space Center, Houston, 27 February 1987.



USA 19 R/B debris cloud of 190 fragments one day after the event as seen by US SSN FPS-85 radar at Eglin AFB, Florida.

COSMOS 1813

1987-004A

17297

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 15.47 Jan 1987
DRY MASS (KG): 6300
MAIN BODY: Sphere-cylinder; 2.4 m diameter by 6.5 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 29 Jan 1987 LOCATION: 73N, 122E (asc)
TIME: 0555 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 390 km

PRE-EVENT ELEMENTS

EPOCH: 87028.91020168 MEAN ANOMALY: 178.1696
RIGHT ASCENSION: 256.7724 MEAN MOTION: 15.60427146
INCLINATION: 72.8163 MEAN MOTION DOT/2: .00008569
ECCENTRICITY: .0043147 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 182.0100 BSTAR: .000099999

DEBRIS CLOUD DATA

MAXIMUM ΔP: 9.1 min*
MAXIMUM ΔI: 0.1 deg*

*Based on PARCS observations


COMMENTS

Spacecraft apparently destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. A total of 846 separate fragments were observed during one pass over a U. S. Space Surveillance Network radar (PARCS) two days after the event.

REFERENCE DOCUMENTS

The Fragmentation of Kosmos 1813, R. L. Kling and J. S. Dowdy, Technical Report CS87-LKD-004, Teledyne Brown Engineering, Colorado Springs, 8 May 1987.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1813 debris cloud as reconstructed from PARCS radar observations taken about 10 hours after the breakup. A total of 846 fragments were identified with Cosmos 1813. This diagram is taken from the cited reference document.

COSMOS 1823

1987-020A

17535

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 20.20 Feb 1987
DRY MASS (KG): 1500
MAIN BODY: Cylinder; 2.4 m diameter by 4 m length
MAJOR APPENDAGES: Gravity-gradient boom; 10 small solar panels
ATTITUDE CONTROL: Gravity gradient
ENERGY SOURCES: Battery

EVENT DATA

DATE: 17 Dec 1987 LOCATION: 15S, 18E (dsc)
TIME: 1739 GMT ASSESSED CAUSE: Battery
ALTITUDE: 1485 km

PRE-EVENT ELEMENTS

EPOCH: 87351.61079422 MEAN ANOMALY: 147.6712
RIGHT ASCENSION: 184.5746 MEAN MOTION: 12.40947361
INCLINATION: 73.6064 MEAN MOTION DOT/2: .0
ECCENTRICITY: .0028819 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 212.2988 BSTAR: .0

DEBRIS CLOUD DATA


MAXIMUM ΔP : 4.9 min
MAXIMUM ΔI : 1.4 deg

COMMENTS

Cosmos 1823 has been acknowledged by the Soviet Union as a geodetic spacecraft, the eighth in a series which debuted in 1981. The spacecraft is known to have been operating three months before the event. USSR acknowledged mission termination as of 19 December 1987. Unusually strong radial velocity components are evident in cloud analyses over a period of many months. This event has been confirmed to be the third known failure of the NiH₂ battery as reported by Dr. K. M. Suitashev at the February, 1992 Space Debris Conference held in Moscow.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1823 debris cloud of 165 fragments two weeks after the event as reconstructed from Naval Space Surveillance System database.

COSMOS 1866

1987-059A

18184

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 9.67 Jul 1987
DRY MASS (KG): 5700
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	26 Jul 1987	LOCATION:	57S, 239E (asc)
TIME:	1539 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	245 km		

PRE-EVENT ELEMENTS

EPOCH:	87207.60199851	MEAN ANOMALY:	300.9577
RIGHT ASCENSION:	98.7735	MEAN MOTION:	16.25421506
INCLINATION:	67.1494	MEAN MOTION DOT/2:	.01099941
ECCENTRICITY:	.0073576	MEAN MOTION DOT DOT/6:	.000028662
ARG. OF PERIGEE:	61.7654	BSTAR:	.00016423

DEBRIS CLOUD DATA


MAXIMUM ΔP : 17.3 min
MAXIMUM ΔI : 0.5 deg

COMMENTS

Spacecraft was destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Hundreds of fragments were detected but most reentered before being officially cataloged.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1866 debris cloud of 27 fragments one to two days after the event as reconstructed from US SSN database. Two fragments with orbital periods greater than 103 minutes were cataloged in mid-August 1987.

COSMOS 1869

1987-062A

18214

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 16.18 Jul 1987
DRY MASS (KG): 1900
MAIN BODY: Cylinder; 0.8-1.4 m diameter by 3 m length
MAJOR APPENDAGES: Solar arrays, radar and other payload systems
ATTITUDE CONTROL: Gravity gradient
ENERGY SOURCES: Battery, pressurized vessels

EVENT DATA

DATE:	27 Nov 1997	LOCATION:	Unknown
TIME:	0006-0040 GMT ?	ASSESSED CAUSE:	Unknown
ALTITUDE:	~630 km		

PRE-EVENT ELEMENTS

EPOCH:	97329.88487815	MEAN ANOMALY:	245.1014
RIGHT ASCENSION:	97.7878	MEAN MOTION:	14.83337853
INCLINATION:	82.5131	MEAN MOTION DOT/2:	0.00000439
ECCENTRICITY:	0.0021357	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	115.2417	BSTAR:	0.000050420

DEBRIS CLOUD DATA

MAXIMUM ΔP :
MAXIMUM ΔI :

COMMENTS

Cosmos 1869 suffered a failure of its radar antenna to deploy immediately after launch. The spacecraft carried other optical sensors, but the vehicle appears to have become non-operational by 1988. At least 20 debris were detected. Virtually all the debris associated with the breakup event exhibited very large area-to-mass ratios, resulting in exceptionally rapid orbital decay. By 1 December 1997 only one debris object was still being tracked by the US Space Surveillance Network.

REFERENCE DOCUMENT

"Recent Satellite Fragmentation Investigations", N. L. Johnson, The Orbital Debris Quarterly News, NASA JSC, January 1998, p. 3.

Insufficient data to construct a Gabbard diagram.

METEOR 2-16 R/B

1987-068B

18313

SATELLITE DATA

TYPE: Tsyklon Third Stage
OWNER: CIS
LAUNCH DATE: 18.10 Aug 1987
DRY MASS (KG): 1360
MAIN BODY: Cylinder; 2.1 m diameter by 2.4 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Unknown

EVENT DATA

DATE:	15 Feb 1998	LOCATION:	67.8 N, 125.6 E (asc.)
TIME:	2224 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	945 km		

PRE-EVENT ELEMENTS

EPOCH:	98044.02783074	MEAN ANOMALY:	25.0628
RIGHT ASCENSION:	230.9724	MEAN MOTION:	13.84031596
INCLINATION:	82.5526	MEAN MOTION DOT/2:	0.00000025
ECCENTRICITY:	0.0011144	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	334.9992	BSTAR:	0.0000096468

DEBRIS CLOUD DATA


MAXIMUM ΔP : 8.2 min
MAXIMUM ΔI : 0.6 deg

COMMENTS

This is the second time a Ukrainian Tsyklon third stage has experienced a significant breakup. The previous incident in 1988 involved the Cosmos 1045 rocket body at a higher altitude. In both cases, the vehicle was approximately 10 years old. The debris from the current breakup were ejected with a wide range of velocities, from about 15 m/s to more than 250 m/s. Some debris were thrown to altitudes below 500 km, and some exhibited high area-to-mass ratios. Naval Space Command ran COMBO to determine if a tracked object was in vicinity of Meteor 2-16 R/B at the time of the event, and the results were negative.

REFERENCE DOCUMENT

"Three Upper Stage Breakups in One Week Top February Debris Activity", The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 1.



Meteor 2-16 R/B debris cloud of 67 fragments 1 week after the event
as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Ariane 3 Third Stage
OWNER: ESA
LAUNCH DATE: 16.03 Sep 1987
DRY MASS (KG): 1200
MAIN BODY: Cylinder; 2.6 m diameter by 9.9 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	16-19 Sep 1987	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

POST-EVENT ELEMENTS

EPOCH:	87264.18031994	MEAN ANOMALY:	170.9704
RIGHT ASCENSION:	176.7680	MEAN MOTION:	2.22860839
INCLINATION:	6.8720	MEAN MOTION DOT/2:	.00014489
ECCENTRICITY:	.7324768	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	182.0665	BSTAR:	.0038829


DEBRIS CLOUD DATA

MAXIMUM ΔP : 29.1 min*
MAXIMUM ΔI : 0.9 deg*

*Based on uncataloged debris data

COMMENTS

Above elements are initial published values for the rocket body but are after the event.



AUSSAT K3/ECS 4 R/B debris cloud of 12 fragments about four days after launch as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 16.12 Sep 1987
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: ~ 01 December 1996 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 96335.26612005 MEAN ANOMALY: 175.6198
RIGHT ASCENSION: 300.4954 MEAN MOTION: 4.24439384
INCLINATION: 64.9068 MEAN MOTION DOT/2: 0.00015773
ECCENTRICITY: 0.5826382 MEAN MOTION DOT DOT/6: 0
ARG. OF PERIGEE: 181.3565 BSTAR: 0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 234.1 min
MAXIMUM ΔI : 2.6 deg

COMMENTS


This is the 14th event of this class identified to date.

REFERENCE DOCUMENTS

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", Cherniatiev, Chernyavskiy, Johnson, and McKnight, First European Conference on Space Debris, 5-7 April 1993.

"The Fragmentation of Proton Debris", Nauer, Teledyne Brown Engineering Technical Report CS93LKD-004, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1883-1885 auxiliary motor debris cloud of 3 fragments 11 to 14 months after the event as reconstructed from US SSN database.

COSMOS 1906

1987-108A

18713

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 26.48 Dec 1987
DRY MASS (KG): 6300
MAIN BODY: Sphere-Cylinder; 2.4 m diameter by 6.5 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	31 Jan 1988	LOCATION:	11S, 138E (dsc)
TIME:	1109 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	250 km		

PRE-EVENT ELEMENTS

EPOCH:	88030.87152193	MEAN ANOMALY:	208.0352
RIGHT ASCENSION:	254.6565	MEAN MOTION:	16.07089398
INCLINATION:	82.5872	MEAN MOTION DOT/2:	.00174892
ECCENTRICITY:	.0015551	MEAN MOTION DOT DOT/6:	.000012805
ARG. OF PERIGEE:	152.1926	BSTAR:	.00022253

DEBRIS CLOUD DATA

MAXIMUM ΔP : 5.7 min*
MAXIMUM ΔI : 1.7 deg*

*Based on cataloged and uncataloged debris data


COMMENTS

Spacecraft destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Elements for 83 objects remaining in orbit about 10 days after the event were developed. Other debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

The Soviet Year in Space 1988, N. L. Johnson, Teledyne Brown Engineering, 1989, p. 27.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1906 debris cloud remnant of 83 objects ten days after the event as reconstructed from Naval Space Surveillance System database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 27.48 Dec 1987
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	22 May 1997	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	97141.34020043	MEAN ANOMALY:	1.8603
RIGHT ASCENSION:	253.0389	MEAN MOTION:	3.58845480
INCLINATION:	46.6273	MEAN MOTION DOT/2:	-0.00000117
ECCENTRICITY:	0.6287941	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	349.7051	BSTAR:	0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This is the 15th event of this class identified to date. At least 72 debris were detected.

REFERENCE DOCUMENTS

"Three Satellite Breakups During May-June," The Orbital Debris Quarterly News, NASA JSC, Jul-Sep 1997, p. 2.

"Identification and Resolution of an Orbital Debris Problem with Proton Launch Vehicle", Cherniatiev, Chernyavskiy, Johnson, and McKnight, First European Conference on Space Debris, 5-7 April 1993.

"The Fragmentation of Proton Debris", Nauer, Teledyne Brown Engineering Technical Report CS93-LKD-004, 31 Dec 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

COSMOS 1916

1988-007A

18823

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 3.15 Feb 1988
DRY MASS (KG): 5700
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	27 Feb 1988	LOCATION:	62N, 98E (asc)
TIME:	0444 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	155 km		

PRE-EVENT ELEMENTS

EPOCH:	88058.12322153	MEAN ANOMALY:	309.0154
RIGHT ASCENSION:	264.6529	MEAN MOTION:	16.30989909
INCLINATION:	64.8359	MEAN MOTION DOT/2:	.03233928
ECCENTRICITY:	.0060041	MEAN MOTION DOT DOT/6:	.00003669
ARG. OF PERIGEE:	51.6410	BSTAR:	.00025587

DEBRIS CLOUD DATA

MAXIMUM ΔP: 4.2 min*
MAXIMUM ΔI: 1.1 deg*

*Based on uncataloged debris data


COMMENTS

Spacecraft destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Early elements on only 6 objects available. All debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

The Soviet Year in Space 1988, N. L. Johnson, Teledyne Brown Engineering, 1989, p. 31.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 1916 debris cloud remnant of 6 objects within one day of the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 16 Sep 1988
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter x 1.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 9 Mar 1999 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

POST-EVENT ELEMENTS

EPOCH: 99067.36656961 MEAN ANOMALY: 189.8576
RIGHT ASCENSION: 108.7309 MEAN MOTION: 4.28860956162171
INCLINATION: 64.6425 MEAN MOTION DOT/2: .00000813
ECCENTRICITY: .5827119 MEAN MOTION DOT DOT/6: 00000-0
ARG. OF PERIGEE: 176.8483 BSTAR: .0022335

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This is the 19th event of the Proton Block DM SOZ Ullage Motor class identified to date; it is the eighth associated with a GLONASS mission. This mission was conducted before the engineering defect was identified and passivation measures implemented. In this orbit, debris may be long-lived but hard to track. 17 debris objects were detected.

REFERENCE DOCUMENT

“Abandoned Proton Ullage Motors Continue to Create Debris”, The Orbital Debris Quarterly News, NASA JSC, April 1999.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Ariane 4 H-10 Third Stage
OWNER: ESA
LAUNCH DATE: 11.02 Dec 1988
DRY MASS (KG): 1760
MAIN BODY: Cylinder; 2.6 m diameter by 11.4 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	17 Feb 1998	LOCATION:	6.9 N, 157.2 E (dsc)
TIME:	1235 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	19630 km		

PRE-EVENT ELEMENTS

EPOCH:	98047.29326560	MEAN ANOMALY:	25.3394
RIGHT ASCENSION:	23.7998	MEAN MOTION:	2.25942020
INCLINATION:	7.3381	MEAN MOTION DOT/2:	0.00000046
ECCENTRICITY:	0.7222736	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	248.1711	BSTAR:	0.00057969

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This mission was the second for the Ariane 4 series and occurred prior to implementation of passivation measures. Using observations from the Eglin radar, specialists at Millstone radar found four new pieces from the upper stage. Naval Space Command personnel generated the first two debris element sets and calculated the approximate breakup time noted above.

REFERENCE DOCUMENT

"Three Upper Stage Breakups in One Week Top February Debris Activity", The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 1.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 10 Jan 1989
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	3 Aug 1998	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propulsion
ALTITUDE:	Unknown		

POST-EVENT ELEMENTS

EPOCH:	98211.80543118	MEAN ANOMALY:	172.2753
RIGHT ASCENSION:	16.7694	MEAN MOTION:	4.24137167
INCLINATION:	64.9243	MEAN MOTION DOT/2:	.00000287
ECCENTRICITY:	.5776927	MEAN MOTION DOT DOT/6:	00000-0
ARG. OF PERIGEE:	182.6029	BSTAR:	.0041366

DEBRIS CLOUD DATA


MAXIMUM ΔP : 162.64 min
MAXIMUM ΔI : 3.78 deg

COMMENTS

This is the 17th event of the Proton Block DM SOZ Ullage Motor class identified to date; it is the sixth associated with a GLONASS mission. This mission was conducted before the engineering defect was identified and passivation measures implemented. In this orbit, debris may be long-lived but hard to track. More than 110 debris objects were detected.

REFERENCE DOCUMENT

“Solitary Breakup and Anomalous Events in Third Quarter are Familiar”, The Orbital Debris Quarterly News, NASA JSC, October 1998.



Cosmos 1987-1989 ullage motor debris cloud of 39 fragments 7 days after the event
as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 26.39 Jan 1989
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m diameter
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 17-18 Dec 1992 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 92351.90838995 MEAN ANOMALY: 1.4295
RIGHT ASCENSION: 266.2338 MEAN MOTION: 4.60309514
INCLINATION: 46.7001 MEAN MOTION DOT/2: .00060784
ECCENTRICITY: .5692927 MEAN MOTION DOT DOT/6: .0000093219
ARG. OF PERIGEE: 353.9854 BSTAR: .0015056

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed between 30-40 objects which were associated with this breakup. Only 4 element sets were generated, insufficient for a Gabbard Diagram or BLAST point. This was the seventh in a series of fragmentations of this object type, and was the second located in a geosynchronous transfer orbit.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Ariane 2 third stage with VEB
OWNER: ESA
LAUNCH DATE: 27.06 Jan 1989
DRY MASS (KG): ~1480 kg
MAIN BODY: 2.6 m diameter, 11.7 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants ?

EVENT DATA

DATE:	~1 Jan 2001	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propellant-Related
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	00366.06151127	MEAN ANOMALY:	45.8970
RIGHT ASCENSION:	73.3900	MEAN MOTION:	2.26500973
INCLINATION:	8.3781	MEAN MOTION DOT/2:	.00000580
ECCENTRICITY:	.7188412	MEAN MOTION DOT DOT/6:	.0000000
ARG. OF PERIGEE:	225.8250	BSTAR:	.0040973


DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown*
MAXIMUM ΔI : Unknown*

* Not calculated due to provisional nature
of orbital data.

COMMENTS

This is the first breakup of an Ariane 2 third stage officially recognized. One Ariane 3 third stage (same as Ariane 2) is known to have broken-up within a few days of launch in 1987. Both vehicles were launched before passivation measures were incorporated with Ariane third stages. Ariane third stage passivation was introduced in January 1990 and has been employed on all Ariane missions since October 1993. The age of the Ariane 2 third stage at the time of the breakup was nearly 12 years.



INTELSAT V F-15 R/B (Ariane 2) debris cloud as constructed using SSN 8XXXX series elements sets (10 January 2001 and before). Data should be regarded as provisional in nature.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 5.95 Jul 1989
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 12 Jan 1993 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 93004.96424013 MEAN ANOMALY: 353.7659
RIGHT ASCENSION: 215.2912 MEAN MOTION: 2.68234049
INCLINATION: 46.7556 MEAN MOTION DOT/2: .00007021
ECCENTRICITY: .6967354 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 45.1358 BSTAR: .0017532

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 18 objects which were associated with this breakup. Only 5 element sets were generated, and were of insufficient quality for a credible Gabbard Diagram or BLAST point. This was the eighth in a series of fragmentations of this object type, and was the third located in a geosynchronous transfer orbit.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 12.63 Jul 1989
DRY MASS (KG): 5700
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 28 Jul 1989 LOCATION: 35-65N, 95-140E (asc)
TIME: 0410-0420 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 150 km

PRE-EVENT ELEMENTS

EPOCH: 89208.98384568 MEAN ANOMALY: 302.7810
RIGHT ASCENSION: 89.7470 MEAN MOTION: 16.33519268
INCLINATION: 67.1441 MEAN MOTION DOT/2: .03079561
ECCENTRICITY: .0048139 MEAN MOTION DOT DOT/6: .000029506
ARG. OF PERIGEE: 57.9032 BSTAR: .00023479

DEBRIS CLOUD DATA

MAXIMUM ΔP: 7.1 min*
MAXIMUM ΔI: 1.3 deg*

*Based on uncataloged debris data


COMMENTS

Spacecraft was destroyed after a malfunction prevented controlled reentry and landing in the Soviet Union. Early element sets on only 20 objects available. Rapid decay of objects made calculation of breakup time and location difficult.

REFERENCE DOCUMENTS

The Fragmentation of Kosmos 2030, N. L. Johnson, Technical Report CS89-TR-JSC-002, Teledyne Brown Engineering, Colorado Springs, Colorado, September 1989.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2030 debris cloud remnant of 20 objects two to three days after the event as reconstructed from US SSN database. This diagram is taken from the cited reference.

COSMOS 2031

1989-056A

20136

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 18.51 Jul 1989
DRY MASS (KG): 6000
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 31 Aug 1989 LOCATION: 43N, 111E (dsc)
TIME: 1851 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 270 km

PRE-EVENT ELEMENTS

EPOCH: 89243.76468690 MEAN ANOMALY: 305.4386
RIGHT ASCENSION: 242.9132 MEAN MOTION: 15.89273241
INCLINATION: 50.5464 MEAN MOTION DOT/2: .00196451
ECCENTRICITY: .0093577 MEAN MOTION DOT DOT/6: .00002154
ARG. OF PERIGEE: 55.5300 BSTAR: .00045172

DEBRIS CLOUD DATA

MAXIMUM ΔP : 7.4 min*
MAXIMUM ΔI : 0.9 deg*

*Based on uncataloged debris data


COMMENTS

Spacecraft was destroyed with a planned detonation. Cosmos 2031 was the first of a new series of spacecraft which employs end-of-mission detonation as standard operating procedure. Early elements on 43 objects available. Most debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

The Fragmentation of Kosmos 2031, N. L. Johnson, Technical Report CS89-TR-JSC-003, Teledyne Brown Engineering, Colorado Springs, Colorado, September 1989.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2031 debris cloud remnant of 43 objects three days after the event as reconstructed from Naval Space Surveillance System database. This diagram is taken from the cited reference.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 28.42 Nov 1989
DRY MASS (KG): 1600
MAIN BODY: Cylinder: 1.4 m diameter by 4.4 m length
MAJOR APPENDAGES: Solar Panels, antenna
ATTITUDE CONTROL: None at time of event
ENERGY SOURCES: Unknown

EVENT DATA

DATE: ~19 May 2000 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Aerodynamics
ALTITUDE: Unknown, probably less than 100 km

PRE-EVENT ELEMENTS

EPOCH:	140.38538624	MEAN ANOMALY:	99.0739
RIGHT ASCENSION:	346.7803	MEAN MOTION:	13.87465052
INCLINATION:	63.3968	MEAN MOTION DOT/2:	.99999999
ECCENTRICITY:	.1173030	MEAN MOTION DOT DOT/6:	-.000020887
ARG. OF PERIGEE:	249.1246	BSTAR:	.0017249

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This event was similar to the breakup of Molniya 3-16 in February 1998. In both cases the perigees of the spacecraft were less than 100 km, and the vehicles were within 24 hours of reentry. The breakups are assessed to have been caused by severe aerodynamic forces as the spacecraft decayed from highly elliptical orbits. The debris is likely to have been related to solar panels and other spacecraft appendages. The breakup produced no long-term environmental consequences.

REFERENCE DOCUMENT

"A New Category For Satellite Breakups", The Orbital Debris Quarterly News, NASA JSC, April 1998. Available online at <http://sn-callisto.jsc.nasa.gov/newsletter/v3i2/v3i2.html#news2>.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Molniya Rocket Body
OWNER: CIS
LAUNCH DATE: 28.42 Nov 1989
DRY MASS (KG): 1100
MAIN BODY: Cylinder; 2.7 m diameter by 3.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants ?

EVENT DATA

DATE:	28 Jun 2000	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Aerodynamic
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	00179.25366538	MEAN ANOMALY:	307.0966
RIGHT ASCENSION:	9.4642	MEAN MOTION:	8.69482942
INCLINATION:	63.6040	MEAN MOTION DOT/2:	.19857645
ECCENTRICITY:	.3538917	MEAN MOTION DOT DOT/6:	.0000026326
ARG. OF PERIGEE:	244.9420	BSTAR:	.00038122

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This rocket body was associated with the Molniya 3-36 communication spacecraft, satellite number 20338, which suffered aerodynamic breakup on 19 May 2000. In both cases the perigees of the spacecraft were less than 100 km, and the vehicles were within 24 hours of reentry. Any debris created was likely to have been related to spacecraft appendages. No long-term environmental consequences are expected.

REFERENCE DOCUMENT

“A New Category for Satellite Breakups”, The Orbital Debris Quarterly News, NASA JSC, April 1998. Available on-line at <http://sn-callisto.jsc.nasa.gov/newsletter/v3i2/v3i2.html#news2>.

Insufficient data to construct a Gabbard diagram.

COSMOS 2053 R/B

1989-100B

20390

SATELLITE DATA

TYPE: Tsyklon Third Stage
OWNER: CIS
LAUNCH DATE: 27 Dec 1989
DRY MASS (KG): 1360
MAIN BODY: Cone-cylinder; 2.1 m diameter by 3.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: Unknown

EVENT DATA

DATE:	18 Apr 1999	LOCATION:	16.9S, 234.1E
TIME:	0119 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	485 km		

POST-EVENT ELEMENTS

EPOCH:	99107.56102679	MEAN ANOMALY:	26.3814
RIGHT ASCENSION:	275.5509	MEAN MOTION:	15.29126555517603
INCLINATION:	73.5159	MEAN MOTION DOT/2:	.00003667
ECCENTRICITY:	.0010450	MEAN MOTION DOT DOT/6:	00000-0
ARG. OF PERIGEE:	333.6852	BSTAR:	.0013164

DEBRIS CLOUD DATA


MAXIMUM ΔP : 4.18 min
MAXIMUM ΔI : .66 deg

COMMENTS

This is the 3rd event of the Tsyklon third stage (SL-14) identified to date, and the second within 14 months. All stages have been about 10 years old at the time of breakup. The vehicle is a Ukrainian-produced stage with unknown end-of-mission passivation. Its propellants are UDMH and N2O4. More than 60 debris objects were detected.

REFERENCE DOCUMENT

"Third Tsyklon Upper Stage Breaks Up", The Orbital Debris Quarterly News, NASA JSC, July 1999.



Cosmos 2053 rocket body debris cloud of 31 fragments 9 days after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 27.47 Dec 1989
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: Jul 1992 (?) LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 92182.661921495 MEAN ANOMALY: 6.2737
RIGHT ASCENSION: 305.7529 MEAN MOTION: 2.98492104
INCLINATION: 47.1115 MEAN MOTION DOT/2: .00001757
ECCENTRICITY: .6700939 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 319.3202 BSTAR: .0014976

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 18 objects which were associated with this breakup. Twelve element sets were generated, but were of insufficient quality for a credible Gabbard Diagram or BLAST point. One object was cataloged on this event in early August, 1992. This was the fifth in a series of fragmentations of this object type, and was the first located in a geosynchronous transfer orbit.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle”, B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 19 May 1990
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: ~28 Mar 1999 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

POST-EVENT ELEMENTS

EPOCH: 99087.88291821 MEAN ANOMALY: 123.5812
RIGHT ASCENSION: 319.9610 MEAN MOTION: 04.24414150137202
INCLINATION: 64.8090 MEAN MOTION DOT/2: .00000311
ECCENTRICITY: .5789417 MEAN MOTION DOT DOT/6: 00000-0
ARG. OF PERIGEE: 199.4305 BSTAR: .0040281

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This is the 20th event of the Proton Block DM SOZ Ullage Motor class identified to date; it is the ninth associated with a GLONASS mission. This mission was conducted before the engineering defect was identified and passivation measures implemented. In this orbit, debris may be long-lived but hard to track. 76 debris objects were detected.

REFERENCE DOCUMENT

“Abandoned Proton Ullage Motors Continue to Create Debris”, The Orbital Debris Quarterly News, NASA JSC, April 1999.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: CZ-4A Final Stage
OWNER: PRC
LAUNCH DATE: 3.04 Sep 1990
DRY MASS (KG): 1000
MAIN BODY: Cylinder-Nozzle; 2.9 m diameter by ~5m length
MAJOR APPENDAGES: none
ATTITUDE CONTROL: none
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 4 Oct 1990 LOCATION: 81S, 68E (asc)
TIME: 2014 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 895 km

PRE-EVENT ELEMENTS

EPOCH: 90276.6451544 MEAN ANOMALY: 162.6773
RIGHT ASCENSION: 310.6975 MEAN MOTION: 14.01192890
INCLINATION: 98.9340 MEAN MOTION DOT/2: .000003118
ECCENTRICITY: .0010179 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 197.4122 BSTAR: .0002183343

DEBRIS CLOUD DATA

MAXIMUM ΔP: 5.8 min
MAXIMUM ΔI: 0.1 deg


COMMENTS

This second flight of the CZ-4 final stage successfully deployed three payloads (one weather satellite and two inflated balloons) into a sun-synchronous orbit. Propellants used were N₂O₄ and UDMH. An estimated 70-75 fragments were detected soon after the event.

REFERENCE DOCUMENTS

The Fragmentation of Fengyun 1-2 R/B, N. L. Johnson, Technical Report CS90-TR-JSC-013, Teledyne Brown Engineering, Colorado Springs, Colorado, November 1990.

“Analyzing the Cause of LM-4 (A)’s Upper Stage’s Disintegration and the Countermeasures”, W. X. Zhang and S. Y. Liao, 5th International Conference of Pacific Basin Societies, 6-9 Jun 1993, Shanghai.



Fengyun 1-2 R/B debris cloud remnant of 65 objects five days after the event as reconstructed from Naval Space Surveillance System database.

COSMOS 2101

1990-087A

20828

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 1.46 Oct 1990
DRY MASS (KG): 6000
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	30 Nov 1990	LOCATION:	54N, 157E (dsc)
TIME:	1720 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	210 km		

PRE-EVENT ELEMENTS

EPOCH:	90334.45391019	MEAN ANOMALY:	205.3252
RIGHT ASCENSION:	347.9431	MEAN MOTION:	16.12811753
INCLINATION:	64.7547	MEAN MOTION DOT/2:	.00671617
ECCENTRICITY:	.0065418	MEAN MOTION DOT DOT/6:	.000035339
ARG. OF PERIGEE:	155.2258	BSTAR:	.00040815

DEBRIS CLOUD DATA

MAXIMUM ΔP: >7.3 min*
MAXIMUM ΔI: 0.3 deg*

*Based on uncataloged debris data


COMMENTS

Spacecraft was destroyed with a planned detonation. Second fragmentation of the Cosmos 2031 subclass. Early elements on only 7 objects available. Most debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

The Fragmentation of Kosmos 2101, N. L. Johnson, Technical Report CS91-TR-JSC-002, Teledyne Brown Engineering, Colorado Springs, Colorado, January 1991.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2101 debris cloud remnant of 7 objects three days after the event as reconstructed from Naval Space Surveillance System database. This diagram is taken from the cited reference.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 23 Nov 1990
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: Approx. 14 Dec 95 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 95348.79476448 MEAN ANOMALY: 300.3633
RIGHT ASCENSION: 140.3319 MEAN MOTION: 5.84898259
INCLINATION: 46.4887 MEAN MOTION DOT/2: .00111293
ECCENTRICITY: .4967539 MEAN MOTION DOT DOT/6: .00000006
ARG. OF PERIGEE: 117.7610 BSTAR: .00074791

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 69 objects which were associated with this breakup.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.

Insufficient data to construct a Gabbard diagram.

USA 68

1990-105A

20978

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 1.66 Dec 1990
DRY MASS (KG): 855
MAIN BODY: Cylinder; 1.1 m diameter by 3.7 m length
MAJOR APPENDAGES: 1 solar panel
ATTITUDE CONTROL: Active, 3 axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	1 Dec 1990	LOCATION:	6N, 232E (dsc)
TIME:	1610 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	850 km		

POST-EVENT ELEMENTS

EPOCH:	90335.71008487	MEAN ANOMALY:	0.9090
RIGHT ASCENSION:	4.0350	MEAN MOTION:	14.29892145
INCLINATION:	98.8600	MEAN MOTION DOT/2:	-.00000049
ECCENTRICITY:	.0080986	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	359.1948	BSTAR:	-0.000010171

DEBRIS CLOUD DATA

MAXIMUM ΔP: >2.0 min*
MAXIMUM ΔI: 1.0 deg*


*Based on uncataloged debris data

COMMENTS

During the burn of USA 68's solid-fuel apogee kick motor (STAR-37S, TE-M-364-15), the 20 kg nozzle came apart, terminating thrust. At shutdown USA 68 was in an orbit of 610 km by 850 km. Immediately, a hydrazine orbit make-up system was activated, providing an additional 32.3 m/s DV. More than 40 pieces of non-Mission related debris were observed within a day of the event. The observed debris may include components of the USA 68 sun shield and AKM nozzle shield (total mass 2 kg). Most debris decayed very rapidly. The payload remained operational.

REFERENCE DOCUMENTS

The Fragmentation of USA 68, N.L. Johnson, Technical Report CS91-TR-JSC-005, Teledyne Brown Engineering, Colorado Springs, Colorado, March 1991.



USA 68 debris cloud remnant of 48 fragments twelve days after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 8.11 Dec 1990
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 14 Mar 1998 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 98072.07217599 MEAN ANOMALY: 85.4178
RIGHT ASCENSION: 306.4512 MEAN MOTION: 4.23530449
INCLINATION: 65.0803 MEAN MOTION DOT/2: 0.00000895
ECCENTRICITY: 0.5724061 MEAN MOTION DOT DOT/6: 0
ARG. OF PERIGEE: 216.7168 BSTAR: 0.0025728

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This is the 16th event of this class identified to date; it is the fifth associated with a GLONASS mission. More than 110 debris detected, but element sets developed for only a few.

REFERENCE DOCUMENTS

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", Cherniatiev, Chernyavskiy, Johnson, and McKnight, First European Conference on Space Debris, 5-7 April 1993.

"The Fragmentation of Proton Debris", Nauer, Teledyne Brown Engineering Technical Report CS93-LKD-004, 31 December 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Three Upper Stage Breakups in One Week Top February Debris Activity", The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 1-2.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Ariane 4 H-10 Third Stage
OWNER: ESA
LAUNCH DATE: 15.97 Jan 1991
DRY MASS (KG): 1760
MAIN BODY: Cylinder; 2.6 m diameter by 11.4 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	Late Apr-early May 1996	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	96106.15481796	MEAN ANOMALY:	312.6005
RIGHT ASCENSION:	104.8696	MEAN MOTION:	2.66496263
INCLINATION:	6.7146	MEAN MOTION DOT/2:	0.00007071
ECCENTRICITY:	0.6989841	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	132.7372	BSTAR:	0.0012265

DEBRIS CLOUD DATA


MAXIMUM ΔP : 147.3 min
MAXIMUM ΔI : 1.3 deg

COMMENTS

The event was first recognized by Naval Space Command analysts in early May 1996. Element sets for as many as 20 debris were developed. Since deliberate passivation of Ariane GTO stages was not implemented until 1993, the vehicle was not purged of its residual propellants or pressurants.

REFERENCE DOCUMENTS

"Newly Recognized 1996 Breakup", N. L. Johnson, The Orbital Debris Quarterly News, April-June 1997, p. 2.



Italsat 1/Eutelsat 2 F2 R/B debris cloud of 20 fragments one year after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Cosmos Second Stage
OWNER: CIS
LAUNCH DATE: 12.12 Feb 1991
DRY MASS (KG): 1435
MAIN BODY: Cylinder; 2.4 m diameter by 6.6 m length
MAJOR APPENDAGES: Payload deployment mechanism
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: Unknown

EVENT DATA

DATE: 5 Mar 1991 LOCATION: 43S, 140E (asc)
TIME: 1345 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 1560 km

PRE-EVENT ELEMENTS

EPOCH: 91062.94236834 MEAN ANOMALY: 112.8991
RIGHT ASCENSION: 166.0317 MEAN MOTION: 12.19552620
INCLINATION: 74.0386 MEAN MOTION DOT/2: .00000005
ECCENTRICITY: .0166507 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 245.0348 BSTAR: .000099999

DEBRIS CLOUD DATA

MAXIMUM ΔP: 4.3 min*
MAXIMUM ΔI: 0.3 deg*

*Based on uncataloged debris data

COMMENTS

This is the second known fragmentation of the Cosmos second stage and the first in more than 25 years and 370 missions. Like the earlier event (Cosmos 61-63 R/B), this rocket body successfully completed its multiple payload delivery before breakup. NAVSPASUR determined that several minor separations occurred both prior to and after the main breakup cited above (see NAVSPASUR report referenced below).


REFERENCE DOCUMENTS

Cosmos 2125-2132 Rocket Body (U), Fragmentation and Breakup Report (U), E.L. Jenkins and R.E. Farmer, Naval Space Surveillance Center, Dahlgren, Virginia, April, 1991.

A Preliminary Analysis of the Fragmentations of the Kosmos 2125-2132 Rocket Body, N.L. Johnson, Technical Report CS91-TR-JSC-007, Teledyne Brown Engineering, Colorado Springs, Colorado, April 1991.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“The Recent Fragmentations of LEO Upper Stages”, G. Chernyavskiy et al, 45th IAF Congress, 1994.



Cosmos 2125-32 R/B debris cloud of 54 objects five days after the major breakup event as reconstructed from Naval Space Surveillance System database. This diagram is taken from the reference cited at the top of this page.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 12 Feb 1991
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Unknown
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 7 May 1994 LOCATION: 10N, 112E
TIME: 0930 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 16195 km

PRE-EVENT ELEMENTS

EPOCH: 94126.31580012 MEAN ANOMALY: 240.6661
RIGHT ASCENSION: 110.6447 MEAN MOTION: 3.78477656
INCLINATION: 46.6223 MEAN MOTION DOT/2: .000127656
ECCENTRICITY: 0.6204369 MEAN MOTION DOT DOT/6: 00000-0
ARG. OF PERIGEE: 160.8637 BSTAR: 0.00086951

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation appears to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 38 objects which were associated with this breakup. Only 6 element sets were generated. This was the ninth in a series of fragmentations of this object type, and was the fourth located in a geosynchronous transfer orbit. Two possible fragmentation locations were calculated by the NAVSPOC. The numbers above represent the first possible calculated location.

REFERENCE DOCUMENTS


The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

The Fragmentation of Cosmos 2133 Debris, I. W. Grissom and D. J. Nauer, TBE Technical Report CS94-LKD-016, Teledyne Brown Engineering, Colorado Springs, 30 June 1994.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle”, B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Gabbard diagram of six objects from the Cosmos 2133 Debris Fragmentation

SATELLITE DATA

TYPE: Ariane 4 H10 Third Stage
OWNER: ESA
LAUNCH DATE: 2.98 Mar 1991
DRY MASS (KG): 1760
MAIN BODY: Cylinder; 2.6m diameter by 10m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 27 Apr 1994 LOCATION: 0.5S, 79E (dsc)
TIME: 0144 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 270 km

PRE-EVENT ELEMENTS

EPOCH: 94116.17965845 MEAN ANOMALY: 157.2349
RIGHT ASCENSION: 136.1778 MEAN MOTION: 2.86975555
INCLINATION: 6.5808 MEAN MOTION DOT/2: .00006058
ECCENTRICITY: .6829164 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 185.9406 BSTAR: .001267

DEBRIS CLOUD DATA

MAXIMUM ΔP : 148 min
MAXIMUM ΔI : 1.1 deg

COMMENTS

The fragmentation of this R/B occurred over 37 months after launch. Since deliberate passivation of Ariane GTO stages was not implemented until 1993, the vehicle was not purged of its residual propellants or pressurants. As many as 30 debris were detected.


REFERENCE DOCUMENTS

TRW Space Log 1957-1991. TRW Space and Defense Sector, Space and Technology Group. Redondo Beach, CA. 1992.

Space News, "Ariane Rocket Flies After Electrical Glitch Delay, Volume 2, Number 8, 11-17 March 1991.

Rockets of the World. Peter Alway, Ann Arbor, MI, 1993.

The Fragmentation of the Astra 1B/MOP 2 (1) Rocket Body. I. W. Grissom and D. J. Nauer, TBE Technical Report CS94-LKD-014, Teledyne Brown Engineering, Colorado Springs, 15 May 1994.



Astra 1B/MOP 2 R/B debris cloud of 7 fragments as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Tsyklon Third Stage
OWNER: CIS
LAUNCH DATE: 28.30 Sep 1991
DRY MASS (KG): 1360
MAIN BODY: Cone-cylinder; 2.1 m diameter by 2.4 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: Unknown

EVENT DATA

DATE: 09 Oct 1999 LOCATION: 41.5N, 217.9E
TIME: 1508 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 1460 km

PRE-EVENT ELEMENTS

EPOCH: 99281.98318497 MEAN ANOMALY: 220.2415
RIGHT ASCENSION: 96.5043 MEAN MOTION: 12.54216420
INCLINATION: 82.5731 MEAN MOTION DOT/2: .00000027
ECCENTRICITY: .0046780 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 140.1600 BSTAR: .00010000

DEBRIS CLOUD DATA


MAXIMUM ΔP: 2.716 min
MAXIMUM ΔI: 0.79 deg

COMMENTS

This is the 4th event of this class identified to date and the second of 1999. All stages have been about 8-10 years old at the time of breakup. The vehicle is a Ukrainian-produced stage, using UDMH and N₂O₄ as propellants. To date these stages have not been passivated at end of mission and may contain up to 300 kg of residual propellants. The issue of Tsyklon orbital stage breakups was discussed with representatives of the National Space Agency of Ukraine during 11-13 October 1999 in Darmstadt, Germany. More than 100 of these stages are currently in Earth orbit. Although the exact cause of these breakups remains unknown, all four events have occurred during periods of high solar flux, i.e., near solar maximum.

REFERENCE DOCUMENT

"Third Tsyklon Upper Stage Breaks Up", The Orbital Debris Quarterly News, NASA JSC, July 1999. Available online at <http://sn-callisto.jsc.nasa.gov/newsletter/v4i3/v4i3-2.html#news7>.



Cosmos 2157-2162 rocket body debris cloud of 31 fragments within one day of the event as reconstructed from US SSN database.

COSMOS 2163

1991-071A

21741

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 9.55 October 1991
DRY MASS (KG): 6000
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	6 December 1991	LOCATION:	55N, 154E (dsc)
TIME:	2021 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	210 km		

PRE-EVENT ELEMENTS

EPOCH:	91340.51933896	MEAN ANOMALY:	213.3470
RIGHT ASCENSION:	37.7884	MEAN MOTION:	16.18797546
INCLINATION:	64.7678	MEAN MOTION DOT/2:	.00862876
ECCENTRICITY:	.0054670	MEAN MOTION DOT DOT/6:	.000035685
ARG. OF PERIGEE:	147.5032	BSTAR:	.00035926

DEBRIS CLOUD DATA

MAXIMUM ΔP : >9.8 min*
MAXIMUM ΔI : 0.2 deg*

*Based on uncataloged debris data


COMMENTS

Spacecraft was destroyed with a planned detonation. Third fragmentation of the Cosmos 2031 subclass. Early elements on only 8 objects available. All debris reentered before being officially cataloged.

REFERENCE DOCUMENTS

The Fragmentation of Kosmos 2163, Technical Report CS92-TR-JSC-002, Teledyne Brown Engineering, Colorado Springs, Colorado, January 1992.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2163 debris cloud remnant of 8 objects one day after the event as reconstructed from US SSN database. This diagram is taken from the cited reference.

SATELLITE DATA

TYPE: Ariane 4 H10+ Third Stage
OWNER: ESA
LAUNCH DATE: 15.98 Apr 1992
DRY MASS (KG): 1800
MAIN BODY: Cylinder; 2.6 m diameter by 10 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	21 APR 1993 (EST)	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Unknown
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	93110.33659871	MEAN ANOMALY:	335.5551
RIGHT ASCENSION:	224.3451	MEAN MOTION:	2.28914093
INCLINATION:	4.03	MEAN MOTION DOT/2:	.000024
ECCENTRICITY:	.7248434	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	110.6851	BSTAR:	.0020699

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Although analysis indicates that 92-021C fragmented around 21 April 1993, the event was not recognized until eight pieces were cataloged during the period from 30 August 1994 to 2 September 1994. Naval Space Command reported that the eight objects were discovered during the period from July 1993 to July 1994.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 30.08 Jul 1992
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1.0 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: Prior to 0824, 8 Nov 1994 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 94310.28602258 MEAN ANOMALY: 9.8460
RIGHT ASCENSION: 65.2049 MEAN MOTION: 4.23571466
INCLINATION: 64.8556 MEAN MOTION DOT/2: .00001002
ECCENTRICITY: 0.5708388 MEAN MOTION DOT DOT/6: 00000-0
ARG. OF PERIGEE: 316.7786 BSTAR: 0.0033777

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.2 min
MAXIMUM ΔI : 0.9 deg

COMMENTS


Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Cherniatiev, Deputy Constructor for the Energiya NPO and Mr. Nicholas Johnson of Kaman Sciences, in October, 1992. The cause of this fragmentation appears to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 32 objects which were associated with this breakup on 8 Nov 94, 36 objects on 9 Nov and 31 objects on 10 Nov. This was the tenth in a series of fragmentations of this object type.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle, B. V. Cherniatiev, et al, First European Conference on Space Debris, 5-7 April 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Gabbard Diagram from the Cosmos 2204-2206 Debris Fragmentation

COSMOS 2225

1992-091A

22280

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 22.50 Dec 1992
DRY MASS (KG): 6000
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 18 February 1993 LOCATION: 55N, 157E (dsc)
TIME: 1856 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 220 km

PRE-EVENT ELEMENTS

EPOCH: 93040.89217375 MEAN ANOMALY: 244.5776
RIGHT ASCENSION: 125.1196 MEAN MOTION: 16.07940666
INCLINATION: 64.8919 MEAN MOTION DOT/2: .00301303
ECCENTRICITY: .0039285 MEAN MOTION DOT DOT/6: .000049705
ARG. OF PERIGEE: 115.8892 BSTAR: .00032572

DEBRIS CLOUD DATA

MAXIMUM ΔP : > 2.3 min
MAXIMUM ΔI : > 0.5 deg


COMMENTS

Spacecraft was destroyed with a planned detonation. Fourth fragmentation of the Cosmos 2031 subclass. Early elements on only 10 objects (including the parent) available; 21 objects were observed by Flyingdales soon after the event.

REFERENCE DOCUMENTS

Analysis of Fragmentations from December, 1992 - February, 1993, Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, Colorado, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2225 debris cloud remnant of 10 objects four days after the event as reconstructed
from the data provided by Naval Space Surveillance System
in a 22 February 1993 Satellite Support message.

COSMOS 2227 R/B

1992-093B

22285

SATELLITE DATA

TYPE: Zenit Second Stage
OWNER: CIS
LAUNCH DATE: 25.25 Dec 1992
DRY MASS (KG): 8300
MAIN BODY: Cylinder; 3.9m diameter by 12 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants (~900 kg), explosive charge (?)

EVENT DATA (#1)

DATE:	26 Dec 1992	LOCATION:	63 N, 60 E (asc)
TIME:	0738 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	830 km		

Note: NAVSPASUR could not correlate with 22285, but 22285 was closest object.

EVENT DATA (#2)

DATE:	26 Dec 1992	LOCATION:	44 N, 168 E (asc)
TIME:	2249 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	830 km		

EVENT DATA (#3)

DATE:	26 Dec 1992	LOCATION:	52 N, 63 E (dsc)
TIME:	2310 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	835 km		

EVENT DATA (#4)

DATE:	30 Dec 1992	LOCATION:	22 S, 172 E (dsc)
TIME:	0903 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	~ 830 km		

PRE-EVENT ELEMENTS TO EVENT #1

EPOCH:	92361.30431818	MEAN ANOMALY:	289.8749
RIGHT ASCENSION:	227.4354	MEAN MOTION:	14.1258288
INCLINATION:	71.0274	MEAN MOTION DOT/2:	-.00061925
ECCENTRICITY:	.0005311	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	71.7543	BSTAR:	-.034134

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.3 min *
MAXIMUM ΔI : 1.4 deg *

* Based upon comparison to pre-event elements,
includes all four events, based upon cataloged elements only.

COMMENTS

Four separate events were reported by NAVSPASUR. The first observed event was accompanied by an initial 18 objects, but could not be correlated with the rocket body element set. The rocket body was the closest object

to the BLAST point. The second event followed 15 hours later with 96 objects. The third event followed the second by less than 20 minutes and was based upon 51 pieces. The fourth event was accompanied by 3 objects. Element data on 164 objects has been combined into a single Gabbard Diagram. NAVSPASUR initially generated 164 element sets on the combined debris from these 4 events. On 24 April 1995 object 22366, 1992-093BF, fragmented liberating 1 associated piece.


REFERENCE DOCUMENTS

Cosmos 2227 Rocket Body Fragmentation Event, E. L. Jenkins, et. al., NAVSPASUR, Dahlgren, VA.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“The Recent Fragmentations of LEO Upper Stages”, G. Chernyavskiy et al, 45th IAF Congress, October 1994.



Naval Space Surveillance System generated 164 initial element sets on the four events which are plotted on the single Gabbard diagram above.

COSMOS 2237 R/B

1993-016B

22566

SATELLITE DATA

TYPE: Zenit Second Stage
OWNER: CIS
LAUNCH DATE: 26.10 Mar 1993
DRY MASS (KG): 8300
MAIN BODY: Cylinder; 3.9 m diameter by 12 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants (~900 kg), explosive charge (?)

EVENT DATA

DATE:	28 Mar 1993	LOCATION:	70N, 37E (dsc)
TIME:	0716 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	840 km		

PRE-EVENT ELEMENTS

EPOCH:	93088.27687915	MEAN ANOMALY:	84.1791
RIGHT ASCENSION:	258.8192	MEAN MOTION:	14.14093359
INCLINATION:	70.9947	MEAN MOTION DOT/2:	.00255882
ECCENTRICITY:	.0006748	MEAN MOTION DOT DOT/6:	.0
ARG. OF PERIGEE:	275.8565	BSTAR:	.12879

DEBRIS CLOUD DATA

MAXIMUM ΔP : 3.5 min
MAXIMUM ΔI : 0.1 deg

COMMENTS


At least 26 initial element sets were generated on this event by NAVSPASUR. The BLAST point was calculated from 12 objects.

REFERENCE DOCUMENTS

The Fragmentation of the Cosmos 2237 & 2243 Rocket Bodies, D. J. Nauer, TBE Technical Report CS93-LKD-016, Teledyne Brown Engineering, Colorado Springs, 15 June 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

“The Recent Fragmentations of LEO Upper Stages”, G. Chernyavskiy et al, 45th IAF Congress, October 1994.



Naval Space Surveillance System generated 24 initial element sets which are plotted on the Gabbard diagram above.

COSMOS 2238

1993-018A

22585

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 30.50 Mar 1993
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m long
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge (?)

EVENT DATA

DATE:	1 Dec 1994	LOCATION:	6.5 S, 243.0 E
TIME:	1111 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	275 km		

PRE-EVENT ELEMENTS

EPOCH:	94335.21831221	MEAN ANOMALY:	119.6648
RIGHT ASCENSION:	124.7826	MEAN MOTION:	16.06466469
INCLINATION:	65.0063	MEAN MOTION DOT/2:	.00787680
ECCENTRICITY:	.0069696	MEAN MOTION DOT DOT/6:	.0000095760
ARG. OF PERIGEE:	239.7651	BSTAR:	.00073936

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Cosmos 2238 was a member of the Cosmos 699-type and the first such spacecraft to breakup for seven years. As many as 26 debris were detected; however, additional debris probably decayed before they were observed.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 27.44 Apr 1993
DRY MASS (KG): 5700
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 27 Apr 1993 LOCATION: 61N, 81E (asc)
TIME: 1044 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 200 km

PRE-EVENT ELEMENTS *

EPOCH: 93119.28633059 MEAN ANOMALY: 283.6524
RIGHT ASCENSION: 51.8515 MEAN MOTION: 16.26199828
INCLINATION: 70.3602 MEAN MOTION DOT/2: .02823100
ECCENTRICITY: .0032877 MEAN MOTION DOT DOT/6: .000019668
ARG. OF PERIGEE: 76.8057 BSTAR: .00077017

* Note: Element Set 1 not generated until ~2 days after the event.

DEBRIS CLOUD DATA

MAXIMUM ΔP: 7.1 min
MAXIMUM ΔI: 0.4 deg


COMMENTS

Although this event was originally thought to be a fragmentation of the Soyuz final stage rocket body, it was actually the payload which fragmented. This event occurred near orbital insertion into the operational orbit. It is unclear whether the payload was attached at the time of the event. The payload malfunctioned and self-destructed. There were 25 initial element sets available after launch. NAVSPASUR reported tracking approximately 27 objects on 30 April 1993, and detected as many as 20 more unknowns. The final official piece count associated with this event was 172 objects. Due to the very low altitude, most objects decayed from this cloud within 2 weeks of launch. No cataloged element sets were released until almost 2 days after the event.

REFERENCE DOCUMENTS

The Fragmentation of the Cosmos 2237 & 2243 Rocket Bodies, D. J. Nauer, TBE Technical Report CS93-LKD-016, Teledyne Brown Engineering, Colorado Springs, 15 June 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Naval Space Surveillance System generated 25 initial element sets on the Cosmos 2243 fragmentation which are plotted on the Gabbard diagram above.

COSMOS 2259

1993-045A

22716

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 14.69 Jul 1993
DRY MASS (KG): 5700
MAIN BODY: Cone-cylinder; 2.7 m diameter by 6.3 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	25 Jul 1993	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Deliberate
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	93205.96411483	MEAN ANOMALY:	292.3177
RIGHT ASCENSION:	134.4696	MEAN MOTION:	16.09525981
INCLINATION:	67.1310	MEAN MOTION DOT/2:	0.00638090
ECCENTRICITY:	0.0113387	MEAN MOTION DOT DOT/6:	0.000023099
ARG. OF PERIGEE:	68.9805	BSTAR:	0.00025239

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Spacecraft was destroyed after a malfunction prevented reentry and landing in the CIS. Event identified by Russian officials during investigation cited below.

REFERENCE DOCUMENT

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

COSMOS 2262

1993-057A

22789

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 7.56 Sep 1993
DRY MASS (KG): 6000
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE: 18 Dec 1993 LOCATION: 65N, 107E (dsc)
TIME: 0711 GMT ASSESSED CAUSE: Deliberate
ALTITUDE: 195 km

PRE-EVENT ELEMENTS

EPOCH: 93352.09835999 MEAN ANOMALY: 294.6647
RIGHT ASCENSION: 209.9170 MEAN MOTION: 16.17608693
INCLINATION: 64.8761 MEAN MOTION DOT/2: .00554324
ECCENTRICITY: .0065884 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 66.1310 BSTAR: .00022099

DEBRIS CLOUD DATA

MAXIMUM ΔP: 8.7 min *
MAXIMUM ΔI: 0.8 deg *

* Based on uncataloged debris data


COMMENTS

Spacecraft was destroyed with a planned detonation. Fifth fragmentation of this sub-type (Cosmos 2031 subclass). Early elements on 43 objects (including the parent) were collected; at least 179 objects were reported by the NAVSPOC for early passes through the NAVSPASUR fence.

REFERENCE DOCUMENTS

The Fragmentation of Cosmos 2262, Technical Report CS94-LKD-006, Teledyne Brown Engineering, Colorado Springs, Colorado, 31 December 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.



Cosmos 2262 debris cloud based upon 43 early element sets provided by the NAVSPOC.

SATELLITE DATA

TYPE: Proton Block DM SOZ Ullage Motor
OWNER: CIS
LAUNCH DATE: 18.58 Nov 1993
DRY MASS (KG): ~55 kg
MAIN BODY: ~0.6 m x 0.6 m x 1.0 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants ?

EVENT DATA

DATE: 6-7 Sep 2000 LOCATION: Unknown
TIME: between 1918-0253 GMT ASSESSED CAUSE: Propellant-Related
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH:	00250.18110680	MEAN ANOMALY:	305.0033
RIGHT ASCENSION:	135.7916	MEAN MOTION:	6.55809618
INCLINATION:	46.7439	MEAN MOTION DOT/2:	.00601672
ECCENTRICITY:	.4592082	MEAN MOTION DOT DOT/6:	.00000031378
ARG. OF PERIGEE:	109.1361	BSTAR:	.00059159

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This is the 22nd breakup event for an object of this class, and the first of the year 2000. The breakups are assessed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. The environmental consequence of the breakup will be short-lived; the object is in catastrophic decay from a Geosynchronous transfer orbit. Latest estimate of the breakup time is between 1918 GMT, 6 September and 0253 GMT, 7 September.

REFERENCE DOCUMENT

"September Breakup is 22nd in Series", The Orbital Debris Quarterly News, NASA JSC, October 2000. Available on-line at <http://sn-callisto.jsc.nasa.gov/newsletter/v5i4/v5i4.html#news2>.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Titan II Second Stage
OWNER: US
LAUNCH DATE: 25.69 Jan 1994
DRY MASS (KG): 2860
MAIN BODY: Cylinder
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 7 Feb 1994 LOCATION: 59S, 126W (dsc)
TIME: 1719 GMT ASSESSED CAUSE: Unknown
ALTITUDE: 260 km

PRE-EVENT ELEMENTS

EPOCH: 94038.24510489 MEAN ANOMALY: 208.0182
RIGHT ASCENSION: 47.9208 MEAN MOTION: 16.13665058
INCLINATION: 66.9945 MEAN MOTION DOT/2: .01050211
ECCENTRICITY: .0027030 MEAN MOTION DOT DOT/6: .0000059221
ARG. OF PERIGEE: 152.2460 BSTAR: .00081413

DEBRIS CLOUD DATA

MAXIMUM ΔP: 5.6 min *
MAXIMUM ΔI: 0.6 deg *


* Based on uncataloged debris data

COMMENTS

First Titan II Second Stage to violently fragment. NAVSPOC reported observing a maximum of 364 objects in the early debris cloud, and the NAVSPOC released 45 element sets. Engineering analysis by the manufacturer (Martin Marietta) indicates no known failure mechanism, although unspent on-board propellants were present.

REFERENCE DOCUMENTS

The Fragmentation of the Clementine Rocket Body, TBE Technical Report CS94-LKD-010, Teledyne Brown Engineering, Colorado Springs, Colorado, 31 March 1994.



Gabbard diagram of 45 NACSPOC element sets.

SATELLITE DATA

TYPE: Pegasus HAPS
OWNER: USA
LAUNCH DATE: 19.71 May 1994
DRY MASS (KG): 97
MAIN BODY: Cylinder; 0.97 m diameter by 0.93 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.
ENERGY SOURCES: On-board propellants and pressurants

EVENT DATA

DATE:	3 Jun 1996	LOCATION:	67 S, 56 E (asc)
TIME:	1518 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	625 km		

PRE-EVENT ELEMENTS

EPOCH:	96155.10100506	MEAN ANOMALY:	108.3711
RIGHT ASCENSION:	197.8565	MEAN MOTION:	14.56780581
INCLINATION:	81.9749	MEAN MOTION DOT/2:	0.00000158
ECCENTRICITY:	0.0165742	MEAN MOTION DOT DOT/6:	0
ARG. OF PERIGEE:	249.9583	BSTAR:	0.000025815

DEBRIS CLOUD DATA


MAXIMUM ΔP : 27.9 min
MAXIMUM ΔI : 2.4 deg

COMMENTS

The Pegasus HAPS vehicle was employed for only the second time. It failed to place its payload into the assigned circular orbit and had an estimated 5-8 kg of residual propellant plus propellant for attitude control on board. The fragmentation of the small, 2-year-old upper stage produced a record number of more than 750 tracked debris. This is about an order of magnitude more than can be expected for the small dry mass of the R/B of 97 kg. Observations suggest that the debris are physically small with a high radar reflectivity. Investigations suggest that a regulator failure led to overpressurization of the propellant tank which in turn ruptured.

REFERENCE DOCUMENT

"Major Satellite Breakup in June", Nicholas L. Johnson, Orbital Debris Quarterly News, NASA JSC, September 1996, p. 2 and 11.



Step II R/B debris cloud of 713 fragments as of August 29, 1996 as
reconstructed from US SSN database.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 6.99+ Jul 1994
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: Approx. 21 Oct 95 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 95293.99530492 MEAN ANOMALY: 2.33725319
RIGHT ASCENSION: 157.0951 MEAN MOTION: 321.8211
INCLINATION: 47.0485 MEAN MOTION DOT/2: .00002472
ECCENTRICITY: .7223127 MEAN MOTION DOT DOT/6: .0000
ARG. OF PERIGEE: 127.9520 BSTAR: .0010694

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Chernlatiev, Deputy Constructor for the Energiya NPO, in October, 1992. The cause of this fragmentation is assumed to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed 114 objects which were associated with this breakup.


REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

"Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle", B. V. Cherniatiev et al, Proceedings of the First European Conference on Space Debris, April 1993.



Cosmos 2282 ullage motor debris cloud of 6 fragments assembled by NAVSPOC.

SATELLITE DATA

TYPE: Rocket Body
OWNER: Japan
LAUNCH DATE: 28.33 Aug 1994
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 4.0 m diameter by 10.6 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Gimballed nozzle, plus two hydrazine thrusters
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	Prior to 31 Mar 1995	LOCATION:	Unknown
TIME:	2253	ASSESSED CAUSE:	Aerodynamics
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	95090.75654864	MEAN ANOMALY:	352.7850
RIGHT ASCENSION:	7.0822	MEAN MOTION:	10.43224595
INCLINATION:	28.5585	MEAN MOTION DOT/2:	.46313145
ECCENTRICITY:	0.2679425	MEAN MOTION DOT DOT/6:	-22718-6
ARG. OF PERIGEE:	16.2250	BSTAR:	19696-2

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This was the first breakup of a Japanese launch and was the second launch of this vehicle. The pieces decayed too rapidly to obtain a valid time and location of the event. The breakup occurred during catastrophic orbital decay and is believed to have been aerodynamically induced.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 31.60 Oct 1994
DRY MASS (KG): 55
MAIN BODY: Ellipsoid; 0.6 m diameter by 1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: Prior to 0547, 11 May 95 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 95130.00087914 MEAN ANOMALY: 317.6470
RIGHT ASCENSION: 200.4799 MEAN MOTION: 11.93599702
INCLINATION: 46.9113 MEAN MOTION DOT/2: .99999999
ECCENTRICITY: 0.2007574 MEAN MOTION DOT DOT/6: 34693-4
ARG. OF PERIGEE: 63.6124 BSTAR: .021116

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Parent satellite was one of two small engine units which are routinely released after the first burn of the Proton fourth stage. The nature of these objects was identified by Dr. Boris V. Cherniatiev, Deputy Constructor for the Energiya NPO and Mr. Nicholas Johnson of Kaman Sciences, in October, 1992. The cause of this fragmentation appears to be related to the residual hypergolic propellants on board and failure of the membrane separating the fuel and oxidizer. NAVSPASUR observed up to 13 objects which were associated with this breakup on 11 May 95. This was the eleventh in a series of fragmentations of this object type.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

Identification and Resolution of an Orbital Debris Problem with the Proton Launch Vehicle, B. V. Cherniatiev, et al, First European Conference on Space Debris, 5-7 April 1993.

History of Soviet/Russian Satellite Fragmentations-A Joint U.S.-Russian Investigation, N. L. Johnson et al, Kaman Sciences Corporation, October 1995.

Insufficient data to construct a Gabbard diagram.

RS-15 R/B

1994-085B

23440

SATELLITE DATA

TYPE: Rokot Third Stage
OWNER: CIS
LAUNCH DATE: 26.13 Dec 1994
DRY MASS (KG): 1000
MAIN BODY: Cylinder; 2.4 m diameter by 2.8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Unknown
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE:	26 Dec 1994	LOCATION:	51.6S, 53W (asc)
TIME:	0627 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	1880 km		

PRE-EVENT ELEMENTS


EPOCH:	94361.79150546	MEAN ANOMALY:	66.1014
RIGHT ASCENSION:	172.1572	MEAN MOTION:	11.27113018
INCLINATION:	64.8297	MEAN MOTION DOT/2:	-.00000043
ECCENTRICITY:	0.0188748	MEAN MOTION DOT DOT/6:	00000-0
ARG. OF PERIGEE:	292.0126	BSTAR:	00000+0

DEBRIS CLOUD DATA

MAXIMUM ΔP : 4.5 min
MAXIMUM ΔI : 0.2 deg

COMMENTS

Parent satellite was the Rokot third stage. The Rokot is an SS-19 ICBM based vehicle with a new third stage referred to as Breaz. All three stages are fueled with UDMH/N2O4. NAVSPASUR observed 34 objects which were associated with this breakup.



Gabbard diagram for RS-15 R/B debris cloud of 23 fragments
as reconstructed from US SSN database.

COSMOS 2313

1995-028A

23596

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 8.20 Jun 1995
DRY MASS (KG): 3000
MAIN BODY: Cylinder; 1.3 m diameter by 17 m length
MAJOR APPENDAGES: Solar arrays
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge ?

EVENT DATA

DATE:	26 June 1997	LOCATION:	44 N, 173 E (asc.)
TIME:	0257 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	285 km		

PRE-EVENT ELEMENTS

EPOCH:	97176.10173599	MEAN ANOMALY:	124.6445
RIGHT ASCENSION:	342.0749	MEAN MOTION:	16.02369895
INCLINATION:	65.0221	MEAN MOTION DOT/2:	0.00306537
ECCENTRICITY:	0.0084335	MEAN MOTION DOT DOT/6:	0.0000069339
ARG. OF PERIGEE:	234.6794	BSTAR:	0.00033322

DEBRIS CLOUD DATA


MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

Cosmos 2313 was the first spacecraft of its type to breakup since November 1987. Prior to the current event 16 spacecraft of this class (Cosmos 699) have experienced breakups in low Earth orbit. In the 1980's procedures were introduced to deplete remaining propellants at the end of mission, reducing orbital lifetime at the same time. Cosmos 2313 performed such a maneuver during 22-23 April 1997 and was close to reentry at the time of the event. Earlier spacecraft breakups resulted in up to 150 or more trackable debris. The cause of the event may well not be propellant related, but by reducing the orbital lifetime recent vehicles have decayed before the trigger mechanism could activate. At least 90 debris were detected after this event.

REFERENCE DOCUMENT

"Three Satellite Breakups During May-June", The Orbital Debris Quarterly News, NASA JSC, Jul-Sep 1997, p. 2.



Cosmos 2313 debris cloud of 13 fragments 1 day to 2 weeks after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Payload
OWNER: France
LAUNCH DATE: 7.68 Jul 1995
DRY MASS (KG): 50
MAIN BODY: Box, 0.6 m by 0.3 m by 0.3 m
MAJOR APPENDAGES: 6 m long gravity-gradient boom; solar panels
ATTITUDE CONTROL: Gravity-gradient stabilized
ENERGY SOURCES: Battery

EVENT DATA

DATE: 24 Jul 1996 LOCATION: 38 S, 60 E (asc)
TIME: 0948 GMT ASSESSED CAUSE: Collision
ALTITUDE: 685 km

PRE-EVENT ELEMENTS

EPOCH: 96205.39273562 MEAN ANOMALY: 292.8048
RIGHT ASCENSION: 141.7519 MEAN MOTION: 14.67264268
INCLINATION: 98.1025 MEAN MOTION DOT/2: 0.00000083
ECCENTRICITY: 0.0008991 MEAN MOTION DOT DOT/6: 0
ARG. OF PERIGEE: 67.4104 BSTAR: 0.000023247

DEBRIS CLOUD DATA

MAXIMUM ΔP : N/A
MAXIMUM ΔI : N/A

COMMENTS

The incident marked the first time that two objects in the U.S. satellite catalog are known to have accidentally run into one another. The CERISE spacecraft (Satellite Number 23606, International Designator 1995-033B) is a microsatellite of British design. The other participant in the encounter was Satellite Number 18208 (International Designator 1986-019RF) which was generated in November, 1986, when ESA's SPOT 1 rocket body broke-up into nearly 500 tracked debris. The orbit of this fragmentation debris at the time of the collision was 660 km by 680 km at an inclination of 98.45 degrees. The collision, which occurred with a relative velocity of 14.8 km/s, produced only a single piece of debris large enough to be tracked, i.e., the upper portion of the gravity-gradient boom. Analysis of the manufacturer of the space craft bus, Surrey Satellite Technology Ctd. at the University of Surrey, United Kingdom suggested that the 6 m, gravity-gradient boom had been severed at 3.1-3.2 meter from its base.

Using USAF Space Command's COMBO (Computation of Miss Between Orbits) program, a close approach of less than 1 km between Satellite 23606 and Satellite 18208 was determined by NASA JSC to have taken place at 0948 GMT on 24 July over the southern Indian Ocean. Naval Space Operations Center (NAVSPOC) at Dahlgren, Virginia, replicated the NASA findings and, using direct observational data and special perturbation theory, was able to refine the miss distance uncertainty to within 137 m. In addition, NAVSPOC identified a minor perturbation in the orbit of Satellite 18208 which occurred about the time of the event.


REFERENCE DOCUMENTS

"First Natural Collision of Cataloged Earth Satellites", N. L. Johnson, The Orbital Debris Quarterly News, NASA JSC, Sep 1996, p. 1.

“Collision of CERISE with Space Debris”, F. Alby et al, Proceedings of the Second European Conference on Space Debris, SP-393, p. 589-596.

“First ‘Confirmed’ Natural Collision Between Two Cataloged Satellites”, T. Payne, Proceedings of the Second European Conference on Space Debris, SP-393, p. 597-600.

“Predicting Conjunctions with Trackable Space Debris: Some Recent Experiences”, E. L. Jenkins and P. W. Schumacher, Jr., AAS 97-014, 20th Annual AAS Guidance and Control Conference, February 1997.



CERISE debris cloud of 2 fragments four days after the event as reconstructed from US SSN database.

SATELLITE DATA

TYPE: Proton Block DM SOZ Ullage Motor
OWNER: CIS
LAUNCH DATE: 24.66 Jul 1995
DRY MASS (KG): ~55 kg
MAIN BODY: ~0.6 m x 0.6 m x 1.0 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants ?

EVENT DATA

DATE:	21 Nov 2000	LOCATION:	Unknown
TIME:	Unknown	ASSESSED CAUSE:	Propellant-Related
ALTITUDE:	Unknown		

PRE-EVENT ELEMENTS

EPOCH:	00324.99357911	MEAN ANOMALY:	90.3648
RIGHT ASCENSION:	200.0539	MEAN MOTION:	4.50149006
INCLINATION:	64.4375	MEAN MOTION DOT/2:	.00164632
ECCENTRICITY:	.5787543	MEAN MOTION DOT DOT/6:	.00000030156
ARG. OF PERIGEE:	213.7574	BSTAR:	.00048999

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This is the 4th breakup of 2000 and the 23rd breakup of a Proton SOZ motor (see Orbital Debris Quarterly Newsletter V, Issue 4, p. 2.) This object is associated with the 24 July 1995 launch (1995-037) of the Cosmos 2316-2318 satellites. These members of the Glonass series are equivalent to GPS/Navstar satellites and reside in middle Earth orbit. This object was one of two pieces left in the transfer orbit and is assessed to be one of the SOZ ullage/orientation motor units. As of November 21, 2000, this object had been on orbit 5 years and 121 days.

REFERENCE DOCUMENT

“SOZ Ullage Motor Breakup”, The Orbital Debris Quarterly News, NASA JSC, January 2001. Available on-line at <http://sn-callisto.jsc.nasa.gov/newsletter/v6i1/v6i1.html#news2>.

Insufficient data to construct a Gabbard diagram.

RADUGA 33 R/B

1996-010D

23797

SATELLITE DATA

TYPE: Proton Block DM Fourth Stage
OWNER: CIS
LAUNCH DATE: 19.36 Feb 96
DRY MASS (KG): 3400 (?)
MAIN BODY: Cylinder; 3.7 m diameter by 6.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, pressurants, and batteries

EVENT DATA

DATE:	19 Feb 96	LOCATION:	0.2 N, 88.8 E (dsc)
TIME:	14.59 GMT	ASSESSED CAUSE:	Propulsion
ALTITUDE:	36511 km		

POST-EVENT ELEMENTS

EPOCH:	96058.46760248	MEAN ANOMALY:	359.9314
RIGHT ASCENSION:	280.4138	MEAN MOTION:	2.23172282
INCLINATION:	48.7	MEAN MOTION DOT/2:	.0002158
ECCENTRICITY:	.7321111	MEAN MOTION DOT DOT/6:	.0000
ARG. OF PERIGEE:	1.7779	BSTAR:	.00068491

DEBRIS CLOUD DATA


MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

The first burn of this stage was successful and indicates that 23797 was in a transfer orbit. However, prior to the first pass through the NAVSPOC fence, 23797 fragmented. Twenty (20) pieces were observed during this first pass. During a subsequent pass, 196 pieces were observed which were associated with the upperstage. Stage apparently brokeup after main engine restart for GEO apogee maneuver.

REFERENCE DOCUMENT

"Satellite Fragmentations in 1996", N. L. Johnson, The Orbital Debris Quarterly News, NASA JSC, Jan-Mar 1997, p. 1.



Gabbard diagram from Raduga 33 from NAVSPOC elements.

SATELLITE DATA

TYPE: Mission Related Debris
OWNER: CIS
LAUNCH DATE: 25.09 May 1996
DRY MASS (KG): ~55
MAIN BODY: Ellipsoid; 0.6 m by 1 m
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Unknown
ENERGY SOURCES: On-board Propellants

EVENT DATA

DATE: ~13 Dec 1999 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion-Related
ALTITUDE: Unknown

PRE-EVENT ELEMENTS

EPOCH: 99347.02294368 MEAN ANOMALY: 314.8549
RIGHT ASCENSION: 194.3249 MEAN MOTION: 9.75630550
INCLINATION: 46.4558 MEAN MOTION DOT/2: .00969995
ECCENTRICITY: .2950283 MEAN MOTION DOT DOT/6: .0000015400
ARG. OF PERIGEE: 75.9037 BSTAR: .00055450

CATALOGED DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

This is 21st breakup event for an object of this class, and the third in 1999. The breakups are believed to be caused by residual propellants. Russian officials have been aware of the problem since 1992 and have made design changes, although the date of full implementation is unknown. This is the most recently launched object to breakup (age = ~3.5 years). The environmental consequence of the breakup was short-lived; the object was in catastrophic decay from a geosynchronous transfer orbit.

REFERENCE DOCUMENTS

The Fragmentation of Proton Debris, D. J. Nauer, TBE Technical Report CS93-LKD-004, Teledyne Brown Engineering, Colorado Springs, 31 December 1992.

Analysis of Fragmentations From December 1992 - February 1993, TBE Technical Report CS93-LKD-010, Teledyne Brown Engineering, Colorado Springs, 30 March 1993.

Insufficient data to construct a Gabbard diagram.

COSMOS 2343

1997-024A

24805

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 15.51 May 1997
DRY MASS (KG): 6000
MAIN BODY: Cylinder; 2.4 m diameter by 7 m length
MAJOR APPENDAGES: Solar arrays
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants, explosive charge

EVENT DATA

DATE:	16 Sep 1997	LOCATION:	58.2 N, 157.5 E (asc.)
TIME:	2208 GMT	ASSESSED CAUSE:	Deliberate
ALTITUDE:	230 km		

PRE-EVENT ELEMENTS

EPOCH:	97258.16080604	MEAN ANOMALY:	247.0345
RIGHT ASCENSION:	1.1478	MEAN MOTION:	16.06645410
INCLINATION:	64.8485	MEAN MOTION DOT/2:	0.00206295
ECCENTRICITY:	0.0048612	MEAN MOTION DOT DOT/6:	0.000026376
ARG. OF PERIGEE:	113.5945	BSTAR:	0.00022999

DEBRIS CLOUD DATA


MAXIMUM ΔP : 7.3 min
MAXIMUM ΔI : 0.9 deg

COMMENTS

Cosmos 2343 was the sixth of the Cosmos 2031 class of spacecraft which debuted in 1989 but was not flown since 1993. In all five previous missions (1989-1993), the spacecraft was deliberately exploded at the end of mission. Previous missions of this type include Cosmos 2031, Cosmos 2101, Cosmos 2163, Cosmos 2225, and Cosmos 2262. All such events have occurred over Eastern Russia. This event, as with three of the previous events, occurred over the Kamchatka Peninsula. Highest previous piece count for large debris for this class of vehicle was 180, although more were probably created. Due to the low altitude of the breakup, the debris were short-lived.

REFERENCE DOCUMENT

"International LEO Spacecraft Breakup in September", N. L. Johnson, The Orbital Debris Quarterly News, NASA JSC, Oct.-Dec 1997, p. 2.



Cosmos 2343 debris cloud of 28 fragments as reconstructed from US SSN database.

SATELLITE DATA

TYPE:	Payload
OWNER:	CIS
LAUNCH DATE:	9.30 Dec 1997
DRY MASS (KG):	3000
MAIN BODY:	1.3 m diameter by 17 m length, plus solar arrays
MAJOR APPENDAGES:	Solar arrays
ATTITUDE CONTROL:	Active, 3-axis
ENERGY SOURCES:	On-board propellants, explosive charge ?

EVENT DATA

DATE:	22 Nov 1999	LOCATION:	31.6N, 4.3E
TIME:	0440 GMT	ASSESSED CAUSE:	Unknown
ALTITUDE:	370 km		

PRE-EVENT ELEMENTS

EPOCH:	99325.85267585	MEAN ANOMALY:	85.1293
RIGHT ASCENSION:	332.8746	MEAN MOTION:	15.83563975
INCLINATION:	65.0115	MEAN MOTION DOT/2:	.00295116
ECCENTRICITY:	.0134056	MEAN MOTION DOT DOT/6:	.000036131
ARG. OF PERIGEE:	273.4567	BSTAR:	.00065869

DEBRIS CLOUD DATA

MAXIMUM ΔP :	2.834 min
MAXIMUM ΔI :	0.22 deg


COMMENTS

Cosmos 2347 was the 18th spacecraft of this type known to have experienced a major fragmentation. Such events were common prior to 1988, but only three breakups have occurred during the past 12 years: Cosmos 2347, Cosmos 2238 (1Dec 1994), and Cosmos 2313 (26 June 1997). In this case Cosmos 2347 had performed a standard end-of-mission maneuver on 19 November 1999, a little more than two days before the breakup. Extensive analyses of these events have been conducted, although the cause is still unknown in the open literature.

A second breakup of Cosmos 2347 was discovered on 10 December when the spacecraft's orbit had decayed to 175 km by 250 km. Three dozen new debris were detected after the second event, but the very low altitude made it difficult to assess accurately the number of large debris. Prior spacecraft (especially Cosmos 1220, 1260, and 1306) also experienced multiple fragmentations.

REFERENCE DOCUMENT

"Satellite Breakups Increase in Last Quarter of 1999", The Orbital Debris Quarterly News, NASA JSC, January 2000. Available online at <http://sn-callisto.jsc.nasa.gov/newlsetter/v5i1/v5i1.html#news2>.



Cosmos 2347 debris cloud of 7 fragments within one day of the event as
reconstructed from US SSN database.

SATELLITE DATA

TYPE: Proton Block DM Fourth Stage
OWNER: CIS
LAUNCH DATE: 24.97 Dec 1997
DRY MASS (KG): 3400 (?)
MAIN BODY: Cylinder; 3.7 m diameter by 6.3 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 25 Dec 1997 LOCATION: 0.3 S, 91.2 E (dsc)
TIME: 0550 GMT ASSESSED CAUSE: Propulsion
ALTITUDE: 35995 km

POST-EVENT ELEMENTS

EPOCH: 97359.90803672 MEAN ANOMALY: 359.8589
RIGHT ASCENSION: 92.0594 MEAN MOTION: 2.26580509
INCLINATION: 51.4499 MEAN MOTION DOT/2: -0.00000507
ECCENTRICITY: 0.7304004 MEAN MOTION DOT DOT/6: 0
ARG. OF PERIGEE: 1.0181 BSTAR: 0

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

The commercial Asiasat 3 spacecraft was launched by a Proton launch vehicle at 2319 GMT, 24 December 1997. The fourth stage completed its first burn successfully about 0035 GMT, 25 December, placing the R/B-S/C combination into a GTO. When the vehicle reached its first apogee, the main engine was restarted but shutdown within one second, apparently due to a catastrophic failure. The U.S. Space Surveillance Network detected less than 10 objects, and by 9 January only 1-2 were still being observed. The fragmentation is similar to the breakup of the Raduga 33 upper stage on 19 Feb 1996. In that case, nearly 200 debris were detected by the SSN.

REFERENCE DOCUMENT

"Recent Satellite Fragmentation Investigations", N. L. Johnson, The Orbital Debris Quarterly News, January 1998, p. 3.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: H-II Second Stage
OWNER: Japan
LAUNCH DATE: 21.33 Feb 1998
DRY MASS (KG): 3000
MAIN BODY: Spheroid + cylinder + cone; 4 m diameter by 10.1 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: Active, 3-axis
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 21 Feb 1998 LOCATION: Unknown
TIME: Unknown ASSESSED CAUSE: Propulsion
ALTITUDE: Unknown

POST-EVENT ELEMENTS

EPOCH: 98054.59975400 MEAN ANOMALY: 162.0601
RIGHT ASCENSION: 294.3031 MEAN MOTION: 13.51967368
INCLINATION: 30.0458 MEAN MOTION DOT/2: 0.0002873
ECCENTRICITY: 0.1097485 MEAN MOTION DOT DOT/6: -0.000003104
ARG. OF PERIGEE: 194.5714 BSTAR: 0.00029603

DEBRIS CLOUD DATA

MAXIMUM ΔP : Unknown
MAXIMUM ΔI : Unknown

COMMENTS

According to a NASDA report, a welding failure caused the LE-5A engine shutdown that stranded the Japanese COMETS satellite (1998-011A) in an elliptical orbit. The failure occurred 47 seconds into an apogee-raising maneuver. The report determined from telemetry data that hot combustion gases managed to penetrate special welding, called brazing, between nickel alloy cooling tubes in the lowest part of the combustion chamber near the top of the engine's nozzle skirt. Burning through the tubes, combustion gases quickly caused a fire, which triggered the engine shutdown. The report concludes the accident was caused by a manufacturing flaw and not a fundamental design problem. At least three dozen debris were detected by optical sensors in Hawaii.

REFERENCE DOCUMENT

"The Upper Stage Breakups in One Week Top February Debris Activity", The Orbital Debris Quarterly News, NASA JSC, April 1998, p. 1.

Insufficient data to construct a Gabbard diagram.

SATELLITE DATA

TYPE: Long March 4 third stage
OWNER: PRC
LAUNCH DATE: 14.14 Oct 1999
DRY MASS (KG): 1000
MAIN BODY: Cylinder nozzle; 2.9 m diameter by ~5 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None
ENERGY SOURCES: On-board propellants

EVENT DATA

DATE: 11 Mar 2000 LOCATION: 51.2S, 48.5W
TIME: 1304 UTC ASSESSED CAUSE: Propulsion
ALTITUDE: 741 km

PRE-EVENT ELEMENTS

EPOCH: 00069.14898026 MEAN ANOMALY: 43.0989
RIGHT ASCENSION: 145.5131 MEAN MOTION: 14.46866365
INCLINATION: 98.5373 MEAN MOTION DOT/2: .00001603
ECCENTRICITY: .0012467 MEAN MOTION DOT DOT/6: .0
ARG. OF PERIGEE: 316.9224 BSTAR: .00045410

DEBRIS CLOUD DATA


MAXIMUM ΔP : 10.985 min
MAXIMUM ΔI : 0.99 deg

COMMENTS

This is the second Long March 4 to breakup in only four missions. The first breakup (flight 2) occurred on 4 Oct 1990, one month after launch. Long March 4 missions did not resume until 1999, when two more were flown. This breakup involved the second 1999 mission (flight 4) and occurred five months after launch. This event has created more trackable debris than the 1990 breakup, with more than 300 pieces tracked by the SSN. Chinese officials were aware of the international concern following the 1990 breakup and had pledged to adopt countermeasures before the 1999 missions. Passivation of this vehicle was attempted.

REFERENCE DOCUMENT

"Analyzing the Cause of LM-4 (A)'s Upper Stage's Disintegration and the Countermeasures", W. X. Zang and S. Y. Liao, 5th International Conference of Pacific Basin Societies, 6-9 Jun 1993, Shanghai.



CBERS-1 / SACI-1 long March 4 third stage debris cloud of 280 fragments within one day of the event as reconstructed from US SSN database.

3.0 SATELLITE ANOMALOUS EVENTS

This section describes the identified anomalous events compiled throughout the years of the Satellite Catalog and orbital debris analysis associated with this volume. No exhaustive search for anomalous events has yet been conducted, although the following compilation should represent the most significant events noted thus far.

3.1 Background and Status

As defined in the introduction of this volume, an **anomalous event** is the unplanned separation, usually at low velocity, of one or more detectable objects from a satellite which remains essentially intact. The assessment that the configuration of the parent satellite has not changed significantly is to a degree subjective and is often based on indirect parameters and not on detailed imagery.

Anomalous events can be caused by material deterioration of items such as thermal blankets, protective shields, or solar panels and by impacts of small debris, either natural or man-made. Other satellite deteriorations, e.g., paint debonding, are known to take place, but are undetectable with the sensors of the U.S. SSN. Interestingly, 25 of the 34 satellites in this section are U.S., 8 are C.I.S. and 1 is Japanese. Of the 34 satellites, 23 are payloads and 11 are rocket bodies. These events are summarized in Tables 3.1 and 3.2.

Because of the usually low velocity of debris ejection and the potential delay in detecting debris liberated in small numbers, the accuracy of the calculated time of separation is often degraded. Hence, only the month and year of each event are provided, although in some cases the time of the event has been narrowed to a shorter interval. As in the previous section, orbital altitudes are cited to the nearest 5 km based on a mean Earth radius and on the last element set prior to the assessed event date.

Anomalous event debris often exhibit unusually high decay rates which are indicative of high area-to-mass ratios. This feature, coupled with the normal small size of the debris, hinders official tracking and cataloging. Consequently, some debris are observed but are lost or decay before being assigned a permanent catalog number. The numbers of cataloged debris listed in this section are only from the anomalous events and do not include normal operational debris identified with the particular launch nor the parent itself.

Historically, anomalous events have often been confused with satellite breakups and have not been the subject of separate, extensive analyses. The list of events in this section is known to be incomplete. Several other satellites have been tentatively tagged as sources of anomalous events. Moreover, preliminary satellite catalog surveys suggest that additional anomalous events have occurred but remain unrecognized as such. Table 3.2 suggests a potential correlation of anomalous events with high solar activity. This section will be updated as future studies warrant.

TABLE 3.1 HISTORY OF SATELLITE ANOMALOUS EVENTS BY LAUNCH DATE

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	IN-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
TRANSIT 5B-N2	1963-049B	704	5-Dec-63	9/10-Jan-98	1	1	1	1110	1060	90.1
OPS 4412 (TRANSIT 9)	1964-026A	801	4-Jun-64	Dec-80	4	4	0	930	845	90.5
COSMOS 44 R/B	1964-053B	877	28-Aug-64	Nov-90	1	2	2	775	655	65.1
OPS 4988 (GREB 6)	1965-016A	1271	9-Mar-65	Nov-80	1	1	1	935	900	70.1
OPS 4682 (SNAPSHOT)	1965-027A	1314	3-Apr-65	1-Nov-79	7	52	50	1320	1270	90.3
OPS 8480 (TRANSIT 5B-N6)	1965-048A	1420	24-Jun-65	Aug-80	4	10	4	1135	1025	89.9
OPS 1509 (TRANSIT 10)	1965-109A	1864	22-Dec-65	30-Nov-96	2	2	1	1065	895	89.1
OPS 1593 (TRANSIT 11)	1966-005A	1952	28-Jan-66	Apr-80	4	7	2	1205	855	89.8
OPS 1117 (TRANSIT 12)	1966-024A	2119	26-Mar-66	Jul-81	1	3	0	1115	890	89.9
NIMBUS 2	1966-040A	2173	15-May-66	Nov-97	1	8	8	1175	1095	100.4
OPS 0856 (MIDAS 11)	1966-077A	2403	19-Aug-66	Mar-91	4	21	21	3710	3660	89.7
OPS 0100 (TRANSIT 15)	1967-034A	2754	14-Apr-67	Sep-92	1	4	2	1065	1035	90.1
OPS 7218 (TRANSIT 16)	1967-048A	2807	18-May-67	Feb-95	1	4	2	1090	1060	89.6
OPS 4947 (TRANSIT 17)	1967-092A	2965	25-Sep-67	Apr-81	2	7	2	1110	1035	89.3
COSMOS 206 R/B	1968-019B	3151	14-Mar-68	Nov-90	1	1	0	515	450	81.2
TRANSIT 19	1970-067A	4507	27-Aug-70	7-Mar-98	1	1	1	1205	945	90.0
METEOR 1-7 R/B	1971-003B	4850	20-Jan-71	Jun-87	1	2	1	665	535	81.2
METEOR 1-12 R/B	1972-049B	6080	30-Jun-72	Sep-89	1	2	2	935	860	81.2
GEOS 3 R/B	1975-027B	7735	9-Apr-75	Mar-78	1	4	3	845	835	115.0
KYOKKOH 1 (EXOS-A)	1978-014A	10664	4-Feb-78	Jan-88	2	2	0	4220	760	65.0
SEASAT	1978-064A	10967	27-Jun-78	Jul-83	3	8	0	780	780	108.0
COSMOS 1043	1978-094A	11055	10-Oct-78	Feb-93	1	2	0	435	435	81.2
TIROS-N	1978-096A	11060	13-Oct-78	Sep-87	2	4	0	855	835	99.0
NIMBUS 7 R/B	1978-098B	11081	24-Oct-78	May-81	2	0	0	955	935	99.3
NOAA 6	1979-057A	11416	27-Jun-79	Jun-95	1	1	0	810	795	98.7
METEOR 2-7 R/B	1981-043B	12457	14-May-81	Oct-96	1	2	2	920	825	81.3
NOAA 7	1981-059A	12553	23-Jun-81	26-Jul-93	1	5	1	835	830	98.9
OSCAR 24/30	1985-066A/B	15935/6	3-Aug-85	Nov-86	2	2	2	1255	1000	89.9
COSMOS 1939 R/B	1988-032B	19046	20-Apr-88	30-Jul-96	2	3	3	655	585	97.6
COBE	1989-089A	20322	18-Nov-89	Mar-93	12	78	3	885	870	99.0
OKEAN 3	1991-039A	21397	4-Jun-91	12-Oct-98	1	1	1	665	620	82.5
EKA 1 (START 1)	1993-014A	22561	25-Mar-93	4-Mar-98	1	1	1	970	685	75.8

TABLE 3.1 HISTORY OF SATELLITE ANOMALOUS EVENTS BY LAUNCH DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	IN-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
KOREASAT 1 R/B	1995-041B	23640	5-Aug-95	6-Dec-95	1	2	2	1375	935	26.7
RADARSAT R/B	1995-059B	23711	4-Nov-95	30-Jan-96	1	1	1	1495	935	100.6
IKONOS 2	1999-051A	25919	24-Sep-99	19-Mar-01	1	1	0	680	678	98.19
TOTALS						249	119			

TABLE 3.2 HISTORY OF SATELLITE ANOMALOUS EVENTS BY EVENT DATE

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	IN-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
GEOS 3 R/B	1975-027B	7735	9-Apr-75	Mar-78	1	4	3	845	835	115.0
OPS 4682 (SNAPSHOT)	1965-027A	1314	3-Apr-65	1-Nov-79	7	52	50	1320	1270	90.3
OPS 1593 (TRANSIT 11)	1966-005A	1952	28-Jan-66	Apr-80	4	7	2	1205	855	89.8
OPS 8480 (TRANSIT 5B-N6)	1965-048A	1420	24-Jun-65	Aug-80	4	10	4	1135	1025	89.9
OPS 4988 (GREB 6)	1965-016A	1271	9-Mar-65	Nov-80	1	1	1	935	900	70.1
OPS 4412 (TRANSIT 9)	1964-026A	801	4-Jun-64	Dec-80	4	4	0	930	845	90.5
OPS 4947 (TRANSIT 17)	1967-092A	2965	25-Sep-67	Apr-81	2	7	2	1110	1035	89.3
NIMBUS 7 R/B	1978-098B	11081	24-Oct-78	May-81	2	0	0	955	935	99.3
OPS 1117 (TRANSIT 12)	1966-024A	2119	26-Mar-66	Jul-81	1	3	0	1115	890	89.9
SEASAT	1978-064A	10967	27-Jun-78	Jul-83	3	8	0	780	780	108.0
OSCAR 24/30	1985-066A/B	15935/6	3-Aug-85	Nov-86	2	2	2	1255	1000	89.9
METEOR 1-7 R/B	1971-003B	4850	20-Jan-71	Jun-87	1	2	1	665	535	81.2
TIROS-N	1978-096A	11060	13-Oct-78	Sep-87	2	4	0	855	835	99.0
KYOKKOH 1 (EXOS-A)	1978-014A	10664	4-Feb-78	Jan-88	2	2	0	4220	760	65.0
METEOR 1-12 R/B	1972-049B	6080	30-Jun-72	Sep-89	1	2	2	935	860	81.2
COSMOS 44 R/B	1964-053B	877	28-Aug-64	Nov-90	1	2	2	775	655	65.1
COSMOS 206 R/B	1968-019B	3151	14-Mar-68	Nov-90	1	1	0	515	450	81.2
OPS 0856 (MIDAS 11)	1966-077A	2403	19-Aug-66	Mar-91	4	21	21	3710	3660	89.7
OPS 0100 (TRANSIT 15)	1967-034A	2754	14-Apr-67	Sep-92	1	4	2	1065	1035	90.1
COSMOS 1043	1978-094A	11055	10-Oct-78	Feb-93	1	2	0	435	435	81.2
COBE	1989-089A	20322	18-Nov-89	Mar-93	12	78	3	885	870	99.0
NOAA 7	1981-059A	12553	23-Jun-81	26-Jul-93	1	5	1	835	830	98.9
OPS 7218 (TRANSIT 16)	1967-048A	2807	18-May-67	Feb-95	1	4	2	1090	1060	89.6
NOAA 6	1979-057A	11416	27-Jun-79	Jun-95	1	1	0	810	795	98.7
KOREASAT 1 R/B	1995-041B	23640	5-Aug-95	6-Dec-95	1	2	2	1375	935	26.7
RADARSAT R/B	1995-059B	23711	4-Nov-95	30-Jan-96	1	1	1	1495	935	100.6
COSMOS 1939 R/B	1988-032B	19046	20-Apr-88	30-Jul-96	2	3	3	655	585	97.6
METEOR 2-7 R/B	1981-043B	12457	14-May-81	Oct-96	1	2	2	920	825	81.3
OPS 1509 (TRANSIT 10)	1965-109A	1864	22-Dec-65	30-Nov-96	2	2	1	1065	895	89.1
NIMBUS 2	1966-040A	2173	15-May-66	Nov-97	1	8	8	1175	1095	100.4
TRANSIT 5B-N2	1963-049B	704	5-Dec-63	9/10-Jan-98	1	1	1	1110	1060	90.1
EKA 1 (START 1)	1993-014A	22561	25-Mar-93	4-Mar-98	1	1	1	970	685	75.8

TABLE 3.2 HISTORY OF SATELLITE ANOMALOUS EVENTS BY EVENT DATE (CONT'D)

NAME	INTERNATIONAL DESIGNATOR	CATALOG NUMBER	LAUNCH DATE	FIRST EVENT DATE	KNOWN EVENTS	CATALOGED DEBRIS	IN-ORBIT DEBRIS	APOGEE (KM)	PERIGEE (KM)	INCLINATION (DEG)
TRANSIT 19	1970-067A	4507	27-Aug-70	7-Mar-98	1	1	1	1205	945	90.0
OKEAN 3	1991-039A	21397	4-Jun-91	12-Oct-98	1	1	1	665	620	82.5
IKONOS 2	1999-051A	25919	24-Sep-99	19-Mar-01	1	1	0	680	678	98.19
					TOTALS	249	119			

3.2 IDENTIFIED SATELLITE ANOMALOUS EVENTS

Much like section 2.2 above, this section identifies particulars for the limited number of anomalous events thus far cataloged. There is no Gabbard Diagram included with these events, and each page often refers to multiple events. The first known date of the first anomalous event is categorized for each satellite. Where possible the best estimate of the cause and potential failure are noted in the comments section.

TRANSIT 5B-N2

1963-049B

704

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 5 December 1963
DRY MASS (KG): 75
MAIN BODY: Octagon; 0.46 m diameter by 0.5 m length
MAJOR APPENDAGES: Boom
ATTITUDE CONTROL: None at the time of event

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: 9-10 January 1998

APOGEE	PERIGEE	PERIOD	INCLINATION
1110 km	1060 km	106.98 min	90.1 deg

COMMENTS

One of several Transit-class spacecraft involved in anomalous events. Spacecraft may have experienced earlier anomalous events in 1960's and 1970's. Only one object associated with January 1998 event.

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 4 June 1964
DRY MASS (KG): 60
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient boom

EVENT DATA

KNOWN EVENTS: 4
FIRST DATE: December 1980

APOGEE	PERIGEE	PERIOD	INCLINATION
930 km	845 km	102.7 min	90.5 deg

COMMENTS

Second event observed July 1982. The third event occurred in May 1994. Fourth event date not determined but also close to May 1994. First fragment decayed rapidly; the second decayed more slowly. Two latest pieces not cataloged as of publication date. One of several known Transits involved in anomalous events.

COSMOS 44 R/B

1964-053B

877

SATELLITE DATA

TYPE: Vostok Final Stage
OWNER: CIS
LAUNCH DATE: 28 August 1964
DRY MASS (KG): 1440
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of event

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: Late-1990

APOGEE	PERIGEE	PERIOD	INCLINATION
775 km	655 km	99.1 min	65.1 deg

COMMENTS

Cosmos 44 was the first prototype spacecraft of the Meteor 1 program. This is one of several Vostok final stages associated with this old program to shed a piece of debris since 1987.

OPS 4988 (GREB 6)

1965-016A

1271

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 9 May 1965
DRY MASS (KG): 40
MAIN BODY: Sphere
MAJOR APPENDAGES: Unknown
ATTITUDE CONTROL: Unknown

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: November 1980

APOGEE	PERIGEE	PERIOD	INCLINATION
935 km	900 km	103.4 min	70.1 deg

COMMENTS

No other events observed.

SATELLITE DATA

TYPE: Payload (attached to Agena D upper stage)

OWNER: US

LAUNCH DATE: 3 April 1965

DRY MASS (KG): 2500 (approx.)

MAIN BODY: Cylinder-cone; 1.5 m by 11.6 m

MAJOR APPENDAGES: None

ATTITUDE CONTROL: None at time of event

EVENT DATA

KNOWN EVENTS: 7

FIRST DATE: November 1979

APOGEE	PERIGEE	PERIOD	INCLINATION
1320 km	1270 km	111.5 min	90.3 deg

COMMENTS

Six additional events observed: Dec 1980, Aug 1981, Mar 1983, Aug 1983, Nov 1983, and Jan 1985. Decay rates of all debris are nominal for this altitude. One debris was administratively decayed in February, 1989.

REFERENCE DOCUMENT

Investigation of Certain Anomalies Associated with Object 1314, A US Nuclear Powered Satellite, G. T. DeVere, Technical Memorandum 85-S-001, Headquarters NORAD/ADCOM, DCS/Plans, March 1985 (Appendix TM-85-001A, Secret).

OPS 8480 (TRANSIT 5B-N6)

1965-048A

1420

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 24 June 1965
DRY MASS (KG): 60
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient

EVENT DATA

KNOWN EVENTS: 4
FIRST DATE: August 1980

APOGEE	PERIGEE	PERIOD	INCLINATION
1135 km	1025 km	106.8 min	89.9 deg

COMMENTS

Three additional events observed: one two days after the initial event, one in June 1981, and the most recent around April, 1992. All debris appear very small. One of several known Transits involved in anomalous events.

OPS 1509 (TRANSIT 10)

1965-109A

1864

SATELLITE DATA

TYPE: Payload

OWNER: US

LAUNCH DATE: 22 December 1965

DRY MASS (KG): 60

MAIN BODY: Octagon; 0.5 m diameter by 0.4 m length

MAJOR APPENDAGES: 4 vanes

ATTITUDE CONTROL: None at time of event

EVENT DATA

KNOWN EVENTS: 2

FIRST DATE: 30 November 1996

APOGEE	PERIGEE	PERIOD	INCLINATION
1065 km	895 km	104.66 min	89.1 deg

COMMENTS

One of several Transit-class spacecraft involved in anomalous events. Two debris objects (one cataloged and one not cataloged) were being tracked in 1997.

OPS 1593 (TRANSIT 11)

1966-005A

1952

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 28 January 1966
DRY MASS (KG): 60
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient

EVENT DATA

KNOWN EVENTS: 3
FIRST DATE: April 1980

APOGEE	PERIGEE	PERIOD	INCLINATION
1205 km	855 km	105.8 min	89.8 deg

COMMENTS

Two additional events observed: Sep 1980 and Jul 1983. Last event may have originated with a piece of debris from earlier event. One of several known Transits involved in anomalous events.

OPS 1117 (TRANSIT 12)

1966-024A

2119

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 26 March 1966
DRY MASS (KG): 60
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: July 1981

APOGEE	PERIGEE	PERIOD	INCLINATION
1115 km	890 km	105.1 min	89.9 deg

COMMENTS

No other events observed. One of several known Transits involved in anomalous events.

NIMBUS 2

1966-040A

2173

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 15 May 1966
DRY MASS (KG): 414
MAIN BODY: Conical skeleton; 1.45 m diameter by 3.0 m length
MAJOR APPENDAGES: 2 Paddles
ATTITUDE CONTROL: None at time of event

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: November 1997

APOGEE	PERIGEE	PERIOD	INCLINATION
1175 km	1095 km	108.03 min	100.4 deg

COMMENTS

A single piece of debris was detected on 16 November 1997. Separation may have occurred about 1 November.

OPS 0856 (MIDAS 11)

1966-077A

2403

SATELLITE DATA

TYPE: Agena D Stage
OWNER: US
LAUNCH DATE: 19 August 1966
DRY MASS (KG): 600
MAIN BODY: Cylinder; 1.5 m diameter by 8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of events

EVENT DATA

KNOWN EVENTS: 4
FIRST DATE: March 1991

APOGEE	PERIGEE	PERIOD	INCLINATION
3710 km	3660 km	167.5 min	89.7 deg

COMMENTS

Second, third, and fourth events observed on 16 June 1992, 23 June 1992, and 01 November 1995 respectively.

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 14 April 1967
DRY MASS (KG): 60
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: September 1992

APOGEE	PERIGEE	PERIOD	INCLINATION
1065 km	1035 km	106.2	90.1

COMMENTS

Event most likely happened around 28 September 1992 based on element data near the event time and analysis using the COMBO algorithm in the SATRAK Astrodynamics Toolkit. One of several Transit-class satellites involved in anomalous events.

OPS 7218 (TRANSIT 16)

1967-048A

2807

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 18 May 1967
DRY MASS (KG): 60
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient boom

EVENT DATA

KNOWN EVENTS: 1
DATE: 11/12 February 1995

APOGEE	PERIGEE	PERIOD	INCLINATION
1090 km	1060 km	106.12 min	89.6 deg

COMMENTS

One piece of debris liberated. One of several Transit-class satellites involved in anomalous events.

OPS 4947 (TRANSIT 17)

1967-092A

2965

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 25 September 1967
DRY MASS (KG): 60
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient

EVENT DATA

KNOWN EVENTS: 2
FIRST DATE: April 1981

APOGEE	PERIGEE	PERIOD	INCLINATION
1110 km	1035 km	106.7 min	89.3 deg

COMMENTS

Second event observed in August 1986. One of several known Transits involved in anomalous events.

COSMOS 206 R/B

1968-019B

3151

SATELLITE DATA

TYPE: Vostok Final Stage

OWNER: CIS

LAUNCH DATE: 14 March 1968

DRY MASS (KG): 1440

MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length

MAJOR APPENDAGES: None

ATTITUDE CONTROL: None at the time of event

EVENT DATA

KNOWN EVENTS: 1

FIRST DATE: Late-1990

APOGEE	PERIGEE	PERIOD	INCLINATION
515 km	450 km	94.3 min	81.2 deg

COMMENTS

Cosmos 206 was a prototype spacecraft of the Meteor 1 program. This is one of several Vostok final stages to shed a piece of debris since 1987. One piece of debris was released and was still in orbit, although not officially cataloged, by 1 April 1991.

TRANSIT 19

1970-67A

4507

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 27 August 1970
DRY MASS (KG): 60
MAIN BODY: Octagon; 0.5 m diameter by 0.4 m length
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: None at time of event

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: 7 March 1998

APOGEE	PERIGEE	PERIOD	INCLINATION
1205 km	945 km	106.75 min	90.0 deg

COMMENTS

One of several Transit-class satellites involved in anomalous events.

METEOR 1-7 R/B

1971-003B

4850

SATELLITE DATA

TYPE: Vostok Final Stage
OWNER: CIS
LAUNCH DATE: 20 January 1971
DRY MASS (KG): 1440
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: June 1987

APOGEE	PERIGEE	PERIOD	INCLINATION
665 km	535 km	96.7 min	81.2 deg

COMMENTS

No other events observed. One of several Vostok final stages to be involved in anomalous events.

METEOR 1-12 R/B

1972-049B

6080

SATELLITE DATA

TYPE: Vostok Final Stage

OWNER: CIS

LAUNCH DATE: 30 June 1972

DRY MASS (KG): 1440

MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length

MAJOR APPENDAGES: None

ATTITUDE CONTROL: None at time of the event.

EVENT DATA

KNOWN EVENTS: 1

FIRST DATE: September 1989

APOGEE	PERIGEE	PERIOD	INCLINATION
935 km	860 km	102.9 min	81.2 deg

COMMENTS

No other events observed. One of several Vostok final stages involved in anomalous events.

SATELLITE DATA

TYPE: Delta Second Stage (2410)
OWNER: US
LAUNCH DATE: 9 April 1975
DRY MASS (KG): 900
MAIN BODY: Cylinder-nozzle; 2.4 m diameter by 8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.

EVENT DATA

KNOWN EVENTS: 1

FIRST DATE: March 1978

APOGEE	PERIGEE	PERIOD	INCLINATION
845 km	835 km	101.7 min	115.0 deg

COMMENTS

Only one event noted with three fragments cataloged 12 March 1978. Repeated mistaging during 1978 among rocket body and debris. One fragment lost in 1978 and administratively decayed in 1983. This event may be related to series of major Delta second stage breakups.

KYOKKOH 1 (EXOS-A)

1978-014A

10664

SATELLITE DATA

TYPE: Payload
OWNER: Japan
LAUNCH DATE: 4 February 1978
DRY MASS (KG): 103
MAIN BODY: Octagonal cylinder; 0.95 m by 0.8 m
MAJOR APPENDAGES: 3 small booms
ATTITUDE CONTROL: Unknown

EVENT DATA

KNOWN EVENTS: 2
FIRST DATE: January 1988

APOGEE	PERIGEE	PERIOD	INCLINATION
4219 km	760 km	134.0 min	65.0 deg

COMMENTS

First event (object 18816) may have occurred much earlier than the January 1988 date. Catalog actions taken at the end of 1988. The second event occurred in June 1992. Object 22008 led a short life, decaying on 2 August 1992.

SEASAT

1978-064A

10967

SATELLITE DATA

TYPE: Payload (attached to Agena R/B)

OWNER: US

LAUNCH DATE: 27 June 1978

DRY MASS (KG): 2300

MAIN BODY: Cylinder; 1.5 m diameter by 21 m length

MAJOR APPENDAGES: 2 solar panels; 1 antenna panel; miscellaneous booms

ATTITUDE CONTROL: Unknown at time of event

EVENT DATA

KNOWN EVENTS: 1

FIRST DATE: July 1983

APOGEE	PERIGEE	PERIOD	INCLINATION
780 km	780 km	100.5 min	108.0 deg

COMMENTS

Second event observed February 1985. Later events possible. Most debris experience very rapid decay for this altitude.

COSMOS 1043

1978-094A

11055

SATELLITE DATA

TYPE: Payload

OWNER: USSR

LAUNCH DATE: 10 October 1978

DRY MASS (KG): 2200 (est.)

MAIN BODY: Cylinder; dimensions ~1.5 m diameter by 5 m length

MAJOR APPENDAGES: Solar panels; payload panels; gravity-gradient boom

ATTITUDE CONTROL: None at time of the event.

EVENT DATA

KNOWN EVENTS: 1

FIRST DATE: February 1993

APOGEE	PERIGEE	PERIOD	INCLINATION
437 km	435 km	94.9 min	81.2 deg

COMMENTS

No other satellite of this type has experienced an anomalous event. The piece was cataloged on 28 Feb 93 and decayed on 11 Mar 93. Given prior cataloging practices, other spacecraft could have experienced similar events which went unrecorded.

TIROS N

1978-096A

11060

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 13 October 1978
DRY MASS (KG): 725
MAIN BODY: Cylinder; 1.9 m diameter by 3.7 m length
MAJOR APPENDAGES: 1 solar panel
ATTITUDE CONTROL: None at time of the event

EVENT DATA

KNOWN EVENTS: 2
FIRST DATE: September 1987

APOGEE	PERIGEE	PERIOD	INCLINATION
855 km	835 km	101.9 min	99.0 deg

COMMENTS

Both fragments from the first event decayed rapidly during winter of 1988-89. A second event associated with 1978-096A occurred on 23 Feb 96 liberating 1 piece.

SATELLITE DATA

TYPE: Delta Second Stage (2910)
OWNER: US
LAUNCH DATE: 24 October 1978
DRY MASS (KG): 900
MAIN BODY: Cylinder-nozzle; 2.4 m diameter by 8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.

EVENT DATA

KNOWN EVENTS: 2
FIRST DATE: May 1981

APOGEE	PERIGEE	PERIOD	INCLINATION
955 km	935 km	104.0 min	99.3 deg

COMMENTS

Second anomalous event apparently occurred about January 1987. A more prolific event in December 1981 is tentatively categorized as a satellite breakup (see Section 2). The cataloged debris section above refers only to the new fragment observed after the second anomalous event and does not include the Delta second stage which is accounted for in the tables of Section 2. These events may be related to the series of major Delta second stage breakups.

NOAA 6

1979-057A

11416

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 27 June 1979
DRY MASS (KG): 723
MAIN BODY: Rectangular; 3.71 m by 1.88 m
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: 3-axis reaction control

EVENT DATA

KNOWN EVENTS: 1
DATE: 27 June 1995

APOGEE	PERIGEE	PERIOD	INCLINATION
810 km	795 km	100.8 min	98.68 deg

COMMENTS

One piece of debris liberated.

METEOR 2-7 R/B

1981-043B

12457

SATELLITE DATA

TYPE: Vostok Final Stage
OWNER: CIS
LAUNCH DATE: 14 May 1981
DRY MASS (KG): 1440
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at time of the event.

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: October 1996

APOGEE	PERIGEE	PERIOD	INCLINATION
920 km	825 km	102.41 min	81.3 deg

COMMENTS

One of several Vostok upper stages involved in anomalous events.

NOAA 7

1981-059A

12553

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 23 June 1981
DRY MASS (KG): 723
MAIN BODY: Rectangular; 3.71 m by 1.88 m
MAJOR APPENDAGES: Solar panels
ATTITUDE CONTROL: 3-axis reaction control; kick motor

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: 26.5 July 1993

APOGEE	PERIGEE	PERIOD	INCLINATION
835 km	830 km	101.6 min	98.9 deg

COMMENTS

Two objects were detected by the NAVSPOC and subsequently entered in the USSPACECOM catalog. A piece separation analysis by the NAVSPOC identified the precise time these objects separated from the parent. It is unclear whether this event is a small breakup or whether other explanations such as spacecraft degradation could explain this separation. Unless other evidence is uncovered, this event will be classified as an anomalous event. The NOAA 7 payload was inactive for 3 years prior to this event.

OSCAR 24 / 30

1985-066

15935/6

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 3 August 1985
DRY MASS (KG): 60
MAIN BODY: Octagonal cylinder; 0.5 m by 0.4 m
MAJOR APPENDAGES: 4 solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient boom

EVENT DATA

KNOWN EVENTS: 2
FIRST DATE: November 1986

APOGEE	PERIGEE	PERIOD	INCLINATION
1255 km	1000 km	107.8 min	89.9 deg

COMMENTS

Other debris pieces are associated with this dual payload launch. The most recent event identified (SCC 21878) apparently originated from one of the two payloads. Reports indicated that the object originated from Oscar 24, but element set analysis indicates the event most likely occurred between 92030-92034 off 15935 (Oscar 30). An additional anomalous event is SSN number 17164 which was cataloged in November 1986, 15 months after launch but was not noted until the 21878 event occurred. One of several Transit-class satellites involved in anomalous events.

COSMOS 1939 R/B

1988-032B

19046

SATELLITE DATA

TYPE: Vostok Final Stage
OWNER: CIS
LAUNCH DATE: 20 April 1988
DRY MASS (KG): 1440
MAIN BODY: Cylinder; 2.6 m diameter by 3.8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None at the time of the event.

EVENT DATA

KNOWN EVENTS: 2
FIRST DATE: 30 July 1996

APOGEE	PERIGEE	PERIOD	INCLINATION
655 km	585 km	97.14 min	97.6 deg

COMMENTS

One of several Vostok final stages involved in anomalous events.

COBE

1989-089A

20322

SATELLITE DATA

TYPE: Payload

OWNER: US

LAUNCH DATE: 18.61 November 1989

DRY MASS (KG): 2265

MAIN BODY: Cylinder; with protective shield 4.0 m diameter by 5.8 m length

MAJOR APPENDAGES: 3 - 8.6 m solar arrays

ATTITUDE CONTROL: Spin stabilized; gyroscopes

EVENT DATA

KNOWN EVENTS: 12 +

FIRST DATE: January 1993

APOGEE	PERIGEE	PERIOD	INCLINATION
885 km	870 km	102.5 min	99.0 deg

COMMENTS

At least 12 separate event dates have been calculated by the NAVSPOC, and other events are certain to have occurred. Through December 1993 the satellite remained active, and the cause of the separations could be determined. No degradation of satellite performance was reported by the satellite operators.

OKEAN 3

1991-039A

21397

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 4 June 1991
DRY MASS (KG): 1922
MAIN BODY: Cylinder; 1.4-0.8 m diameter by 3.5 m length
MAJOR APPENDAGES: Solar arrays, payload trays, radar antenna
ATTITUDE CONTROL: Gravity-gradient

EVENT DATA

KNOWN EVENTS: 1
DATE: 12 October 1998

APOGEE	PERIGEE	PERIOD	INCLINATION
665 km	620 km	97.5 min	82.5 deg

COMMENTS

First event for this type object. No other events observed.

EKA 1 (START 1)

1993-014A

22561

SATELLITE DATA

TYPE: Payload
OWNER: CIS
LAUNCH DATE: 25 March 1993
DRY MASS (KG): 260
MAIN BODY: Two cylinders; < 1.5 m diameter
MAJOR APPENDAGES: Solar panels; gravity-gradient boom
ATTITUDE CONTROL: Gravity-gradient

EVENT DATA

KNOWN EVENTS: 1
FIRST DATE: 4 March 1998

APOGEE	PERIGEE	PERIOD	INCLINATION
970 km	685 km	101.43 min	75.8 deg

COMMENTS

EKA 1 is a test payload prior to launches of small communications satellites. First orbital launch of Start-1 booster derived from SS-20/SS-25 missiles.

KOREASAT 1 R/B

1995-041B

23640

SATELLITE DATA

TYPE: Delta Second Stage

OWNER: US

LAUNCH DATE: 5 August 1995

DRY MASS (KG): 900

MAIN BODY: Cylinder; 2.4 m diameter by 8 m length

MAJOR APPENDAGES: None

ATTITUDE CONTROL: None at time of the event.

EVENT DATA

KNOWN EVENTS: 1

DATE: 6 December 1995

APOGEE	PERIGEE	PERIOD	INCLINATION
1375 km	935 km	108.5 min	26.7 deg

COMMENTS

One piece was liberated.

RADARSAT R/B

1995-059B

23711

SATELLITE DATA

TYPE: Delta Second Stage
OWNER: US
LAUNCH DATE: 5 November 1995
DRY MASS (KG): 900
MAIN BODY: Cylinder; 2.4 m diameter by 8 m length
MAJOR APPENDAGES: None
ATTITUDE CONTROL: None

EVENT DATA

KNOWN EVENTS: 1
DATE: 30 January 1996

APOGEE	PERIGEE	PERIOD	INCLINATION
1495 km	935 km	109.7 min	100.6 deg

COMMENTS

One piece was liberated.

IKONOS 2

1999-051A

25919

SATELLITE DATA

TYPE: Payload
OWNER: US
LAUNCH DATE: 24.76 September 1999
DRY MASS (KG): 735
MAIN BODY: Box; 1.8 m by 1.8 m by 1.6 m
MAJOR APPENDAGES: 3 solar panels
ATTITUDE CONTROL: 3 axis stabilization

EVENT DATA

KNOWN EVENTS: 1
DATE: 19 March 2001

APOGEE	PERIGEE	PERIOD	INCLINATION
680 km	678 km	98.3 min	98.19 deg

COMMENTS

One piece was liberated. A very high ballistic coefficient resulted in the anomalous debris object reentering on 11 April 2001.

4.0 OTHER SATELLITES ASSOCIATED WITH FRAGMENTATIONS

4.1 Spurious Associations with Fragmentation Events

Satellite fragmentation lists compiled by other organizations, in particular by the National Security Council and NAVSPASUR, were carefully reviewed during the preparation of the fourth edition of the History of On-Orbit Satellite Fragmentations. However, due to the frequent exchange of information within the small orbital debris and space operations community and the long period during which satellite fragmentation lists have been maintained, no current list is completely independent from all others.

These reviews also revealed the need to define better the terms "satellite breakup" and "anomalous event" as discussed in Section 1.0. Many "breakup" lists have historically included entries related to normal launch and mission activities which resulted in numbers of debris in excess of the handful usually observed on these occasions. Some researchers have been misled by tracking difficulties and cataloging procedures which may cause late cataloging or misidentification of debris, superficially giving the appearance of fragmentations. A higher than average number of debris alone is not sufficient to assume a satellite fragmentation. Such pitfalls can generally be avoided by conducting analyses with complete satellite element set data rather than the limited orbital data available in the U.S. Satellite Catalog.

The following space missions, listed by international designator, have been examined in detail and have failed to qualify as either satellite breakup or anomalous event as set forth in Section 1.0. The source of debris associated with nearly all of these flights is of an operational nature. Bolded items indicate the alleged source of the debris.

Table 4.1-1: Spurious Association with Fragmentations by Launch Date

INT'L Des.	COMMON NAME	S/C	R/B	TOTAL DEBRIS	DEBRIS ON- ORBIT	CITED SOURCE & COMMENTS
1963-014	FTV 1169	Payload	Agena B spacecraft	147	60	IG89
1965-073	C 86-90	Payload	Cosmos 3	5	5	IG89; HOOSF/4e
1965-112	C 103	Payload	Cosmos 3	13	0	HOOSF/4e
1967-001	INTELSAT 2-F2	INTELSAT II	Delta 1 R/B (2): FW-4	18	2	IG89; HOOSF/4e
1967-011	Diademe 1	Payload	Diamant	13	0	IG89; HOOSF/4e
1967-024	C 149	DS-MO	Cosmos 2	16	0	HOOSF/4e
1967-086	C 176	DS-P1-Yu	Cosmos 2	10	0	IG89; HOOSF/4e, SSP76-80 ("Rocket exploded")
1968-117	C 261	DS-U2-GK	Cosmos 2	22	0	IG89; HOOSF/4e
1969-021	C 269	<i>Tselina-O</i>	Cosmos 3	21	0	IG89; HOOSF/4e
1970-005	C 320	DS-MO	Cosmos 2	5	0	IG89; HOOSF/4e
1970-033	C 334	DS-P1-Yu	Cosmos 2	3	0	HOOSF/4e
1970-065	C 359	<i>Venera</i>	Molniya	2	0	HOOSF/4e
1971-041	C 411-418	<i>Strela 1</i>	Cosmos 3	0	0	IG89; HOOSF/4e
1972-078	C 523	DS-P1-Yu	Cosmos 2	10	0	IG89; HOOSF/4e
1973-027	Skylab 1	Skylab workshop	Saturn V	22	0	IG89; HOOSF/4e
1973-075	C 601	DS-P1-Yu	Cosmos 2	12	0	IG89; HOOSF/4e
1974-074	C 686	DS-P1-Yu	Cosmos 2	18	0	IG89; HOOSF/4e
1974-104	Salyut 4	Manned station	Proton	17	0	
1976-012	C 801	DS-P1-I	Cosmos 2	15	0	IG89; HOOSF/4e, SSP76-80 ("Exploded")

1976-037	C 816	<i>Romb</i>	Cosmos 3	23	0	
1976-057	Salyut 5	Manned station	Proton	8	0	
1976-124	C 885	<i>Romb</i>	Cosmos 3	17	0	IG89; HOOSF/4e
1977-042	C 913	<i>Romb</i>	Cosmos 3	20	0	IG89; HOOSF/4e
1977-097	Salyut 6	Manned station	Proton	104	0	
1977-111	C 965	<i>Romb</i>	Cosmos 3	25	0	
1978-043	C 1004	<i>Zenit-2M</i>	Soyuz	5	0	HOOSF/4e
1978-120	C 1065	<i>Romb</i>	Cosmos 3	6	0	
1979-008	C 1074	<i>Soyuz T</i> test vehicle	Soyuz	5	0	HOOSF/4e
1979-063	C 1112	<i>Romb</i>	Cosmos 3	24	0	IG89; HOOSF/4e
1980-047	C 1186	<i>Romb</i>	Cosmos 3	25	0	
1980-067	C 1204	<i>Romb</i>	Cosmos 3	22	0	
1980-083	C 1215	Payload	Cosmos 3	2	0	HOOSF/4e
1981-093	SJ-2/-2A/-2B	Payloads	CZ-2B	6	0	IG89; HOOSF/4e
1981-097	C 1311	<i>Romb</i>	Cosmos 3	24	0	
1982-006	OPS 2849	Payload	Titan 3B Agena	4	3	HOOSF/4e
1982-007	C 1335	<i>Romb</i>	Cosmos 3	22	0	HOOSF/4e
1982-033	Salyut 7	Manned station	Proton	197	0	
1982-034	C 1351	<i>Romb</i>	Cosmos 3	24	0	
1982-076	C 1397	<i>Romb</i>	Cosmos 3	22	0	
1983-034	C 1453	<i>Romb</i>	Cosmos 3	22	0	
1983-049	C 1465	<i>Romb</i>	Cosmos 3	8	0	
1983-091	C 1494	<i>Romb</i>	Cosmos 3	25	0	
1983-101	C 1501	<i>Romb</i>	Cosmos 3	24	0	
1984-008	STTW-T1	Payload	CZ-3	2	0	HOOSF/4e
1984-104	C 1601	<i>Romb</i>	Cosmos 3	28	0	
1985-021	GEOSAT	Payload	Atlas 41E (OIS R/B)	4	3	HOOSF/4e
1985-050	C 1662	<i>Romb</i>	Cosmos 3	27	0	
1985-075	C 1677	RORSAT	Tsyklon	1	0	HOOSF/4e
1985-097	C 1697	<i>Tselina-2</i>	Zenit	4	4	HOOSF/4e/ Probably <i>Zenit</i> separation motor caps
1986-017	Mir	Manned station	Proton	323	0	
1986-024	C 1736	RORSAT	Tsyklon	26	0	IG89; HOOSF/4e
1986-030	C 1741	Payload	Cosmos 3	6	6	HOOSF/4e
1986-052	C 1763	Payload	Cosmos 3	3	3	HOOSF/4e
1986-067	C 1776	<i>Romb</i>	Cosmos 3	28	0	
1986-101	C 1809	Payload	Tsyklon	9	9	IG89; HOOSF/4e
1988-019	C 1932	RORSAT	Tsyklon	1	0	HOOSF/4e
1988-065	C 1960	<i>Romb</i>	Cosmos 3	28	0	
1988-067	FSW-1 2	Payload	CZ-2C	6	0	HOOSF/4e
1988-113	C 1985	<i>Duga-K</i>	Tsyklon	36	1	
1989-012	C 2002	<i>Romb</i>	Cosmos 3	10	0	
1989-100	C 2053	<i>Duga-K</i>	Tsyklon	37	0	HOOSF/4e; rocket body has since fragmented—see Section 2
1990-012	C 2059	<i>Romb</i>	Cosmos 3	10	0	
1990-038	C 2075	<i>Romb</i>	Cosmos 3	14	0	
1990-104	C 2106	<i>Romb</i>	Tsyklon	28	0	
1995-008	C 2306	<i>Romb</i>	Cosmos 3	23	0	

Table 4.1-1's references are as follows: HOOSF/4e: History of On-orbit Satellite Fragmentations, 4th Ed., Jan. 1990; IG89: Interagency Group (Space) Report on Orbital Debris, 1989; and SSP76-80: Soviet Space Programs, 1976-80, Part 3, May 1985.

4.2 Provisional Breakups

Recent analyses [1] performed by the USSPACECOM 1st Command and Control Squadron (1CACs) indicate that there may be an additional twelve breakup events of an unknown nature. These are included for reference purposes in the following table.

Table 4.2-1: Provisional Breakup Events by Event Date

INTERNATIONAL DESIGNATOR	SCC CATALOG NUMBER	COMMON NAME	EVENT DATE
1965-108A	1863	OV2-3/LES-3,-4/OSCAR 4 R/B (Titan IIIC Transtage)	21 Dec 65
1983-105B	14423	<i>Ariane 1</i> R/B	27 Feb 84
1984-023B	14787	<i>Ariane 1</i> R/B	4 Jul 84
1984-081C	15165	<i>Ariane 3</i> R/B	18 Sep 84
1988-098B	19622	<i>Ariane 2</i> R/B	22 Dec 88
1989-027B	19920	<i>Ariane 2</i> R/B	19 Apr 89
1983-127G	14607	<i>Proton-K</i> DM SOZ ullage motor	26 Jul 89
1991-054C	21640	IUS R/B (1)	2 Aug 91
1986-010B	16528	CZ-3 R/B	17 May 92
1983-072B	14190	Atlas 75E R/B (SGS II stage)	29 Jan 96
1997-036B	24881	Atlas 2AS Centaur	23 Feb 98?
1992-088E	22273	<i>Proton-K</i> DM SOZ ullage motor	29 Feb 00

4.3 Events not Otherwise Categorized

An examination of the 30 May 2001 SCC catalog revealed only one other event producing more than 20 total objects yet not otherwise described in Sections 2, 3 or 4 of this edition. This event, associated with the USA 40 launch (1989-061) in the SCC catalog, is not currently classified by event type or otherwise characterized due to relevant data not being publicly available.

1. Stringer, M.E., B. Teets, and R. Thurston, "Identifying Satellite Launch Origins with Historical Examples". In Proceedings of the 4th US/Russian Space Surveillance Conference, 2000.

5.0 SATELLITES NOT ASSOCIATED WITH BREAKUPS

The table below identifies specific SSN numbers of objects which possess the same International Designator year and number but are not associated with the indicated event. For example, 1961-015C was an Ablestar rocket body which broke up. The mission deployed two objects (Transit 4A and Solrad 3/Injun 1) which were not associated with the rocket body explosion. Those two objects are not counted in the 1961-015 totals, although they definitely are associated with the 1961-015 international designator.

Occasionally it is not obvious whether an object should be included in a fragmentation event. In those cases historical research and historical Satellite Catalogs usually reveal whether an object should be included in the count. The list below represents the best summary of excluded objects. The parent object is always considered a fragment.

The list below is formatted as follows: Line one is the international designator and the number of objects to exclude. Line two is object no 1, object no 2, etc.

Note: If the number of objects to exclude = 0, then there is no line 2. Also, a blank line separates years.

Int'l Designator

```
1961-015 2
  116 117

1962-057 0

1963-047 0

1964-006 28
  746 748 750 14427 14428 15786 16544 16545 16546 16547 16548 18589
  18686 18966 19010 19173 19990 19991 19992 19993 19994 19995 19996 19997
  19998 20101 21621 25278
1964-070 1
  920

1965-012 1
  1095
1965-020 3
  1267 1268 1269
1965-082 1
  1624
1965-088 23
  1707 1708 1740 1741 1784 1785 1786 1787 1788 1789 1790 1791
  1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802

1966-012 2
  2012 2014
1966-046 3
  2186 2189 2190
1966-056 3
  2255 2256 2511
1966-059 1
  2291
1966-088 0
1966-101 0
```


1968-003 1
 3096
 1968-025 1
 3170
 1968-081 5
 3428 3429 3430 3431 5999
 1968-090 0
 1968-091 1
 3505
 1968-097 0

 1969-029 1
 3835
 1969-064 1
 4051
 1969-082 10
 4111 4132 4166 4168 4237 4247 4256 4257 4259 4295

 1970-025 2
 4362 4363
 1970-089 1
 4597
 1970-091 0

 1971-015 1
 4965
 1971-106 4
 5650 5664 5665 5672

 1972-058 1
 6126

 1973-017 1
 6398
 1973-021 2
 6434 6436
 1973-086 1
 6920

 1974-089 3
 7529 7530 7531
 1974-103 1
 7588

 1975-004 1
 7615
 1975-052 2
 7924 7965
 1975-080 1
 8192
 1975-102 1
 8417

1976-063 1
8933
1976-067 2
9013 9016
1976-072 1
9048
1976-077 1
9057
1976-105 3
9496 9497 9506
1976-120 1
9604 9605
1976-123 4
9623 9624 9639 9640
1976-126 3
9643 9644 9645

1977-027 3
9912 9913 9921
1977-047 3
10060 10066 10089
1977-065 3
10143 10145 10156
1977-068 3
10151 10152 10167
1977-092 6
10366 10367 10368 10408 10484 11571
1977-121 1
10532

1978-026 2
10702 10703
1978-083 3
11016 11017 11076
1978-098 2
11080 18605
1978-100 4
11084 11085 11086 11177

1979-017 3
11279 11291 11322
1979-033 2
11334 11367
1979-058 3
11418 11423 11555
1979-077 3
11512 11513 11550
1979-104 3
11645 24754 25098

1980-021 1
11730
1980-028 4
11759 11760 11761 11762

1980-030 1
11766
1980-057 3
11872 11873 11888
1980-085 3
12033 12034 12035
1980-089 1
12055

1981-016 4
12304 12305 12306 12311
1981-028 1
12365
1981-031 3
12377 12378 12384
1981-053 1
12508
1981-054 3
12513 12514 12515
1981-058 3
12548 12549 12561
1981-071 3
12629 12630 12680
1981-072 1
12632
1981-088 5
12818 12819 12820 12821 12822
1981-089 1
12829
1981-108 3
12934 12935 12940

1982-038 1
13151
1982-055 2
13260 13261
1982-088 1
13509
1982-115 4
13685 13686 13692 13693

1983-020 3
13901 13903 20413
1983-022 2
13924 14477
1983-038 6
14036 14037 14038 14041 14042 14043
1983-044 1
14065
1983-070 3
14183 14184 14191
1983-075 5
14208 14209 14229 14631 14928

1983-127 7
 14590 14591 14592 14593 14594 14595 14607

 1984-011 6
 14681 14688 14689 14692 14695 14696
 1984-083 1
 15168
 1984-106 6
 15333 15334 15335 15336 15337 17358

 1985-030 1
 15654
 1985-037 7
 15697 15698 15699 15700 15701 15702 15715
 1985-039 1
 15735
 1985-042 5
 15755 15770 15771 15772 15774
 1985-082 1
 16055
 1985-091 3
 16113 16114 16125
 1985-094 6
 16138 16140 16141 16142 16143 16144
 1985-105 3
 16236 16237 16243
 1985-118 10
 16396 16397 16398 16399 16403 16404 16405 16406 16407 16445
 1985-121 5
 16434 16435 16436 16437 16438

 1986-019 3
 16613 16614 16616
 1986-059 1
 16896
 1986-069 0

 1987-004 1
 17298
 1987-020 1
 17536
 1987-059 2
 18185 18186
 1987-062 1
 18215
 1987-068 1
 18312
 1987-078 3
 18350 18351 18353
 1987-079 7
 18355 18356 18357 18358 18359 18360 18375
 1987-108 1
 18714

1987-109 5
18715 18716 18717 18718 18722

1988-007 1
18824

1988-085 7
19501 19502 19503 19504 19505 19535 21751

1988-109 3
19687 19688 19690

1989-001 7
19749 19750 19751 19752 19753 19754 19756

1989-004 5
19765 19766 19767 19768 19776

1989-006 1
19772

1989-052 5
20107 20108 20109 20110 20115

1989-054 1
20125

1989-056 2
20137 20138

1989-094 2
20340 20341

1989-100 38
20389 20397 20398 20408 20467 20468 20515 20522 20531 20532 20637 20640
20802 20803 20821 20822 20823 20911 21020 21021 21022 21023 21042 21043
21064 21205 21206 21207 21537 21540 21767 21768 21769 21770 21771 21772
21773 21774

1989-101 6
20391 20392 20393 20394 20400 21648

1990-045 6
20619 20620 20621 20622 20623 20630

1990-081 7
20788 20789 20790 20792 20793 20797 20798

1990-087 1
20829

1990-102 5
20953 20954 20955 20958 21046

1990-105 1
20978

1990-110 7
21006 21007 21008 21009 21010 21011 21012

1991-003 3
21055 21056 21058

1991-009 8
21100 21101 21102 21103 21104 21105 21106 21107

1991-010 5
21111 21112 21113 21122 21129

1991-015 5
21139 21140 21141 21142 21904

1991-025 6
21216 21217 21218 21219 21220 21221
1991-068 6
21728 21729 21730 21731 21732 21733
1991-071 1
21742

1992-021 3
21939 21940 21942
1992-047 7
22056 22057 22058 22059 22060 22061 22066
1992-082 5
22245 22246 22247 22248 22249
1992-091 1
22281
1992-093 5
22284 22290 22291 22292 22293

1993-016 3
22565 22575 22576
1993-018 1
22586
1993-028 1
22642
1993-045 1
22717
1993-057 3
22789 22790 22953
1993-072 5
22907 22908 22909 22910 22926

1994-004 3
22973 22974 22987
1994-029 1
23105
1994-038 5
23168 23169 23170 23171 23172
1994-056 2
23230 23248
1994-069 5
23327 23328 23329 23330 23339
1994-085 1
23439

1995-028 1
23597
1995-033 3
23605 23607 23608
1995-037 9
23620 23621 23622 23623 23624 23625 23626 23627 23630

1996-010 4
23794 23795 23796 23824

1996-034 5
23880 23881 23882 23883 23886

1997-024 1
24806
1997-079 1
25089
1997-086 3
25126 25127 25128

1998-011 1
25175

1999-057 2
25940 25941

6.0 SATELLITES NOT ASSOCIATED WITH ANOMALOUS EVENTS

The table below identifies specific SSN numbers of objects which possess the same International Designator year and number but are not associated with the indicated anomalous event. The list below represents the best summary of excluded objects. Parent object is not considered a fragment.

The list below is formatted as follows: Line one is the international designator and the number of objects to exclude. Line two is object no 1, object no 2, etc.

Note: If the number of objects to exclude = 0, then there is no line 2. Also, a blank line separates years.

Int'l Designator

1963-049 12
703 704 705 706 715 753 2432 2620 2930 4586 6182 6283

1964-026 5
801 805 806 809 2986
1964-053 1
876

1965-016 9
1208 1244 1245 1271 1272 1291 1292 1293 1310
1965-027 3
1314 1315 1316
1965-048 4
1420 1425 1428 1435
1965-109 5
1864 1865 2086 2226 2353

1966-005 6
1952 1953 2140 2141 2889 2989
1966-024 2
2119 2120
1966-040 2
2173 2174
1966-077 3
2403 2411 2412

1967-034 4
2754 2755 2777 2778
1967-048 2
2807 2811
1967-092 4
2965 2967 2994 3122

1968-019 1
3150

1970-067 5
4507 4515 5036 5447 6372

1971-003 1
4849

1972-049 1
6079

1975-027 1
7734

1978-014 6
10664 10665 12329 12330 12331 12406

1978-064 1
10967

1978-094 1
11056

1978-096 3
11060 11061 11062

1978-098 1
11080

1979-057 3
11416 11419 11634

1981-043 2
12456 15769

1981-059 3
12553 12559 12560

1985-066 6
15935 15936 15938 15950 15951 16020

1988-032 1
19045

1989-089 2
20322 20323

1991-039 3
21397 21398 21842

1993-014 5
22561 22562 22567 22568 22599

1995-041 2
23639 23641

1995-059 2
23710 23711

1999-051 3
25919 25920 25921

7.0 EVENT MASTER LIST

This section is new to the Twelfth Edition, and is meant to provide a quick reference for users of this document. The desired goals are two in number:

- If an international designator appears in this list, the analyst may quickly and accurately identify the type/nature of the event and proceed to the appropriate section; or
- If an international designator does not appear, the analyst may be reasonably sure that the debris object(s) under scrutiny are mission-related, or operational, debris.

Tabulated below are all events discussed in this edition of the History and arranged by international designator. The events are color coded by event type: red indicates a fragmentation (Section 2), pink an anomalous event (Section 3), amber a provisional event, green a spurious event (*i.e.* a non-event), and black the sole uncategorized event (all described briefly in Section 4).

YEAR or INT'L DES.	EVENT TYPE	COMMON NAME	TOTAL DEBRIS	DEBRIS ON-ORBIT
1961				
1961-015C	Breakup	Transit 4A R/B	296	191
1962				
1962-057A	Breakup	Sputnik 29	24	0
1963				
1963-014	Spurious	FTV 1169	147	60
1963-047A	Breakup	Atlas Centaur 2	19	9
1963-049B	Anomalous Event	Transit 5B-2	1	1
1964				
1964-006D	Breakup	Elektron 1,2 R/B	2	1
1964-026A	Anomalous Event	OPS 4412 (Transit 9)	4	2
1964-053B	Anomalous Event	Cosmos 44 R/B	1	1
1964-070A	Breakup	Cosmos 50	96	0
1965				
1965-012A	Breakup	Cosmos 57	167	0
1965-016A	Anomalous Event	OPS 4988 (GREB 6)	1	1
1965-020D	Breakup	Cosmos 61-63 R/B	147	22
1965-027A	Anomalous Event	OPS 4682 (SNAPShot)	49	47
1965-048A	Anomalous Event	OPS 8480 (Transit 5B-6)	10	4
1965-073	Spurious	Cosmos 86-90	5	5
1965-082B	Breakup	OV2-1/LCS 2 R/B	470	44
1965-088A	Breakup	Cosmos 95	1	0
1965-108A	Provisional	OV2-3/LES-3,-4/OSCAR 4 R/B		
1965-109A	Anomalous Event	OPS 1509 (Transit 10)	1	1
1965-112	Spurious	Cosmos 103	13	0
1966				
1966-005A	Anomalous Event	OPS 1593 (Transit 11)	7	2
1966-012C	Breakup	OPS 3031	38	0

1966-024A	Anomalous Event	OPS 1117 (Transit 12)	3	0
1966-040A	Anomalous Event	Nimbus 2	1	1
1966-046B	Breakup	Gemini 9 ATDA R/B	51	0
1966-056A	Breakup	PAGEOS	79	2
1966-059A	Breakup	AS-203	34	0
1966-077A	Anomalous Event	OPS 0856	14	14
1966-088A	Breakup	USSR UNKNOWN 1	53	0
1966-101A	Breakup	USSR UNKNOWN 2	41	0
1967				
1967-001	Spurious	INTELSAT 2-F2	18	2
1967-011	Spurious	Diademe 1	13	0
1967-024	Spurious	Cosmos 149	16	0
1967-034A	Anomalous Event	OPS 0100 (Transit 15)	4	2
1967-048A	Anomalous Event	OPS 7218 (Transit 16)	3	1
1967-086	Spurious	Cosmos 176	10	0
1967-092A	Anomalous Event	OPS 4947 (Transit 17)	6	1
1968				
1968-003A	Breakup	Cosmos 199	3	0
1968-019B	Anomalous Event	Cosmos 206 R/B	0	0
1968-025B	Breakup	Apollo 6 R/B (S4B)	16	0
1968-081E	Breakup	OV2-5 R/B	3	3
1968-090A	Breakup	Cosmos 248	5	0
1968-091A	Breakup	Cosmos 249	108	49
1968-097A	Breakup	Cosmos 252	139	48
1968-117	Spurious	Cosmos 261	22	0
1969				
1969-021	Spurious	Cosmos 269	21	0
1969-029B	Breakup	METEOR 1-1 R/B	37	0
1969-064B	Breakup	INTELSAT 3 F-5 R/B	23	1
1969-082AB	Breakup	OPS 7613 R/B	259	83
1970				
1970-005	Spurious	Cosmos 320	5	0
1970-025C	Breakup	Nimbus 4 R/B	372	262
1970-033	Spurious	Cosmos 334	3	0
1970-065	Spurious	Cosmos 359	2	0
1970-067A	Anomalous Event	Transit 19	0	0
1970-089A	Breakup	Cosmos 374	102	28
1970-091A	Breakup	Cosmos 375	47	21
1971				
1971-003B	Anomalous Event	Meteor 1-7 R/B	1	0
1971-015A	Breakup	Cosmos 397	116	50
1971-041	Spurious	Cosmos 411-418	0	0
1971-106A	Breakup	Cosmos 462	25	0

1972				
1972-049B	Anomalous Event	Meteor 1-12 R/B	1	1
1972-058B	Breakup	LANDSAT 1 R/B	226	38
1972-078	Spurious	Cosmos 523	10	0
1973				
1973-017B	Breakup	Salyut 2 R/B	25	0
1973-021A	Breakup	Cosmos 554	195	0
1973-027	Spurious	Skylab 1	22	0
1973-075	Spurious	Cosmos 601	12	0
1973-086B	Breakup	NOAA 3 R/B	197	178
1974				
1974-074	Spurious	Cosmos 686	18	0
1974-089D	Breakup	NOAA 4 R/B	146	128
1974-103A	Breakup	Cosmos 699	50	0
1974-104	Spurious	Salyut 4	17	0
1975				
1975-004B	Breakup	LANDSAT 2 R/B	206	34
1975-027B	Anomalous Event	GEOS 3 R/B	3	2
1975-052B	Breakup	Nimbus 6 R/B	240	186
1975-080A	Breakup	Cosmos 758	76	0
1975-102A	Breakup	Cosmos 777	62	0
1976				
1976-012	Spurious	Cosmos 801	15	0
1976-037	Spurious	Cosmos 816	23	0
1976-057	Spurious	Salyut 5	8	0
1976-063A	Breakup	Cosmos 838	40	0
1976-067A	Breakup	Cosmos 839	69	67
1976-072A	Breakup	Cosmos 844	248	0
1976-077B	Breakup	NOAA 5 R/B	159	153
1976-105A	Breakup	Cosmos 862	11	10
1976-120A	Breakup	Cosmos 880	50	1
1976-123A	Breakup	Cosmos 884	2	0
1976-124	Spurious	Cosmos 885	17	0
1976-126A	Breakup	Cosmos 886	76	63
1977				
1977-027A	Breakup	Cosmos 903	2	2
1977-042	Spurious	Cosmos 913	20	0
1977-047A	Breakup	Cosmos 917	1	1
1977-065B	Breakup	Himawari 1 R/B	169	68
1977-068A	Breakup	Cosmos 931	6	4
1977-092A	Breakup	Ekran 2	2	2
1977-097	Spurious	Salyut 6	104	0
1977-111	Spurious	Cosmos 965	25	0

1977-121A	Breakup	Cosmos 970	70	66
1978				
1978-014A	Anomalous Event	Kyokkoh 1 (EXOS-A)	2	0
1978-026C	Breakup	LANDSAT 3 R/B	210	135
1978-043	Spurious	Cosmos 1004	5	0
1978-064A	Anomalous Event	SEASAT	8	3
1978-083A	Breakup	Cosmos 1030	4	4
1978-094A	Anomalous Event	Cosmos 1043	1	0
1978-096A	Anomalous Event	TIROS-N	4	2
1978-098B	Anomalous Event	Nimbus 7 R/B	1	0
1978-098B	Breakup	Nimbus 7 R/B	1	1
1978-100D	Breakup	Cosmos 1045 R/B	48	43
1978-120	Spurious	Cosmos 1065	6	0
1979				
1979-008	Spurious	Cosmos 1074	5	0
1979-017A	Breakup	P-78 (SOLWIND)	285	4
1979-033A	Breakup	Cosmos 1094	1	0
1979-057A	Anomalous Event	NOAA 6	1	0
1979-058A	Breakup	Cosmos 1109	9	9
1979-063	Spurious	Cosmos 1112	24	0
1979-077A	Breakup	Cosmos 1124	4	4
1979-104B	Breakup	CAT R/B	13	9
1980				
1980-021A	Breakup	Cosmos 1167	12	0
1980-028A	Breakup	Cosmos 1172	2	0
1980-030A	Breakup	Cosmos 1174	46	7
1980-047	Spurious	Cosmos 1186	25	0
1980-057A	Breakup	Cosmos 1191	3	3
1980-067	Spurious	Cosmos 1204	22	0
1980-083	Spurious	Cosmos 1215	2	0
1980-085A	Breakup	Cosmos 1217	3	3
1980-089A	Breakup	Cosmos 1220	81	2
1981				
1981-016A	Breakup	Cosmos 1247	4	4
1981-028A	Breakup	Cosmos 1260	68	0
1981-031A	Breakup	Cosmos 1261	4	4
1981-043B	Anomalous Event	Meteor 2-7 R/B	1	1
1981-053A	Breakup	Cosmos 1275	305	267
1981-054A	Breakup	Molniya 3-16	2	0
1981-054E	Breakup	Molniya 3-16 R/B	1	0
1981-058A	Breakup	Cosmos 1278	3	0
1981-059A	Anomalous Event	NOAA 7	5	3
1981-071A	Breakup	Cosmos 1285	8	8

1981-072A	Breakup	Cosmos 1286	2	0
1981-088F	Breakup	Cosmos 1305 R/B	8	8
1981-089A	Breakup	Cosmos 1306	8	0
1981-093	Spurious	SJ-2/-2A/-2B	6	0
1981-097	Spurious	Cosmos 1311	24	0
1981-108A	Breakup	Cosmos 1317	4	4
1982				
1982-006	Spurious	OPS 2849	4	3
1982-007	Spurious	Cosmos 1335	22	0
1982-033	Spurious	Salyut 7	197	0
1982-034	Spurious	Cosmos 1351	24	0
1982-038A	Breakup	Cosmos 1355	29	0
1982-055A	Breakup	Cosmos 1375	60	59
1982-076	Spurious	Cosmos 1397	22	0
1982-088A	Breakup	Cosmos 1405	32	0
1982-115E	Breakup	Cosmos 1423 R/B	29	0
1983				
1983-020B	Breakup	ASTRON ullage	1	0
1983-022A	Breakup	NOAA 8	7	1
1983-034	Spurious	Cosmos 1453	22	0
1983-038A	Breakup	Cosmos 1456	4	0
1983-044A	Breakup	Cosmos 1461	159	2
1983-049	Spurious	Cosmos 1465	8	0
1983-070A	Breakup	Cosmos 1481	4	4
1983-072B	Provisional	Atlas 75E R/B (SGS II stage)		
1983-075A	Breakup	Cosmos 1484	48	1
1983-091	Spurious	Cosmos 1494	25	0
1983-101	Spurious	Cosmos 1501	24	0
1983-105B	Provisional	Ariane 1 R/B		
1983-127G	Provisional	Proton-K DM SOZ ullage motor		
1983-127H	Breakup	Cosmos 1519-21 ullage	6	4
1984				
1984-008	Spurious	STTW-T1	2	0
1984-011E	Breakup	Palapa B2 R/B	3	0
1984-011F	Breakup	WESTAR 6 R/B	14	1
1984-023B	Provisional	Ariane 1 R/B		
1984-081C	Provisional	Ariane 3 R/B		
1984-083A	Breakup	Cosmos 1588	45	0
1984-104	Spurious	Cosmos 1601	28	0
1984-106F	Breakup	Cosmos 1603 ullage	22	1
1985				
1985-021	Spurious	GEOSAT	4	3
1985-030A	Breakup	Cosmos 1646	24	0

1985-037G	Breakup	Cosmos 1650-52 ullage	2	2
1985-039A	Breakup	Cosmos 1654	18	0
1985-042E	Breakup	Cosmos 1656 ullage	6	6
1985-050	Spurious	Cosmos 1662	27	0
1985-066A/B	Anomalous Event	OSCAR 24/30	2	2
1985-075	Spurious	Cosmos 1677	1	0
1985-082A	Breakup	Cosmos 1682	23	0
1985-091A	Breakup	Molniya 3-26	1	0
1985-094B	Breakup	Cosmos 1691	14	11
1985-097	Spurious	Cosmos 1697	4	4
1985-105A	Breakup	Cosmos 1701	1	0
1985-118L	Breakup	Cosmos 1710-12 ullage	12	8
1985-121F	Breakup	Cosmos 1714 R/B	2	0
1986				
1986-010B	Provisional	CZ-3 R/B		
1986-017	Spurious	Mir	323	0
1986-019C	Breakup	SPOT 1/Viking R/B	488	43
1986-024	Spurious	Cosmos 1736	26	0
1986-030	Spurious	Cosmos 1741	6	6
1986-052	Spurious	Cosmos 1763	3	3
1986-059A	Breakup	Cosmos 1769	4	0
1986-067	Spurious	Cosmos 1776	28	0
1986-069A	Breakup	USA 19	13	0
1986-069B	Breakup	USA 19 R/B	5	0
1986-101	Spurious	Cosmos 1809	9	9
1987				
1987-004A	Breakup	Cosmos 1813	194	0
1987-020A	Breakup	Cosmos 1823	113	40
1987-059A	Breakup	Cosmos 1866	9	0
1987-062A	Breakup	Cosmos 1869	2	2
1987-068B	Breakup	Meteor 2-16 R/B	79	18
1987-078C	Breakup	AUSSAT/ECS R/B	4	2
1987-079G	Breakup	Cosmos 1883-85 ullage	14	11
1987-108A	Breakup	Cosmos 1906	37	0
1987-109E	Breakup	Ekran 17 ullage	1	0
1988				
1988-007A	Breakup	Cosmos 1916	1	0
1988-019	Spurious	Cosmos 1932	1	0
1988-032B	Anomalous Event	Cosmos 1939 R/B	1	1
1988-065	Spurious	Cosmos 1960	28	0
1988-067	Spurious	FSW-1 2	6	0
1988-085G	Breakup	Cosmos 1970-72 ullage	1	1
1988-098B	Provisional	Ariane 2 R/B		

1988-109C	Breakup	Skynet 4B/Astra 1A R/B	7	7
1988-113	Spurious	Cosmos 1985	36	1
1989				
1989-001G	Breakup	Cosmos 1987-89 ullage	7	5
1989-004E	Breakup	Gorizont 17 ullage	1	0
1989-006B	Breakup	Intelsat 515 R/B	6	6
1989-012	Spurious	Cosmos 2002	10	0
1989-027B	Provisional	Ariane 2 R/B		
1989-052F	Breakup	Gorizont 18 ullage	1	0
1989-054A	Breakup	Cosmos 2030	1	0
1989-056A	Breakup	Cosmos 2031	9	0
1989-061	Uncategorized	USA 40		
1989-089A	Anomalous Event	COBE	78	50
1989-094A	Breakup	Molniya 3-36	1	0
1989-094B	Breakup	Molniya 3-36 R/B	1	0
1989-100B	Breakup	Cosmos 2053 R/B	26	1
1989-101E	Breakup	Cosmos 2054 ullage	9	6
1990				
1990-012	Spurious	Cosmos 2059	10	0
1990-038	Spurious	Cosmos 2075	14	0
1990-045G	Breakup	Cosmos 2079-81 ullage motor	1	1
1990-081D	Breakup	Feng Yun 1-2 R/B	83	72
1990-087A	Breakup	Cosmos 2101	4	0
1990-102E	Breakup	Gorizont 22 ullage	2	1
1990-104	Spurious	Cosmos 2106	28	0
1990-105A	Breakup	USA 68	28	1
1990-110H	Breakup	Cosmos 2109-11 ullage	2	2
1991				
1991-003C	Breakup	Italsat 1/Eutelsat 2 F2 R/B	8	6
1991-009J	Breakup	Cosmos 2125-32 R/B	86	86
1991-010D	Breakup	Cosmos 2133 ullage	3	3
1991-015C	Breakup	Astra 1B/MOP 2 R/B	5	4
1991-054C	Provisional	IUS R/B (1)		
1991-068G	Breakup	Cosmos 2157-2162 R/B	34	34
1991-071A	Breakup	Cosmos 2163	1	0
1992				
1992-021C	Breakup	Telecom 2B/INMARSAT 2 R/B	11	11
1992-047H	Breakup	Cosmos 2204-06 ullage	3	2
1992-088E	Provisional	Proton-K DM SOZ ullage motor		
1992-091A	Breakup	Cosmos 2225	6	0
1992-093B	Breakup	Cosmos 2227 R/B	219	181
1993				
1993-014A	Anomalous Event	EKA (START 1/CTAPT 1)	0	0

1993-016B	Breakup	Cosmos 2237 R/B	29	27
1993-018A	Breakup	Cosmos 2238	1	0
1993-028B	Breakup	Cosmos 2243	1	0
1993-045A	Breakup	Cosmos 2259	1	0
1993-057A	Breakup	Cosmos 2262	0	0
1993-072E	Breakup	Gorizont 29 ullage motor	1	0
1994				
1994-004B	Breakup	Clementine R/B	0	0
1994-029B	Breakup	STEP II R/B	704	134
1994-038F	Breakup	Cosmos 2282 ullage	2	2
1994-056B	Breakup	ETS-VI R/B	1	0
1994-069E	Breakup	Elektro ullage	1	0
1995				
1995-008	Spurious	Cosmos 2306	23	0
1995-028A	Breakup	Cosmos 2313	23	21
1995-033B	Breakup	Cerise	13	0
1995-037K	Breakup	Cosmos 2316-2318 ullage motor	2	2
1995-041B	Anomalous Event	KOREASAT 1 R/B	1	1
1995-059B	Anomalous Event	RADARSAT R/B	1	1
1995-085B	Breakup	RS-15 R/B	1	0
1996				
1996-010D	Breakup	Raduga 33 R/B	2	1
1996-034F	Breakup	Gorizont 32 ullage motor	1	0
1997				
1997-024A	Breakup	Cosmos 2343	1	0
1997-036B	Provisional	Atlas 2AS Centaur		
1997-079A	Breakup	Cosmos 2347	9	0
1997-086D	Breakup	Asiasat 3 R/B	1	0
1998				
1998-011B	Breakup	COMETS R/B	1	0
1999				
1999-051A	Anomalous Event	IKONOS 2	1	0
1999-057C	Breakup	CBERS-1/SACI-1 R/B	293	234
2000				
2001				